

Published by

Transportation Data Section
Transportation Systems Monitoring Unit

November 2018




# 2017 TRANSPORTATION VOLUME TABLES

## OREGON DEPARTMENT OF TRANSPORTATION

TRANSPORTATION DATA SECTION
TRANSPORTATION SYSTEMS MONITORING UNIT
555 13<sup>TH</sup> STREET N.E., SUITE #2
SALEM, OR. 97301-4178

November 2018



# TABLE OF CONTENTS

Page
Contact Information and Internet Access
Introduction5
2017 Trend Data
Section I
Introduction to the Traffic Volumes on the State Highway System
Cross Reference Table I – ODOT State Highway Numbers, Highway Names, and Highway Route Numbers
Cross Reference Table II – Interstate Route Numbers, Highway Names, and State Highway Numbers
Cross Reference Table III – US Route Numbers, Highway Names, and State Highway Numbers
Cross Reference Table IV – Oregon Route Numbers, Highway Names, and State Highway Numbers
Table V – Highway Count Schedule. 24
Map of State Highway System and Principle Routes
Section II
Tabulation of Traffic Volumes on State Highways
Section III
Introduction to Interchange Ramp Volume Diagrams. 147
Pacific Highway No. 1 (I-5)
Columbia River Highway No. 2 and Old Oregon Trail No. 6 (I-84)
The Dalles-California Highway No. 4 (US97), the Bend Parkway section in Bend
Sunset Highway No. 47 (US26) from Wilson River Highway No. 37 (OR 6) east to Stadium Freeway Highway No. 61 (I-405) in Portland

# **TABLE OF CONTENTS (Continued)**

	Stadium Freeway Highway No. 61 (I-405)	193
	East Portland Freeway Highway No. 64 (I-205).	197
	Belt Line Highway No. 69 (OR569)	203
	McNary Highway No. 70 (I-82)	207
	Beaverton – Tigard Highway No. 144 (OR217)	211
	North Santiam Highway No. 162 (OR22) (from I-5 to Stayton/Sublimity Exit).	215
	Eugene – Springfield Highway No. 227 (I-105 & OR126)	219
	Section IV	
In	troduction to Traffic Trends at Automatic Traffic Recorder Stations	223
	Map of Automatic Traffic Recorder Stations	225
	Summary of Traffic Trends at Automatic Traffic Recorder Stations and Automatic Vehicle Classification Stations	227
	Glossary	319

# CONTACT INFORMATION INTERNET ACCESS

The 1986 through 2017 publication of the Transportation Volume Tables can be viewed and downloaded online at:


http://www.oregon.gov/ODOT/Data/Pages/Traffic-Counting.aspx (Then click on link: Traffic Volume Tables)

The individual pdf sections and maps are also available for download. Starting in 2016, an Excel version of the Traffic Tables for State Highways is available with additional data columns including Linear Reference Method (LRM), milepoint range and vehicle classification percentages. The sections, maps, and Excel version can be viewed and downloaded at:

http://www.oregon.gov/ODOT/Data/Pages/Traffic-Counting.aspx (Then click on desired document link)

Beginning with the 2017 publication, the Transportation Volume Tables will only be available for viewing and download.

To have your name or organization added to the email publication notification list, please email <u>trafficcounts@odot.state.or.us</u> or call (503)-986-4147.



### **INTRODUCTION**

#### **About the Transportation Volume Tables**

This publication is updated annually by the Transportation Systems Monitoring (TSM) Unit and contains statewide volume and class data.


#### **General Data Attributes Common to All Tables**

The *Annual Average Daily Traffic (AADT)* volumes provided in this publication are applicable for a given **range of milepoints** that are available in the Excel download.

The *Automatic Traffic Recorder (ATR)* locations provide volume traffic data all year round and include all days. Some ATR locations provide class data (*the Automatic Vehicle Classifier (AVC)*) or speed and length data.

Each *Vehicle Classification* breakdown was derived from a twenty-four hour manual count, forty-eight hour tube count, or permanent Automatic Vehicle Classifier.

The Vehicle Classification terminology in this publication is in accordance with those defined by the Federal Highway Administration (FHWA) and is as follows:



<u>Class 1: Motorcycles-Scooters</u> -- All two or three-wheeled motorized vehicles. Typical vehicles in this category have saddle type seats and are steered by handle bars rather than a wheel. This category includes motorcycles, motor scooters, mopeds, motor-powered bicycles, and three-wheel motorcycles.

<u>Class 2: Passenger Cars</u> -- All sedans, coupes, station wagons, and minivans manufactured primarily for the purpose of carrying passengers. This includes passenger cars pulling recreational or other light trailers.

<u>Class 3: Other Two-Axle, Four-Tire Single Unit Vehicles</u> -- All two-axle, four-tire vehicles, other than passenger cars. Included in this classification are pickups, panels, vans, and other vehicles such as campers, motor homes, ambulances, hearses, and carryalls. Other two-axle, four-tire single unit vehicles pulling recreational or other light trailers are included in this classification.

<u>Class 4: Buses</u> -- All vehicles manufactured and licensed as traditional passenger-carrying buses with two axles and six tires or three or more axles. This category includes only traditional buses (including school buses) functioning as passenger-carrying vehicles. All two-axle, four-tire minibuses should be classified as other two-axle, four-tire single unit vehicles. Modified buses should be considered to be a truck and be appropriately classified.

<u>Class 5: Two-Axle, Six-tire, Single Unit Trucks</u> -- All vehicles on a single frame, including trucks, camping and recreation vehicles, motor homes, etc., having two axles and dual rear wheels.

<u>Class 6: Three-Axle Single Unit Trucks</u> -- All vehicles on a single frame, including trucks, camping and recreational vehicles, motor homes, etc., having three axles.

<u>Class 7: Four or More Axle Single Unit Trucks</u> -- All trucks on a single frame with four or more axles.

<u>Class 8: Four or Less Axle Single Trailer Trucks</u> -- All vehicles with four or less axles consisting of two units, one of which is a tractor or straight truck power unit.

<u>Class 9: Five-Axle Single Trailer Trucks</u> -- All five-axle vehicles consisting of two units, one of which is a tractor or straight truck power unit.

<u>Class 10: Six or More Axle Single Trailer Trucks</u> -- All vehicles with six or more axles consisting of two units, one of which is a tractor or straight truck power unit.

<u>Class 11: Five or Less Axle Multi - Trailer Trucks</u> -- All vehicles with five or less axles consisting of at least three units, one of which is a tractor or straight truck power unit.

<u>Class 12: Six-Axle Multi - Trailer Trucks</u> -- All six-axle vehicles consisting of at least three units, one of which is a tractor or straight truck power unit.

<u>Class 13: Seven or More Axle Multi - Trailer Trucks</u> -- All vehicles with seven or more axles consisting of at least three units, one of which is a tractor or straight truck power unit.

In reporting information regarding trucks and their configuration, the following additional criteria are used:

- Truck tractor units traveling without a trailer are considered single unit trucks.
- Vehicles are defined by the number of axles in contact with the roadway. Therefore, "floating" axles are counted only when in the down position.
- The term "trailer" includes both semi- and full trailers.

# Section I Introduction to the Traffic Volumes on the State Highway System

This section contains general information regarding the State Highway numbering systems. The highway numbers shown throughout this publication are the Oregon Department of Transportation (ODOT) internal highway numbers called the ODOT Highway Number. These numbers are not what you see on road signs when driving on our state highways.

The following are the Highway Cross Reference and other tables provided in Section I:

Table I	ODOT Highway Number, Highway Name, and Route Numbers (OR, US and Interstate)
Table II	Interstate Route Number, Highway Name, and ODOT Highway Number
Table III	US Route Number, Highway Name, and ODOT Highway Number
Table IV	Oregon Route Number, Highway Name, and ODOT Highway Number
Table V	Highway Count Schedule

# Section II Traffic Volumes on State Highways

This section contains a listing of <u>Annual Average Daily Traffic (AADT) volumes</u> at various milepoints along the highways, and includes all vehicle totals in both directions, unless identified as one-way traffic.

One third of State Highways were counted in 2017 and adjusted to a 2017 AADT. The AADTs for the remaining two thirds of the State Highways were adjusted to reflect area traffic growth trends. AADTs were derived from permanent count station data, or forty-eight hour tube count data, or twenty-four hour manual count data.

When a new highway is completed and opens to traffic for only part of the year, the AADT as given in this tabulation is presented as if the facility was open to traffic for the entire year.

#### Section III Ramp Volume Diagrams


This section contains <u>Interchange Ramp Diagrams</u> with AADT volumes for the Highway Main Line and Interchange Ramps for the following highways:

ODOT Hwy. No.	Route	Highway Name
1	(I-5)	Pacific Highway
2	(I-84)	Columbia River Highway
6	(I-84)	Old Oregon Trail
4	(US 97)	The Dalles-California Highway
47	(US 26)	Sunset Highway
61	(I-405)	Stadium Freeway Highway
64	(I-205)	East Portland Freeway
69	(OR569)	Highway Beltline Highway
70	(I-82)	Eugene McNary Highway
144	(OR 217)	Beaverton-Tigard Highway
162	(OR 22)	North Santiam Highway
227	(I-105 & OR 126)	Eugene-Springfield Highway

# Section IV Traffic Trends at Automatic Traffic Recorder Stations

This section contains a <u>Summary of Traffic Data</u> collected at Automatic Traffic Recorder Stations during the past ten years. Stations with less than ten years of historical data are shown from the date of installation to the present date. The data includes yearly comparisons of AADT, seasonal variation by months, peak days, and peak hours. When a new highway is completed and opens to traffic for only part of the year, or an existing ATR is operational for only part of the year, only certain table information is provided. As of 2015, the vehicle classes no longer appear in this document. Instead, links are provided for web sites with vehicle class information for all the state traffic locations instead of only at the ATR.

Each vehicle classification breakdown was derived from a twenty-four hour manual count, forty-eight hour tube count, or permanent Automatic Vehicle Classifier.



#### 2017 TREND DATA

Gasoline distributed to retail dealers during 2017 increased 1.02 percent as compared to 2016.

Special Use Fuels distributed to retail dealers during 2017 increased 1.07 percent as compared to 2016. Special Use Fuels include diesel, propane, and natural gas.

The motor vehicle registrations during 2017 increased 2.58 percent as compared to 2016. Historical motor vehicle registration data may also be found on the web at:

http://www.oregon.gov/odot/dmv/pages/news/vehicle\_stats.aspx


The Vehicle Miles of Travel (VMT) during 2017 increased 0.2 percent on State Highways as compared to 2016. Historical VMT data may also be found on the web at:

 $\underline{http://www.oregon.gov/ODOT/Data/Pages/Traffic-Counting.aspx}$ 

(Then click on link: Vehicle Miles Travelled)

Year	tate Highway Vehicle I  VMT	% Change
2017	21,403,600,000	0.2%
2016	21,369,100,000	3.3%
2015	20,678,200,000	4.5%
2014	19,781,900,000	1.0%
2013	19,583,800,000	0.9%
2012	19,416,500,000	-0.1%
2011	19,431,700,000	-1.5%
2010	19,731,200,000	-0.5%
2009	19,830,600,000	1.7%
2008	19,504,300,000	-5.2%
2007	20,584,500,000	-0.4%
2006	20,664,000,000	-0.3%
2005	20,723,100,000	-0.2%
2004	20,754,300,000	-0.3%
2003	20,819,400,000	-0.6%
2002	20,940,700,000	2.0%
2001	20,529,100,000	0.4%
2000	20,450,700,000	0.6%
1999	20,320,700,000	3.1%
1998	19,716,000,000	1.8%
1997	19,376,500,000	3.0%
1996	18,809,300,000	2.2%
1995	18,406,900,000	2.4%
1994	17,975,400,000	2.7%
1993	17,508,400,000	2.0%

(Rounded to the nearest 100,000)



#### **SECTION I**

#### INTRODUCTION TO

#### TRAFFIC VOLUMES ON THE STATE HIGHWAY SYSTEM

Section I contains a tabulation of vehicular traffic at various locations on the State Highway System. This tabulation is designed for use with the State Highway Numbering System.

#### This section includes:

- Cross Reference Table I: <u>ODOT State Highway Numbers</u>, Highway Names, and Highway Route Numbers, beginning on page 13.
- Cross Reference Table II: <u>Interstate Route Numbers</u>, Highway Names, and ODOT Highway Numbers, beginning on page 17.
- Cross Reference Table III: <u>US Route Numbers</u>, Highway Names, and ODOT Highway Numbers, beginning on page 18.
- Cross Reference Table IV: <u>Route Numbers</u>, Highway Names, and ODOT Highway Numbers, beginning on page 19.
- Table V: Tabular list of the year each highway was last counted, beginning on page 24.
- A map showing the State Highway Numbering System with accompanying Highway Route Numbers, on page 27 and 28.

This publication lists each highway in the order of its State Highway Numbers. The following reference lists the State Highway Number, Highway Name, and Highway Route Numbers that traverse all or a portion of each State Highway. A route common with another for less than one mile is not shown.

#### November 2017

#### **CROSS REFERENCE TABLE I**

ODOT Highway Numbers, Highway Names, and Route Numbers

HWY #	HIGHWAY NAME	ROUTE NUMBER(S)
1	Pacific	I-5, US30, OR99, OR99E, OR138
2	Columbia River	I-84, US30, US395, US730
3	Oswego	OR43
4	The Dalles-California	US26, US30, US97, US197, OR216
5	John Day	US26, US395, OR19, OR206, OR207

CROSS REFERENCE TABLE I (CONTINUED)			
HWY#	HIGHWAY NAME	ROUTE NUMBER(S)	
6	Old Oregon Trail	I-84, US30, US395	
7	Central Oregon	US20, US26, US395, OR201	
8	Oregon-Washington	US30, OR11	
9	Oregon Coast	US101, OR255	
10	Wallowa Lake	OR82	
11	Enterprise-Lewiston	OR3	
12	Baker-Copperfield	OR7, OR86, OR86S	
14	Crooked River	OR27	
15	McKenzie	US20, OR126, OR126Bus, OR242	
16	Santiam	US20, OR126	
17	McKenzie-Bend	US20, US97Bus	
18	Willamette	OR58	
19	Fremont	US395, OR31, OR140	
20	Klamath Falls-Lakeview	US97Bus, OR39, OR140	
21	Green Springs	OR66, OR140	
22	Crater Lake	OR62	
23	Dairy-Bonanza	OR70	
25	Redwood	US199, OR99	
26	Mt. Hood	US26, OR35	
27	Alsea	OR34	
28	Pendleton-John Day	US395, OR37	
29	Tualatin Valley	OR8, OR47	
30	Willamina-Salem	OR22	
31	Albany-Corvallis	US20	
32	Three Rivers	OR22	
33	Corvallis-Newport	US20, OR34	
35	Coos Bay-Roseburg	OR42, OR99	
36	Pendleton-Cold Springs	OR37	
37	Wilson River	OR6	
38	Oregon Caves	OR46	
39	Salmon River	OR18, OR22, OR233	
40	Beaverton-Hillsdale	OR10	
41	Ochoco	US26, OR126	
42	Sherman	US97	
43	Monmouth-Independence	OR51	
44	Wapinitia	OR216	
45	Umpqua	OR38, OR99	
46	Necanicum	OR53	
47	Sunset	US26, OR47	
48	John Day-Burns	US395	
49	Lakeview-Burns	US395	
50	Klamath Falls-Malin	US97Bus, OR39, OR140	
51	Wilsonville-Hubbard	OR551	
52	Heppner	OR74, OR207	
53	Warm Springs	US26	
54	Umatilla-Stanfield	US395	
58	Albany-Junction City	US20, OR99E	
60	Rogue River	OR99	
61	Stadium	I-405, US26, US30	
62	Florence-Eugene	OR126	
63	Rogue Valley	OR99	
	<u> </u>		

CROSS REFERENCE TABLE I (CONTINUED)			
HWY#	HIGHWAY NAME	ROUTE NUMBER(S)	
64	East Portland Freeway	I-205, OR213, OR224	
66	LaGrande-Baker	US30, OR7, OR203, OR237	
67	Pendleton	US30, OR37	
68	Cascade Highway North	OR213	
69	Beltline	OR126, OR569	
70	McNary	I-82, US395	
71	Whitney	OR7	
72	Salem	OR22, OR99E Bus	
75	Sunrise Expressway	OR2122	
81	Pacific Highway East	OR99E, OR214	
91	Pacific Highway West	US20, OR10, OR99, OR99W, OR126, OR126Bus, OR219	
92	Lower Columbia River	US30	
100	Historic Columbia River	US30, OR35	
102	Nehalem	US101Bus, OR47, OR202	
103	Fishhawk Falls	OR103	
104	Ft. Stevens	OR104	
105	Warrenton-Astoria	US101Bus	
110	Mist-Clatskanie	OR47	
120	Swift	OR120	
123	Northeast Portland	US30 Bypass	
130	Little Nestucca	OR130	
131	Netarts	OR131	
138	North Umpqua	OR99, OR138	
140	Hillsboro-Silverton	OR214, OR219	
141	Beaverton-Tualatin	OR141	
142	Farmington	OR10	
143	Scholls	OR210	
144	Beaverton-Tigard	OR217	
150	Salem-Dayton	OR221	
151	Yamhill-Newberg	OR240	
153	Bellevue-Hopewell	OR153	
154	Lafayette	OR154, OR233	
155	Amity-Dayton	OR233	
157	Willamina-Sheridan	OR18Bus	
160	Cascade Highway South	OR213	
161	Woodburn-Estacada	OR211	
162	North Santiam	OR22	
163	Silver Creek Falls	OR214	
164	Jefferson	OR164	
171	Clackamas	OR211, OR212, OR213, OR224	
172	Eagle Creek-Sandy	OR211	
173	Timberline	OR173	
174	Clackamas-Boring	OR212	
180	Eddyville-Blodgett	OR180	
181	Siletz	OR229	
189	Dallas-Rickreall	OR223	
191	Kings Valley	OR223	
193	Independence	OR51	
194	Monmouth	OR194	
200	Territorial	OR200	
201	Alsea-Deadwood	OR501	

CROSS REFERENCE TABLE I (CONTINUED)			
HWY#	HIGHWAY NAME	ROUTE NUMBER(S)	
210	Corvallis-Lebanon	US20, OR34	
211	Albany-Lyons	OR226	
212	Halsey-Sweet Home	OR228	
215	Clear Lake-Belknap Springs	OR126	
222	Springfield-Creswell	OR222	
225	McVay	OR225	
226	Goshen-Divide	OR99	
227	Eugene-Springfield	I-105, OR126	
228	Springfield	OR528	
229	Mapleton-Junction City	OR36	
230	Tiller-Trail	OR227	
231	Elkton-Sutherlin	OR138	
233	West Diamond Lake	OR230	
240	Cape Arago	OR540	
241	Coos River	OR241	
242	Powers	OR542	
244	Coquille-Bandon	OR42S	
250	Cape Blanco	OR250	
251	Port Orford	OR251	
255	Carpenterville	OR255	
260	Rogue River Loop	OR260	
270	Lake of the Woods	OR140	
271	Sams Valley	OR99, OR234	
272	Jacksonville	OR238	
273	Siskiyou	OR273	
281	Hood River	OR281	
282	Odell	OR282	
290	Sherars Bridge	OR216	
291	Shaniko-Fossil	OR218	
292	Mosier-The Dalles	US30	
293	Antelope	OR293	
300	Wasco-Heppner	OR206, OR207	
301	Celilo-Wasco	OR206	
320	Lexington-Echo	OR207	
321	Heppner-Spray	OR207	
330	Weston-Elgin	OR204	
331	Umatilla Mission	OR331	
332	Sunnyside-Umapine	OR332	
333	Hermiston	OR207	
334	Athena-Holdman	OR334	
335	Havana-Helix	OR335	
339	Freewater	OR339	
340	Medical Springs	OR203	
341	Ukiah-Hilgard	OR244	
342	Cove	OR237	
350	Little Sheep Creek	OR350	
351	Joseph-Wallowa Lake	OR350 OR351	
360	Madras-Prineville	US26	
361	Culver	OS26 OR361	
370	O'Neil	OR370	
372	Century Drive	None	
314	Century Drive	TAOHE	

HWY #         HIGHWAY NAME         ROUTE NUMBER(S)           380         Paulina         OR380           390         Service Creek-Mitchell         OR207           402         Kimberly-Long Creek         OR402           410         Sumpter         OR410           413         Halfway-Cornucopia         OR413           414         Pine Creek         OR414           415         Dooley Mountain         OR245           420         Midland         None           422         Chiloquin         OR422           424         South Klamath Falls         OR140	CROSS REFERENCE TABLE I (CONTINUED)		
390         Service Creek-Mitchell         OR207           402         Kimberly-Long Creek         OR402           410         Sumpter         OR410           413         Halfway-Cornucopia         OR413           414         Pine Creek         OR414           415         Dooley Mountain         OR245           420         Midland         None           422         Chiloquin         OR422			
402         Kimberly-Long Creek         OR402           410         Sumpter         OR410           413         Halfway-Cornucopia         OR413           414         Pine Creek         OR414           415         Dooley Mountain         OR245           420         Midland         None           422         Chiloquin         OR422			
410         Sumpter         OR410           413         Halfway-Cornucopia         OR413           414         Pine Creek         OR414           415         Dooley Mountain         OR245           420         Midland         None           422         Chiloquin         OR422			
413Halfway-CornucopiaOR413414Pine CreekOR414415Dooley MountainOR245420MidlandNone422ChiloquinOR422			
414Pine CreekOR414415Dooley MountainOR245420MidlandNone422ChiloquinOR422			
415 Dooley Mountain OR245 420 Midland None 422 Chiloquin OR422			
420 Midland None 422 Chiloquin OR422			
422 Chiloquin OR422			
424 Couth Vlamath Falls OP 140			
424 SOURI KIAIRARI FARS UK140			
426 Hatfield OR39			
429 Crescent Lake OR429			
431 Warner OR140			
440 Frenchglen OR205			
442 Steens OR78			
449 Huntington US30			
450 Succor Creek OR201			
451 Vale-West OR451			
453 Adrian-Arena Valley OR453			
454 Adrain-Caldwell OR454			
455 Olds Ferry-Ontario US30Bus, OR201			
456 I.O.N. US95			
481 Baker-Copperfield Spur OR86S			
482 Redwood Spur None			
483 McMinnville Spur OR18			
484 Esplanade Spur US97Bus			
485 Fort Stevens Spur OR104S			
486 Gold Hill Spur OR99, OR234			
487 Celilo-Wasco Spur None			
488 Chiloquin Spur OR422S			
489 Parma Spur OR452			
490 Homedale Spur OR201			
491 Weiser Spur US95S			
492 Payette Spur OR52			
493 Ontario Spur US30, US30Bus			

<u>CROSS REFERENCE TABLE II</u>
<u>Interstate Route Numbers</u>, Highway Names, and State Highway Numbers

#### INTERSTATE ROUTE NUMBERS TO STATE HIGHWAY NUMBERS

INTERSTATE #	HIGHWAY NAME	HWY #	
I-5	Pacific	1	
I-82	McNary	70	
I-84	Columbia River	2	
I-84	Old Oregon Trail	6	
I-105	Eugene-Springfield Highway	227	
I-205	East Portland Freeway	64	
I-405	Stadium Freeway	61	

17

### **CROSS REFERENCE TABLE III**

#### **US Route Numbers**, Highway Names, and State Highway Numbers

The following cross reference lists the US Route Number, Highway Name, and State Highway Number. A State Highway may traverse all or a portion of the Route Number. A route common with another for less than one mile is not shown.

US Route Numbers, Highway Names, and State Highway Numbers		
US ROUTE	HIGHWAY NAME	HWY#
US20	Albany-Corvallis	31
US20	Albany-Junction City	58
US20	Central Oregon	7
US20	Corvallis-Lebanon	210
US20	Corvallis-Newport	33
US20	McKenzie	15
US20	McKenzie-Bend	17
US20	Pacific Highway West	91
US20	Santiam	16
US26	Central Oregon	7
US26	John Day	5
US26	Madras-Prineville	360
US26	Mt. Hood	26
US26	Ochoco	41
US26	Stadium Freeway	61
US26	Sunset	47
US26	The Dalles-California	4
US26	Warm Springs	53
US26	Nehalem	102
US30	Columbia River	2
US30	Historic Columbia River	100
US30	Huntington	449
US30	LaGrande-Baker	66
US30	Lower Columbia River	92
US30	Mosier-The Dalles	292
US30	Old Oregon Trail	6
US30	Ontario Spur	493
US30	Oregon-Washington	8
US30	Pacific	1
US30	Pendleton	67
US30	Stadium Freeway	61
US30	The Dalles-California	4
US30Bus	Olds Ferry-Ontario	455
US30Bus	Ontario Spur	493
US30 Bypass	Northeast Portland	123
US95	I.O.N	456
US95S	Weiser Spur	491
US97	Sherman	42
US97	The Dalles-California	4
US97Bus	Esplanade Spur	484
US97Bus	Klamath Falls-Lakeview	20
US97Bus	Klamath Falls-Malin	50
US97Bus	McKenzie-Bend	17
5 2 / 1 D G 5	1.1011chizic Della	± /

CROSS REFERENCE TABLE III – US Routes (CONTINUED)		
US ROUTE	HIGHWAY NAME	HWY #
US101	Oregon Coast	9
US101Bus	Nehalem	102
US101Bus	Warrenton-Astoria	105
US197	The Dalles-California	4
US199	Redwood	25
US395	Central Oregon	7
US395	Columbia River	2
US395	Fremont	19
US395	John Day	5
US395	John Day-Burns	48
US395	Lakeview-Burns	49
US395	McNary	70
US395	Old Oregon Trail	6
US395	Pendleton-John Day	28
US395	Umatilla-Stanfield	54
US730	Columbia River	2

### **CROSS REFERENCE TABLE IV**

Oregon Route Numbers, Highway Names, and State Highway Numbers

The following cross reference lists the Oregon Route Number, Highway Name, and State Highway Number. A State Highway may traverse all or a portion of the Oregon Route Number. A route common with another for less than one mile is not shown.

Oregon Route Numbers, Highway Names, and State Highway Numbers			
OR ROUTE	HIGHWAY NAME	HWY#	
OR3	Enterprise-Lewiston	11	
OR6	Wilson River	37	
OR7	Baker-Copperfield	12	
OR7	La Grande-Baker	66	
OR7	Whitney	71	
OR8	Tualatin Valley	29	
OR10	Beaverton-Hillsdale	40	
OR10	Farmington	142	
OR10	Pacific Highway West	91	
OR11	Oregon-Washington	8	
OR18	McMinnville Spur	483	
OR18	Salmon River	39	
OR18Bus	Willamina-Sheridan	157	
OR19	John Day	5	
OR22	North Santiam	162	
OR22	Salem	72	
OR22	Salmon River	39	
OR22	Three Rivers	32	
OR22	Willamina-Salem	30	
OR27	Crooked River	14	
OR31	Fremont	19	

CROSS REFERENCE TABLE IV – Oregon Routes (CONTINUED)		
OR ROUTE	HIGHWAY NAME	HWY#
OR34	Alsea	27
OR34	Corvallis-Lebanon	210
OR34	Corvallis-Newport	33
OR34	Pacific Highway West	91
OR35	Historic Columbia River	100
OR35	Mt. Hood	26
OR36	Mapleton-Junction City	229
OR37	Pendleton	67
OR37	Pendleton-Cold Springs	36
OR37	Pendleton-John Day	28
OR38	Umpqua	45
OR39	Hatfield	426
OR39	Klamath Falls-Lakeview	20
OR39	Klamath Falls-Malin	50
OR42	Coos Bay-Roseburg	35
OR42S	Coos Bay-Roseburg  Coquille-Bandon	244
OR43	Oswego	3
OR46	Oregon Caves	38
OR47	Mist-Clatskanie	110
OR47	Nehalem	102
OR47	Sunset	47
OR47	Tualatin Valley	29
OR51	Independence	193
OR51	Monmouth-Independence	43
OR52	Payette Spur	492
OR53	Necanicum	46
OR58	Willamette	18
OR62	Crater Lake	22
OR66	Green Springs	21
OR70	Dairy-Bonanza	23
OR74	Heppner	52
OR78	Steens	442
OR82	Wallowa Lake	10
OR86	Baker-Copperfield	12
OR86S	Baker-Copperfield	12
OR86S	Baker-Copperfield Spur	481
OR99	Coos Bay-Roseburg	35
OR99	Gold Hill Spur	486
OR99	Goshen-Divide	226
OR99	North Umpqua	138
OR99	Pacific	1
OR99	Pacific Highway West	91
OR99	Redwood	25
OR99	Rogue River	60
OR99	Rogue Valley	63
OR99	Sams Valley	271
OR99	Umpqua	45
OR99	Willamette	18
OR99E	Albany-Junction City	58
OR99E	Pacific Pacific	1
OR99E	Pacific Highway East	81
OKJJE	r acme riighway Last	01

CROSS REFERENCE TABLE IV – Oregon Routes (CONTINUED)			
OR ROUTE	HIGHWAY NAME	HWY #	
OR99E Bus	Salem	72	
OR99W	Pacific Highway West	91	
OR103	Fishhawk Falls	103	
OR104	Ft. Stevens	104	
OR104S	Ft. Stevens Spur	485	
OR120	Swift	120	
OR126	Beltline	69	
OR126	Clear Lake-Belknap Springs	215	
OR126	Eugene-Springfield	227	
OR126	Florence-Eugene	62	
OR126	McKenzie	15	
OR126	Ochoco	41	
OR126	Pacific Highway West	91	
OR126	Santiam	16	
OR126Bus	McKenzie	15	
OR126Bus	Pacific Highway West	91	
OR130	Little Nestucca	130	
OR131	Netarts	131	
OR138	Elkton-Sutherlin	231	
		138	
OR138	North Umpqua		
OR138	Pacific	1	
OR140	Fremont	19	
OR140	Green Springs	21	
OR140	Klamath Falls-Lakeview	20	
OR140	Klamath Falls-Malin	50	
OR140	Lake of the Woods	270	
OR140	South Klamath Falls	424	
OR140	Warner	431	
OR141	Beaverton-Tualatin	141	
OR153	Bellevue-Hopewell	153	
OR154	Lafayette	154	
OR164	Jefferson	164	
OR173	Timberline	173	
OR180	Eddyville-Blodgett	180	
OR194	Monmouth	194	
OR200	Territorial	200	
OR201	Central Oregon	7	
OR201	Homedale Spur	490	
OR201	Olds Ferry-Ontario	455	
OR201	Succor Creek	450	
OR202	Nehalem	102	
OR203	LaGrande-Baker	66	
OR203	Medical Springs	340	
OR204	Weston-Elgin	330	
OR205	Frenchglen	440	
OR206	Celilo-Wasco	301	
OR206	Wasco-Heppner	300	
OR207	Heppner	52	
OR207	Heppner-Spray	321	
OR207	Hermiston	333	
OR207	John Day	5	
OR207	Julii Day	J	

CROSS REFERENCE TABLE IV – Oregon Routes (CONTINUED)		
OR ROUTE	HIGHWAY NAME	HWY#
OR207	Lexington-Echo	320
OR207	Service Creek-Mitchell	390
OR207	Wasco-Heppner	300
OR210	Scholls	143
OR211	Clackamas	171
OR211	Eagle Creek-Sandy	172
OR211	Woodburn-Estacada	161
OR212	Sunrise Expressway	75
OR212	Clackamas	171
OR212	Clackamas-Boring	174
OR213	Cascade Highway South	160
OR213	Cascade Highway North	68
OR213	Clackamas	171
OR213	East Portland Freeway	64
OR214	Hillsboro-Silverton	140
OR214	Pacific Highway East	81
OR214	Silver Creek Falls	163
OR216	Sherars Bridge	290
OR216	The Dalles-California	4
OR216	Wapinitia	44
OR217	Beaverton-Tigard	144
OR218	Shaniko-Fossil	291
OR219	Hillsboro-Silverton	140
		150
OR221	Salem-Dayton	222
OR222	Springfield-Creswell	
OR223	Dallas-Rickreall	189
OR223	Kings Valley	191
OR224	Clackamas	171
OR224	East Portland Freeway	64
OR225	McVay	225
OR226	Albany-Lyons	211
OR227	Tiller-Trail	230
OR228	Halsey-Sweet Home	212
OR229	Siletz	181
OR230	West Diamond Lake	233
OR233	Amity-Dayton	155
OR233	Lafayette	154
OR233	Salmon River	39
OR234	Gold Hill Spur	486
OR234	Sams Valley	271
OR237	Cove	342
OR237	LaGrande-Baker	66
OR238	Jacksonville	272
OR240	Yamhill-Newberg	151
OR241	Coos River	241
OR242	McKenzie	15
OR244	Ukiah-Hilgard	341
OR245	Dooley Mountain	415
OR250	Cape Blanco	250
OR251	Port Orford	251
OR255	Carpenterville	255

CROSS REFERENCE TABLE IV – Oregon Routes (CONTINUED)		
OR ROUTE	HIGHWAY NAME	HWY #
OR260	Rogue River Loop	260
OR273	Siskiyou	273
OR281	Hood River	281
OR282	Odell	282
OR293	Antelope	293
OR331	Umatilla Mission	331
OR332	Sunnyside-Umapine	332
OR334	Athena-Holdman	334
OR335	Havana-Helix	335
OR339	Freewater	339
OR350	Little Sheep Creek	350
OR351	Joseph-Wallowa Lake	351
OR361	Culver	361
OR370	O'Neil	370
OR380	Paulina	380
OR402	Kimberly-Long Creek	402
OR410	Sumpter	410
OR413	Halfway-Cornucopia	413
OR414	Pine Creek	414
OR422	Chiloquin	422
OR422S	Chiloquin Spur	488
OR429	Crescent Lake	429
OR451	Vale-West	451
OR452	Parma Spur	489
OR453	Adrian-Arena Valley	453
OR454	Adrian-Caldwell	454
OR501	Alsea-Deadwood	201
OR528	Springfield	228
OR540	Cape Arago	240
OR542	Powers	242
OR551	Wilsonville-Hubbard	51
OR569	Beltline	69

## TABLE V - HIGHWAY COUNT SCHEDULE

The traffic counting program on the state highway system is conducted over a three year period. The tabulation below lists the year that each highway was last counted.


HWY NO.	HIGHWAY NAME	YEAR COUNTED
1	Pacific	17
2	Columbia River	17
3	Oswego	15
4	The Dalles-California	17
5	John Day	15
6	Old Oregon Trail	17
7	Central Oregon	15
8	Oregon-Washington	16
9	Oregon Coast	15
10	Wallowa Lake	16
11	Enterprise-Lewiston	16
12	Baker-Copperfield	16
14	Crooked River	15
15	McKenzie	16
16	Santiam	16
17	McKenzie-Bend	17
18	Willamette	16
19	Fremont	16
20	Klamath Falls-Lakeview	16
21	Green Springs	16
22	Crater Lake	16
23	Dairy-Bonanza	16
25	Redwood	15
26	Mt. Hood	15
27	Alsea	15
28	Pendleton-John Day	15
29	Tualatin Valley	15
30	Willamina-Salem	17
31	Albany-Corvallis	17
32	Three Rivers	15
33	Corvallis-Newport	15
35	Coos Bay-Roseburg	15
36	Pendleton-Cold Springs	16
37	Wilson River	15
38	Oregon Caves	15
39	Salmon River	15
40	Beaverton-Hillsdale	15
41	Ochoco	15
42	Sherman	16
43	Monmouth-Independence	17
44	Wapinitia	15
45	Umpqua	15
46	Necanicum	15
47	Sunset	17
48	John Day-Burns	17
49	Lakeview-Burns	16


HWY NO.	HIGHWAY NAME	YEAR COUNTED
50	Klamath Falls-Malin	16
51	Wilsonville-Hubbard	17
52	Heppner	15
53	Warm Springs	17
54	Umatilla-Stanfield	15
58	Albany-Junction City	15
60	Rogue River	16
61	Stadium	17
62	Florence-Eugene	15
63	Rogue Valley	16
64	East Portland Freeway	17
66	La Grande-Baker	16
67	Pendleton	17
68	Cascade (N. Section)	15
69	Beltline	17
70	McNary	17
71	Whitney	16
72	Salem	15
75	Sunrise Expressway	17
81	Pacific Highway E	16
91	Pacific Highway W	16
92	Lower Columbia River	16
100	Historic Columbia River	16
102	Nehalem	15
103	Fishhawk Falls	15
104	Ft. Stevens	15
105	Warrenton-Astoria	15
110	Mist Clatskanie	15
120	Swift	17
123	Northeast Portland	17
130	Little Nestucca	15
131	Netarts	15
138	North Umpqua	16
140	Hillsboro-Silverton	16
141	Beaverton-Tualatin	15
142	Farmington	15
143	Scholls	15
144	Beaverton-Tigard	17
150	Salem-Dayton	17
151	Yamhill-Newberg	17
153	Bellevue-Hopewell	17
154	Lafayette	17
155	Amity-Dayton	17
157	Willamina-Sheridan	15
160	Cascade (S. Section)	16


# TABLE V - HIGHWAY COUNT SCHEDULE (CONTINUED)

HWY NO.	HIGHWAY NAME	YEAR COUNTED
161	Woodburn-Estacada	16
162	North Santiam	17
163	Silver Creek Falls	15
164	Jefferson	17
171	Clackamas	16
172	Eagle Creek-Sandy	16
173	Timberline	16
174	Clackamas-Boring	16
180	Eddyville-Blodgett	15
181	Siletz	15
189	Dallas-Rickreall	15
191	Kings Valley	15
193	Independence	17
194	Monmouth	15
200	Territorial	15
201	Alsea-Deadwood	15
210	Corvallis-Lebanon	16
211	Albany-Lyons	16
212	Halsey-Sweet Home	16
215	Clear Lake-Belknap Springs	16
222	Springfield-Creswell	16
225	McVay	16
226	Goshen-Divide	15
227	Eugene-Springfield	17
228	Springfield	16
229	Mapleton-Junction City	15
231	Elkton-Sutherlin	15
233	West Diamond Lake	16
240	Cape Arago	15
241	Coos River	15
242	Powers	15
244	Coquille-Bandon	15
250	Cape Blanco	15
251	Port Orford	15
255	Carpenterville	15
260	Rogue River Loop	16
270	Lake of the Woods	16
271	Sams Valley	16
272	Jacksonville	16
273	Siskiyou	17
281	Hood River	16
282	Odell	16
290	Sherars Bridge	15
291	Shaniko-Fossil	15
292	Mosier-The Dalles	17
293	Antelope	15
300	Wasco-Heppner	15
301	Celilo-Wasco	16
320	Lexington-Echo	15
321	Heppner-Spray	15
330	Weston-Elgin	16
	<u> </u>	-


HWY	HIGHWAY NAME	YEAR
NO.		COUNTED
331	Umatilla Mission	16
332	Sunnyside-Umapine	16
333	Hermiston	15
334	Athena-Holdman	16
335	Havana-Helix	16
339	Freewater	16
340	Medical Springs	16
341	Ukiah-Hilgard	17
342	Cove	16
350	Little Sheep Creek	16
351	Joseph-Wallowa Lake	16
360	Madras-Prineville	15
361	Culver	15
370	O'Neil	15
372	Century Drive	15
380	Paulina	15
390	Service Creek-Mitchell	15
402	Kimberly-Long Creek	15
410	Sumpter	16
413	Halfway-Cornucopia	16
414	Pine Creek	16
415	Dooley Mountain	16
420	Midland	16
422	Chiloquin	16
424	South Klamath Falls	16
426	Hatfield	16
429	Crescent Lake	16
431	Warner	16
440	Frenchglen	15
442	Steens	15
449	Huntington	17
450	Succor Creek	15
451	Vale-West	15
453	Adrian-Arena Valley	15
454	Adrian-Caldwell	15
455		17
456	Olds Ferry-Ontario I.O.N.	15
481	Baker-Copperfield Spur	16
482	Redwood Spur	15
483	McMinnville Spur	15
484	Esplanade Spur	16
485	Fort Stevens Spur	15
486	Gold Hill Spur	16
487	Celilo-Wasco Spur	16
488	Chiloquin Spur	16
489	Parma Spur	15
490	Homedale Spur	15
491	Weiser Spur	16
492	Payette Spur	17
493	Ontario Spur	17







SECTION II
TRAFFIC VOLUMES ON STATE HIGHWAYS
An asterisk (*) appearing to the left of a count location description indicates an Automatic Traffic Recorder (ATR) Station or Automatic Vehicle Classification (AVC) Station. See Section IV of this book for 2017 monthly traffic volumes, high hour volumes or historical trends at these stations.
29



#### 2017 TRAFFIC VOLUMES ON STATE HIGHWAYS

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			PACIFIC HIGHWAY NO. 1
			Milepoint indicates distance from Oregon-California State Line
0.00	16900		Oregon-California State Line
5.02	16800		0.30 mile south of Siskiyou Interchange
11.03	17200	*	Neil Creek Automatic Traffic Recorder, Sta. 15-002, 0.86 mile south of Rogue Valley Highway No. 63 Interchange (OR99)
13.67	16600		0.50 mile south of Green Springs Highway Interchange (OR66)
18.11	28100	*	North Ashland Automatic Traffic Recorder, Sta. 15-021, 0.98 mile south of North Ashland Interchange
19.87	39000		0.77 mile north of North Ashland Interchange
23.90	41500		0.50 mile south of Fern Valley Road Interchange
26.91	43100		0.30 mile south of South Medford Interchange
28.33	53200	*	Medford Viaduct Automatic Traffic Recorder, Sta. 15-019, 1.96 miles southeast of the North Medford Interchange
30.59	42700		0.30 mile north of Crater Lake Highway Interchange (OR62)
34.94	38800		0.50 mile south of Seven Oaks Interchange
36.04	41100		0.60 mile north of Seven Oaks Interchange
42.84	40000	*	Gold Hill Automatic Traffic Recorder, Sta. 15-001, 2.77 miles south of the Homestead Interchange
44.97	40300		0.50 mile east of Rogue River Highway (OR99), Homestead Interchange
45.61	39300		On Rogue River Bridge
48.32	39100		0.50 mile east of Rogue River Interchange
55.38	37800		0.40 mile south of East Grants Pass Interchange (US199)
57.56	28600		0.50 mile south of Redwood Highway (OR99), North Grants Pass Interchange
61.05	31700		0.40 mile south of Louse Creek Interchange
			Grave Creek Automatic Traffic Recorder, Sta. 17-001, 2.08 miles south of Monument Drive
64.20	23300	*	(Jump Off Joe) Interchange
71.29	21900		0.10 mile south of Sunny Valley Interchange
75.73	21500		0.30 mile south of South Wolf Creek Interchange
76.50	20400		0.10 mile south of North Wolf Creek Interchange
77.91	21000		0.20 mile south of Speaker Road Interchange
80.30	21100		0.50 mile south of Glendale Junction Interchange
83.09	21100		0.20 mile south of Barton Road Interchange
85.84	20700		0.30 mile south of Quines Creek Road Interchange
87.72	20900		0.40 mile south of Azalea Interchange
95.52	21100		0.30 mile south of Canyon Creek Interchange
97.68	21200		0.60 mile south of Canyonville Interchange
98.82	22000	*	Canyonville Automatic Traffic Recorder, Sta. 10-008, 0.54 mile north of Canyonville/Days Creek Interchange (Fifth Street)
101.10	24500		0.30 mile south of Riddle (Yokum Road) Interchange
101.60	24500		0.30 mile south of Gazley Road Interchange
103.65	24800		0.30 mile south of Riddle Road Interchange
106.41	27300		0.30 mile south of Weaver Road Interchange
107.91	28100		0.40 mile south of Myrtle Creek Interchange
109.86	30100		0.50 mile south of Boomer Hill Road Interchange
112.03	30100		0.50 mile south of Dillard Junction Interchange
113.14	28100		0.30 mile south of Clarks Branch Road Interchange
119.01	27100		0.50 mile south of Coos Bay-Roseburg Highway Interchange (OR99)
120.01	45100		0.50 mile north of Coos Bay-Roseburg Highway Interchange (OR99)
120.79	44500		0.30 mile north of Oakland-Shady Highway Interchange (OR99)
122.71	44900		0.30 mile south of Fairgrounds Interchange

#### 2017 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2017 AADT AII	ATR	Location Description
willepoliti	Vehicles	AVC	
			PACIFIC HIGHWAY NO. 1 (Continued)
123.84	45900		0.30 mile south of West Harvard Avenue Interchange
124.78	50600		0.30 mile south of Garden Valley Road Interchange
126.83	36800		0.40 mile south of North Roseburg Interchange
129.12	35700		0.10 mile south of Winchester Interchange
130.15	34200	*	Roseburg Automatic Traffic Recorder, Sta. 10-005, 0.30 mile north of Winchester Interchange
136.02	30000		0.50 mile south of Elkton-Sutherlin Highway Interchange (OR138)
136.72	25100		0.20 mile north of Elkton-Sutherlin Highway Interchange (OR138)
138.46	24100		0.10 mile north of South Oakland Interchange
140.77	24900		0.50 mile north of North Oakland Interchange
145.39	24600	*	Oakland Automatic Traffic Recorder, Sta. 10-007, 5.06 miles north of OR99
148.11	24500		0.10 mile south of North Rice Hill Interchange
149.94	24000		0.40 mile south of Yoncalla Interchange
150.84	22900		0.50 mile north of Yoncalla Interchange
155.54	23000		1.00 mile north of Elkhead Road Interchange
159.94	23100		0.20 mile south of Salt Springs Road Interchange
161.61	23100		0.10 mile south of Buck Creek Road Connection
162.06	23100		0.30 mile south of Umpqua Highway Interchange (OR99)
163.13	26800		0.30 mile south of Curtin Interchange
168.01	27200		0.36 mile south of Goshen-Divide Interchange, Lane-Douglas County Line
170.25	25700	*	Martin Creek Automatic Traffic Recorder Sta. 20-020, 1.24 miles northeast of Douglas-Lane County Line
174.64	28600		0.10 mile south of Cottage Grove Interchange
176.46	37600		0.30 mile south of Saginaw Interchange
182.53	37700		0.30 mile south of Springfield-Creswell Highway Interchange
183.13	43200		0.30 mile north of Springfield-Creswell Highway Interchange
187.83	42800		1.00 mile south of Willamette Highway Interchange (OR58)
189.03	58100		0.20 mile south of Bonneville Power Interchange (30th Avenue Connection)
190.07	51100		0.20 mile south of McVay Highway Connection
190.92	61000	*	Eugene-Glenwood Automatic Traffic Recorder, Sta. 20-025, 1.06 miles south of Glenwood Interchange
192.15	65900		0.10 mile south of Pacific Highway West (OR99)
193.44	60400		0.50 mile south of Eugene-Springfield Highway Interchange (I-105)
195.10	76900		0.35 mile south of Belt Line Road Interchange (OR569)
198.85	47100		0.30 mile south of Van Duyn Road Interchange
208.76	41900		0.30 mile south of Diamond Hill Interchange
04.4.53	44000		Lake Creek Automatic Traffic Recorder, Sta. 22-016, 2.01 miles south of Halsey-Sweet Home Highway
214.56	41800	*	No. 212 Interchange (OR228)
227.69	43100		0.40 mile south of Corvallis-Lebanon Highway Interchange (OR34)
232.93	53200		0.30 mile south of Santiam Highway Interchange (US20)
233.73	53000		0.50 mile south of Albany-Junction City Highway Interchange (OR99E)  North Albany Automatic Traffic Recorder, Sta. 22-005, 0.41 mile north of Albany-Junction City Highway
234.80	67700	*	No. 58 (OR99E)
237.37	66100		0.30 mile south of Viewcrest Interchange
238.12	66600		0.10 mile south of Jefferson Highway Overcrossing (South Jct.)
239.47	65600		0.20 mile south of Dever Interchange
240.10	65700		0.59 mile south of Santiam River
241.83	65800		0.30 mile south of Talbot Interchange
243.33	65900		0.20 mile south of Ankeny Hill Road Interchange
244.26	65600		0.20 mile south of Jefferson Highway Interchange (North Jct.)

Milepoint	2017 AADT All Vehicles	ATR	Location Description
winepoint	venicies	AVC	The state of the s
			PACIFIC HIGHWAY NO. 1 (Continued)
248.01	68100		0.40 mile south of Battle Creek-Sunnyside Interchange
248.56	67800		0.80 mile south of Commercial Street Connection
251.03	66100		0.50 mile south of Kuebler Interchange
252.20	82500	*	Salem-Kuebler Automatic Traffic Recorder, Sta. 24-021, 0.02 mile north of Turner Road Overcrossing
255.98	99800		0.30 mile south of Market Street Interchange
258.10	99300		0.40 mile south of Hayesville Interchange
259.50	91100		0.70 mile south of Chemawa Road Interchange (OR99E Bus.)
263.09	99700		0.40 mile south of Brooks Interchange
271.55	94100		0.30 mile south of Hillsboro-Silverton Highway Interchange (OR214)
278.27	93700		0.40 mile south of Aurora-Donald Interchange (Ehlen Road)
281.20	96000	*	Wilsonville Automatic Traffic Recorder, Sta. 03-011, 1.38 miles south of Wilsonville-Hubbard Highway No. 51 Interchange (OR551)
283.58	127000		0.30 mile south of Wilsonville Interchange
285.88	126000		0.30 mile south of Stafford Road Interchange
287.91	138500		0.60 mile south of East Portland Freeway Interchange (I-205)
289.20	148400		0.30 mile south of Nyberg Road Interchange
290.14	164300	*	Tigard Automatic Traffic Recorder, Sta. 34-008, 0.34 mile south of Boones Ferry Road Interchange
290.99	162500		0.30 mile south of Upper Boones Ferry Road Interchange
291.80	160800		0.40 mile south of Beaverton-Tigard Highway Interchange (OR217)
292.80	110700		0.25 mile south of Haines Street Interchange
293.30	107800		0.30 mile south of Pacific Highway West (OR99W), Haines Street Undercrossing (Tigard Jct.)
294.74	120500		0.30 mile south of Capitol Highway Interchange
295.43	120100		0.10 mile south of Taylors Ferry Road Connection
296.24	117500		0.10 mile south of Spring Garden Road Undercrossing
296.45	121000		0.10 mile south of Multnomah Boulevard Undercrossing
297.08	125700		0.10 mile south of Terwilliger Boulevard Undercrossing
298.24	140200	*	lowa Street Automatic Traffic Recorder, Sta. 26-016, 1.07 miles north of SW Terwilliger Boulevard
299.13	135900		0.10 mile south of Macadam and Hood Avenue connections
299.87	122200		0.10 mile south of Stadium Freeway Interchange (I-405)
300.37	138800	*	Marquam Bridge Automatic Traffic Recorder, Sta. 26-026, 0.34 mile northeast of Stadium Freeway No. 6
301.09	91500		Interchange (I-405) Undercrossing, Southeast Morrison Street Bridge
301.50	64800		Undercrossing, Southeast Monison Street Bridge  Undercrossing, Burnside Bridge
301.70	79700		Undercrossing, Burnside Bridge  Undercrossing, eastbound connection to Columbia River Highway (I-84)
301.70	121100		Overcrossing, Northeast Holladay Street
302.70	119400		0.40 mile south of Stadium Freeway Interchange (I-405)
303.68	146700		0.30 mile south of North Going Street Interchange
304.23	122400		0.20 mile south of North Killingsworth Street Overcrossing
JU4.23	122400		Minnesota Automatic Traffic Recorder, Sta. 26-019, 0.03 mile south of North Ainsworth Street
304.66	131100	*	Undercrossing
305.14	127300		0.30 mile south of NE Portland Highway Interchange (US30 Bypass)
305.64	111600		0.20 mile north of NE Portland Highway Interchange (US30 Bypass)
306.36	97600		0.50 mile south of Overcrossing Pacific Highway West (OR99W)
307.08	96400		0.38 mile south of Pacific Highway East (OR99E)
307.66	132200		0.20 mile north of Pacific Highway East (OR99E)
		*	Interstate Bridge Automatic Traffic Recorder, Sta. 26-004, 0.41 mile south of Oregon-Washington State

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			COLUMBIA RIVER HIGHWAY NO. 2
			Milepoint indicates distance from Pacific Highway (I-5), in Portland
			West Banfield Automatic Traffic Recorder, Sta. 26-015, 0.49 mile east of Pacific Highway No. 1
0.49	143500	*	Interchange (I-5)
0.76	152500		0.24 mile east of Pacific Highway East (OR99E, Grand Avenue) Undercrossing
1.43	175300		0.57 mile west of NE 33rd Avenue Interchange
2.27	150800		0.27 mile east of NE 33rd Avenue Interchange
3.35	164300	*	Hoyt Automatic Traffic Recorder, Sta. 26-014, at the NE 53rd Avenue Undercrossing
3.96	156200		0.30 mile west of NE Halsey Street ramp connection
4.81	152800		0.20 mile west of 82nd Avenue, Cascade Highway North Interchange (OR213)
5.31	143200		0.10 mile west of East Portland Freeway/I-205 connection (South Jct.)
5.99	74300		0.30 mile south of East Portland Freeway/I-205 connection (North Jct.)
6.45	56200		0.10 mile west of NE 102nd Avenue Interchange
6.75	50400		0.20 mile east of NE 102nd Avenue Interchange
			Equation: MP 7.37 BK = MP 9.70 AH
9.78	111500		0.30 mile west of NE 122nd Avenue Interchange
11.45	107000	*	Fairview Automatic Traffic Recorder, Sta. 26-028, 1.59 miles west of NE 181st Avenue Interchange
13.44	85700		0.40 mile east of NE 181st Avenue Interchange
15.20	67700		0.20 mile west of 223rd Avenue
16.46	52200		0.50 mile east of NE 238th Drive Interchange
17.32	27100		0.05 mile west of Overcrossing for Troutdale connection
17.71	32800	*	Troutdale Automatic Traffic Recorder, Sta. 26-001, 0.04 mile west of Sandy River, east of Troutdale
18.12	30300		0.30 mile east of Jordan Interchange
22.40	28200		0.30 mile east of Corbett Interchange
25.19	28100		0.20 mile east of Rooster Rock State Park Interchange
28.16	27400		0.30 mile east of Bridal Veil connection
31.89	26900		0.50 mile east of Multnomah Falls Interchange
35.73	26600		0.10 mile east of Historic Columbia Highway (US30)
40.07	26700		0.20 mile west of Bonneville Dam Interchange
42.88	26700		0.50 mile west of West Cascade Locks Interchange
43.58	22500		0.20 mile east of West Cascade Locks Interchange
45.53	22700	*	Cascade Locks Automatic Traffic Recorder, Sta. 14-004, 0.20 mile east of East Cascade Locks
47.61	23100		Interchange  0.30 mile east of Herman Creek Interchange
51.29	23100		0.30 mile east of Wyeth Interchange
			0.30 mile east of Viento Interchange
61.86	23300		0.20 mile west of West Hood River Interchange
62.92	24600		1.00 mile west of 2nd Street Interchange
64.24	31400		0.20 mile west of Hood River Bridge Interchange
69.59	24500		0.20 mile west of Mosier Interchange
75.93	23400	*	Rowena Automatic Traffic Recorder, Sta. 33-001, 0.72 mile west of the Rowena Interchange
77.15	23500		0.50 mile east of Rowena Interchange
82.62	22300		Hostetler Way Overcrossing
83.68	22500		At Webber Street Undercrossing
85.27	23600		0.24 mile west of Brewery Grade Interchange
85.81	23400		0.30 mile east of Brewery Grade Interchange
87.31	17000		0.30 mile east of The Dalles-California Highway (US197)
89.13	16700		0.30 mile east of The Dalles Dam Interchange

Milepoint	2017 AADT All	ATR	Location Description
Willepolite	Vehicles	AVC	
			COLUMBIA RIVER HIGHWAY NO. 2 (Continued)
97.44	15500		0.30 mile east of Celilo-Wasco Highway (OR206)
109.51	12500	*	Rufus Automatic Vehicle Classifier, Sta. 28-002, 0.44 mile west of Rufus/John Day Dam Interchange
110.25	12400		0.30 mile east of Rufus Interchange
114.55	12300		0.32 mile east of West John Day Interchange, Sherman-Gilliam County Line
123.61	12400		0.30 mile east of Philippi Canyon Interchange
129.73	12400		0.30 mile east of Blalock Interchange
137.02	12400		0.80 mile west of Arlington Interchange, John Day Highway (OR19)
146.16	12500		8.34 miles east of Arlington Interchange
147.78	12600	*	Heppner Junction Automatic Vehicle Classifier, Sta. 11-009, 0.43 mile east of Heppner Highway No. 52 (OR74)
159.00	13000		0.30 mile west of Tower Road Interchange
163.86	15900		0.30 mile west of Boardman Interchange
165.46	18400		0.30 mile west of Port of Morrow Interchange
167.18	21200		0.40 mile west of Old Oregon Trail Interchange (I-84)
168.54	3300		0.96 mile northeast of Old Oregon Trail Interchange (I-84)
173.23	4000		0.05 mile east of West Eighth Street
174.48	4100		0.02 mile east of West Fourth Street
174.78	4300		0.02 mile east of West Third Street
175.44	5300		0.02 mile east of Third Street
175.76	6100		0.02 mile east of Eighth Street
182.60	7800		0.06 mile east of Powerline Road, west city limits of Umatilla
182.89	7900		0.02 mile east of "E" Street
183.10	8400		0.02 mile east of "I" Street
183.27	8700		0.02 mile east of "L" Street
183.55	9000		0.02 mile west of Jane Avenue
183.63	9200		0.40 mile west of McNary Highway Interchange (I-82)
184.63	13600		0.50 mile east of McNary Highway Interchange (I-82)
184.97	8100		0.10 mile east of Umatilla-Stanfield Highway (US395)
186.08	3600		0.34 mile east of Willamette Avenue
191.24	1700		0.10 mile west of Hermiston Highway (OR207)
191.44	3400		0.10 mile east of Hermiston Highway (OR207)
193.70	2800	*	Cold Springs Automatic Traffic Recorder, Sta. 30-002, 0.24 mile east of Pendleton-Cold Springs Highway No. 36 (OR37)
			OSWEGO HIGHWAY NO. 3
			Milepoint indicates distance from Mt. Hood Highway (US26), in Portland
			SOUTHBOUND - ONE-WAY TRAFFIC
			On SW Hood Avenue
0.02	3200		0.02 mile south of US26
0.22	4200		0.02 mile west of SW Hood Avenue
0.41	12300		0.18 mile south of connection to Pacific Highway (I-5)
			NORTHBOUND - ONE-WAY TRAFFIC
			On SW Macadam Avenue
0.43	21300		0.06 mile south of SW Curry Street
0.63	14900		0.01 mile south of SW Thomas Street
			RESUME TWO-WAY TRAFFIC
1.00	22800		0.02 mile north of SW Julia Street
2.15	22900		0.05 mile north of SW Taylors Ferry Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			OSWEGO HIGHWAY NO. 3 (Continued)
2.54	20100		0.05 mile north of Sellwood Ferry Road
3.64	14000		At south city limits of Portland
4.02	14000		0.02 mile north of SW Riverwood Road
5.69	16900		0.02 mile north of Terwilliger Boulevard
5.80	21900		0.06 mile south of Terwilliger Boulevard
6.11	20600		0.02 mile north of South "A" Avenue
6.17	27800		0.04 mile south of South "A" Avenue
6.40	29200		0.02 mile south of North Shore Road
6.65	28200		0.05 mile north of South McVey Avenue
6.77	18300		On Oswego Creek Bridge
7.54	17200		0.04 mile south of South Glenmorrie Road
8.04	16200		0.03 mile north of South Arbor Drive, south city limits of Lake Oswego/north city limits of West Linn
9.52	18200		0.02 mile north of Jolie Pointe Road
10.27	18900		0.02 mile south of West "A" Street
11.07	21400		0.10 mile north of East Portland Freeway (I-205)
11.34	13900		0.01 mile north of South Willamette Falls Drive
11.43	15500		On Willamette River Bridge, south city limits of West Linn/north city limits of Oregon City
			THE DALLES-CALIFORNIA HIGHWAY NO. 4
			Milepoint indicates distance from Washington-Oregon State Line
0.00	7100		Washington-Oregon State Line, The Dalles Bridge
0.79	6000		0.15 mile south of Columbia River Highway Interchange (I-84)
1.01	5900		0.10 mile south of Mosier-The Dalles Highway (US30)
1.24	3700		0.02 mile south of NE Fremont Street
10.30	2900	*	Dufur Automatic Traffic Recorder, Sta. 33-005, 0.84 mile south of Boyd Market Road (North Jct.)
13.27	1400		0.05 mile south of Boyd Loop Road
16.08	1400		On Mays Canyon Creek Bridge
			Equation: MP 23.00 BK = MP 27.88 AH
22.87	1400		0.02 mile south of Dufur Gap Road
33.84	1500		0.05 mile north of Sherars Bridge Highway (OR216)
33.94	1100		0.05 mile south of Sherars Bridge Highway (OR216)
			Equation: MP 37.77 BK = MP 39.33 AH
42.36	1200		0.07 mile north of Wapinitia Highway (OR216)
42.48	1100		0.05 mile south of Wapinitia Highway (OR216)
43.96	1200		0.30 mile south of Deschutes Avenue, west city limits of Maupin
45.84	1300		On Deschutes River Bridge
45.98	920		0.02 mile south of Bakeoven Road
46.40	550		0.32 mile south of Deschutes River Road, south city limits of Maupin
67.00	560		0.17 mile north of Sherman Highway (US97)
67.22	2200		0.05 mile south of Sherman Highway (US97)
81.00	3800		0.02 mile south of Old Highway 97
87.78	3800		0.50 mile south of NE Elm Lane
89.60	4000		0.05 mile north of NE Cherry Lane
91.17	4900		0.05 mile north of NE Meadowlark Lane
91.43	5800		0.03 mile south of NE Loucks Road
91.98	7400		0.10 mile north of Warm Springs Highway (US26)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			THE DALLES-CALIFORNIA HIGHWAY NO. 4 (Continued)
			SOUTHBOUND - ONE-WAY TRAFFIC
			On 4th Street
92.13	10000		0.02 mile north of Pine Street
92.44	11200		0.02 mile north of Culver Highway
92.76	10300		0.02 mile north of "G" Street
93.06	10100		0.02 mile south of "J" Street
			NORTHBOUND - ONE-WAY TRAFFIC
			On 5th Street
92.12	10400		0.02 mile north of Pine Street
92.43	10800		0.02 mile north of Culver Highway
92.47	10300		0.02 mile south of Culver Highway
92.73	10100		0.02 mile north of "G" Street
93.06	8600		0.02 mile south of "J" Street
			RESUME TWO-WAY TRAFFIC
			Equation: MP 93.12 BK = MP 96.04 AH
96.46	17800		0.02 mile north of SW Fairgrounds Road
97.11	15000	*	Madras Automatic Traffic Recorder, Sta. 16-002, 0.18 mile north of Madras-Prineville Highway No. 360 (US26)
97.31	10500		0.02 mile south of Madras-Prineville Highway (US26)
103.61	11600		0.02 mile north of SW Iris Lane
105.63	11100		0.10 mile north of Culver Highway
105.83	10200		0.10 mile south of Culver Highway
112.83	12900		At Jefferson-Deschutes County Line
115.86	17400		0.02 mile north of "A" Avenue at Terrebonne
118.50	18100		0.02 mile north of O'Neil Highway
119.09	22800	*	North Redmond Automatic Traffic Recorder, Sta. 09-023, 0.57 mile south of O'Neil Highway No. 370
			Equation: MP 118.96 BK = MP Z119.14 AH
120.92	24100	*	Redmond-Hemlock Automatic Traffic Recorder, Sta. 09-022, 0.04 mile north of SW Antler Avenue
121.06	23000		0.10 mile south of SW Antler Avenue
121.31	27400		0.10 mile south of SW Evergreen Avenue
121.56	27600		0.10 mile south of SW Glacier Avenue
122.08	28500		0.10 mile south of SW Veterans Way
123.30	28300		0.30 mile north of Yew Avenue Interchange
124.39	34800	*	Redmond Automatic Traffic Recorder, Sta. 09-020, 0.79 mile south of Yew Avenue
126.22	39400		0.02 mile south of SW Quarry Avenue
130.28	27000		0.10 mile south of Bend-Deschutes Market Road
134.16	38700		0.05 mile south of Cooley Road
134.70	36300		0.05 mile north of Nels Anderson Place and entrance to Mt. View Mall
134.80	39900		0.05 mile south of Nels Anderson Place and entrance to Mt. View Mall
135.16	41500		0.30 mile north of Empire Avenue Interchange
135.95	54000	*	Bend-Empire Automatic Traffic Recorder, Sta. 09-007, 0.49 mile south of Empire Avenue
136.20	48900		0.19 mile south of Butler Market Road Interchange
136.62	49000		0.51 mile north of Revere Avenue Interchange
137.36	52800	*	Bend-Revere Automatic Traffic Recorder, Sta. 09-009, 0.23 mile south of Revere Avenue
137.69	52200		0.16 mile south of NW Lafayette Avenue
138.00	50900		0.08 mile north of Colorado Interchange

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
			THE DALLES-CALIFORNIA HIGHWAY NO. 4 (Continued)
138.60	41700		0.15 mile north of SE Truman Avenue
138.90	39700		0.27 mile north of Reed Market Road Interchange
139.61	29700		0.44 mile south of Reed Market Road Interchange
139.80	28700		0.17 mile north of Powers Road Interchange
140.22	22300		0.08 mile north of Badger Road
140.45	21200	*	Bend-Pinebrook Automatic Traffic Recorder, Sta. 09-025, 0.07 mile north of Pinebrook Boulevard
140.65	16200		0.13 mile south of Pinebrook Boulevard
	.0200		Equation: MP 141.12 BK = MP 141.86 AH
142.41	25800	*	Lava Butte Automatic Traffic Recorder, Sta. 09-003, 0.17 mile south of China Hat Road
144.20	18300		0.75 mile south of Galen Baker Road
153.83	11600		0.75 mile south of South Century Drive
155.60	10600		0.10 mile south of Vandevert Road
161.84	9600		0.10 mile south of Paulina Lake Road
167.48	9600		0.02 mile north of 1st Street in La Pine
169.58	8100		0.10 mile north of Fremont Highway (OR31)
169.88	6100		0.20 mile south of Fremont Highway (OR31)
183.84	5400		0.20 mile north of Mississippi Drive at Gilchrist
185.35	5700		0.02 mile north of Jones Street
194.75	4100		0.40 mile north of Willamette Highway (OR58)
195.55	5100		0.40 mile south of Willamette Highway (OR58)
204.65	5800	*	Chemult Automatic Vehicle Classifier, Sta. 18-006, 0.40 mile south of Chemult Dump Road
212.79	5100		0.30 mile north of North Umpqua Highway (OR138)
213.29	4600		0.20 mile south of North Umpqua Highway (OR138)
231.91	6100		0.02 mile north of Fuego Road
243.22	4700	*	Chiloquin Automatic Traffic Recorder, Sta. 18-023, 4.32 miles north of Chiloquin Highway No. 422
247.04	6200		0.50 mile north of Chiloquin Highway (North Jct.)
248.98	5700		0.10 mile north of Chiloquin Highway (South Jct.)
249.18	6000		0.10 mile south of Chiloquin Highway (South Jct.)
254.30	6500	*	Modoc Point Automatic Traffic Recorder, Sta. 18-022, 3.53 miles north of Modoc Point Road
258.03	6400		0.20 mile south of Old Modoc Point Road
265.76	6800		0.10 mile south of Algoma Road
268.95	6800		0.10 mile south of Shady Pine Road
271.27	7200		0.02 mile south of Wocus Road
272.28	9100		0.30 mile north of Klamath Falls-Malin Highway (OR39/US97 Bus./Crater Lake Parkway)
273.08	5900		0.50 mile south of Klamath Falls-Malin Highway (OR39/US97 Bus./Crater Lake Parkway)
273.92	7200		0.30 mile south of Nevada Avenue Interchange
276.48	8500		0.40 mile north of Green Springs Highway (OR66) and South Klamath Falls Highway (OR140)
277.43	6200		0.30 mile south of Green Springs Highway (OR66) and South Klamath Falls Highway (OR140)
			Equation: MP 277.61 BK = MP 278.03 AH
278.69	4900		On Klamath River Bridge
280.06	4900		0.10 mile north of Miller Island Road
282.82	5100		0.05 mile north of Cross Road
289.44	4400	*	Midland Automatic Vehicle Classifier, Sta. 18-019, 2.30 miles north of the Oregon-California State Line

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
	Vernoies	AVO	JOHN DAY HIGHWAY NO. 5
			Milepoint indicates distance from Columbia River Highway (I-84), in Arlington
0.32	990		0.02 mile north of Beech Street
0.48	1000		0.03 mile northwest of Main Street
0.53	1100		0.02 mile southeast of Main Street
0.62	1200		0.02 mile southeast of Columbia Street
0.02	7200		Equation: MP 1.13 BK = MP Z0.97 AH
1.62	1100		0.02 mile northwest of Rhea Lane (Airport Road)
1.66	1100		0.02 mile south of Rhea Lane (Airport Road)
3.89	930		0.10 mile north of Fourmile Road
6.01		*	Shutler Automatic Traffic Recorder, Sta. 11-007, 6.81 miles south of Columbia River Highway No. 2
6.81	740		(I-84/US30)
7.20	280		0.02 mile south of Cedar Springs Road
11.95	260		0.02 mile north of Cameron Road (The Tree Lane)
15.39	270		0.02 mile north of Baseline Road
16.81	230		0.02 mile north of Upper Rock Creek Road
19.83	200		0.02 mile north of Mikkalo Road
19.87	260		0.02 mile south of Mikkalo Road
23.13	290		0.02 mile south of Clem Road
29.48	290		0.30 mile south of Cayuse Canyon Road at Gwendolen  On Washington Street
37.45	340		0.05 mile north of Cottonwood Road
37.43	460		0.02 mile south of Cottonwood Road
37.90	570		0.02 mile north of Walnut Street
37.90	370		On Walnut Street
37.94	690		0.02 mile west of Washington Street
38.05	1200		0.02 mile east of Wasco-Heppner Highway (OR206/Main Street)
00.00	1200		On Main Street
38.09	1400		0.02 mile south of Wasco-Heppner Highway (OR206/Walnut Street)
38.25	1500		0.02 mile north of Wasco-Heppner Highway (OR206/Park Street)
38.37	780		0.09 mile south of Wasco-Heppner Highway (OR206/Park Street)
38.40	700		0.02 mile south of Bayard Street
38.64	570		0.13 mile south of Trimble Street
39.54	480		0.02 mile south of Shannon Road
43.81	440		0.20 mile south of Trail Fork Road
	-		Equation: MP 44.51 BK = MP 44.99 AH
45.39	420		0.10 mile south of Wehrli Canyon Loop
50.41	410		0.60 mile north of Carter Hill Road
52.06	400		At Gilliam-Wheeler County Line
57.31	430		0.02 mile northwest of Butte Creek Road
57.57	450		0.03 mile northwest of West 1st Street
57.62	340		0.02 mile southeast of West 1st Street
58.13	370		0.02 mile west of Shaniko-Fossil Highway (OR218)
58.17	520		0.02 mile east of Shaniko-Fossil Highway (OR218)
			Equation: MP 58.21 BK = MP 59.18 AH
59.20	400		0.04 mile west of Jay Street
59.64	360		0.40 mile east of Jay Street

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			JOHN DAY HIGHWAY NO. 5 (Continued)
62.65	310		0.10 mile south of Kinzua Road
69.37	260		0.30 mile south of Rowe Creek Road
72.95	240		0.90 mile south of Winlock Road
78.46	250		0.10 mile northwest of Service Creek-Mitchell Highway (OR207)
79.06	340		0.50 mile east of Service Creek-Mitchell Highway (OR207)
80.95	330		0.05 mile east of Alder Creek Road
			Equation: MP 86.71 BK = MP 88.13 AH
92.17	430		0.10 mile north of Asher Drive
92.58	660		0.02 mile west of Main Street
95.06	280		0.50 mile southwest of Heppner-Spray Highway (OR207)
95.66	220		0.10 mile northeast of Heppner-Spray Highway (OR207)
104.73	210		At Wheeler-Grant County Line
105.33	230		0.10 mile south of Kimberly-Long Creek Highway
			Equation: MP 123.69 BK = MP 123.98 AH
124.07	360		0.10 mile north of Ochoco Highway (US26)
124.27	820		0.10 mile south of Ochoco Highway (US26)
130.05	900		0.30 mile north of Franks Creek Road
130.45	930		0.10 mile south of Franks Creek Road
130.91	1000		0.10 mile west of Schoolhouse Road
131.04	1200		0.03 mile east of Schoolhouse Road
131.40	980	*	Dayville Automatic Traffic Recorder, Sta. 12-003, 1.05 miles east of Franks Creek Road in Dayville
133.59	950		0.10 mile south of Cheechacko Ranch Road
143.23	950		0.02 mile west of Dry Creek Road
			Equation: MP 143.91 BK = MP 143.98 AH
148.22	1100		0.02 mile west of Moon Creek Road
152.43	1200		0.10 mile west of Happy Valley Lane
153.65	1400		0.20 mile east of Roper Road
154.01	1900		0.02 mile west of Pendleton-John Day Highway (US395)
154.05	2600		0.02 mile east of Pendleton-John Day Highway (US395)
154.27	2500		0.10 mile east of SE Park Avenue
155.99	2500		0.10 mile west of Laycock Creek Road (Pleasant Hill Road)
159.11	2600		0.02 mile west of Luce Creek Road
161.09	4600		0.05 mile west of Old John Day Highway (Screech Alley Loop)
161.30	4800		0.16 mile east of Old John Day Highway (Screech Alley Loop)
161.98	5900		0.10 mile east of NW 3rd Avenue
162.10	6100		0.08 mile west of Bridge Street
162.27	6200		0.02 mile west of John Day-Burns Highway (US395)
162.31	3700		0.02 mile east of John Day-Burns Highway (US395)
162.42	3100		0.02 mile east of Elm Street
162.50	2800		0.02 mile east of SE Hillcrest Avenue
162.82	2500		0.20 mile east of SE Gunther Road
168.49	1900		0.02 mile west of Pine Creek Road
168.53	1700		0.02 mile east of Pine Creek Road
173.34	1600		0.02 mile east of Art Morgan Road
175.11	1900		0.02 mile east of Johnson Avenue

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			JOHN DAY HIGHWAY NO. 5 (Continued)
175.24	1900		0.02 mile west of Main Street
175.28	980		0.02 mile east of Main Street
175.79	950	*	Prairie City Automatic Traffic Recorder, Sta. 12-009, 0.53 mile east of Main Street in Prairie City
190.65	740		0.02 mile west of Whitney Highway (OR7)
190.77	310		0.10 mile east of Whitney Highway (OR7)
193.65	260		0.10 mile west of Crawford Creek Road
199.61	270		At Grant-Baker County Line
			Equation: MP 203.19 BK = MP 203.82 AH
210.28	280		0.26 mile west of Dooley Mountain Highway (OR245)
210.59	420		0.05 mile east of Dooley Mountain Highway (OR245)
212.35	430		0.10 mile northwest of South Fork Road
212.89	330		0.02 mile east of Job Creek Road at Unity
222.90	270		At Baker-Malheur County Line
230.80	320		0.10 mile east of South Willow Creek Road
231.21	300		0.10 mile east of Ironside Post Office
238.13	320		0.05 mile east of Bonita Road
240.13	250		0.10 mile east of Indian Creek Road
254.14	460		0.02 mile west of 5th Avenue at Brogan
			Equation: MP 254.17 BK = MP 254.60 AH
254.72	450		0.02 mile east of 6th Avenue at Brogan
260.57	550		0.02 mile west of Main Street at Jamieson
260.89	610		0.01 mile east of "13 ½ " Avenue West at Jamieson
265.40	790		0.15 mile south of 10th Avenue West
266.98	910		0.10 mile southeast of 9th Avenue
270.64	980		0.10 mile southeast of Road "D"
273.40	1200		0.40 mile northwest of 4th Avenue East (Kondo Road)
273.95	1300		0.10 mile southeast of 4th Avenue West
277.66	1900		0.05 mile north of Ellsworth Street
277.86	2300		0.02 mile north of Oregon Street
278.13	2600		0.02 mile north of Central Oregon Highway (US20-WB)
278.19	2400		0.02 mile north of Central Oregon Highway (US20-EB)
270.13	2400		OLD OREGON TRAIL NO. 6
			Milepoint indicates distance from Pacific Highway (I-5), in Portland
		_	Boardman Jct. Automatic Traffic Recorder, Sta. 25-008, 0.60 mile southeast of Columbia River Highway
168.55	17000	*	No. 2 Interchange (US730)
171.53	17400		0.40 mile east of Paterson Ferry Interchange
178.28	18100		0.30 mile east of Ordnance Interchange
180.05	15400		0.60 mile east of McNary Interchange (I-82)
180.71	15400		0.30 mile east of Westland Interchange
183.16	13400		0.30 mile east of Hermiston Highway Interchange (OR207)
191.40	16500	*	Echo Automatic Traffic Recorder, Sta. 30-027, 2.56 miles east of Umatilla-Stanfield Highway No. 54 Interchange (US395)
193.83	16700		0.30 mile east of Lexington-Echo Highway Interchange
198.84	16600		0.30 mile east of McClintock-Lorenzen Road, Rew Elevator Interchange
199.93	16600		0.40 mile east of Yoakum Interchange
203.34	16800	*	Pendleton Automatic Traffic Recorder, Sta. 30-004, 4.13 miles west of Pendleton Highway No. 67 Interchange (US30)

Milepoint	2017 AADT AII	ATR	Location Description
Millepoliti	Vehicles	AVC	Location Description
			OLD OREGON TRAIL NO. 6 (Continued)
207.97	16900		0.50 mile east of Pendleton Highway (US30), West Pendleton Interchange
209.84	16400		0.30 mile east of Pendleton-John Day Highway (US395), Emigrant Avenue Interchange
211.36	13900		0.40 mile east of Oregon-Washington Highway (OR11), South Pendleton Interchange
213.45	15200		0.40 mile southeast of Pendleton Highway (US30), East Pendleton Interchange
216.81	11300	*	Mission Jct. Automatic Traffic Recorder, Sta. 30-026, 0.76 mile southeast of Umatilla-Mission Highway No. 331 Interchange
228.44	11200		0.50 mile west of Deadman's Pass Interchange
233.45	11100		0.50 mile west of West Emigrant Park Interchange
234.55	10900		0.50 mile west of East Emigrant Park Interchange
238.27	11000		0.50 mile west of Meacham Interchange
239.27	11000		0.50 mile east of Meacham Interchange
244.12	11000		0.30 mile east of Kamela-Mt. Emily Road Interchange
249.34	11000		0.40 mile east of Glover Interchange
253.43	11400		0.60 mile east of Ukiah-Hilgard Highway Interchange (OR244)
256.41	11400		0.01 mile east of Upper Perry Interchange
257.56	11500		0.30 mile east of Lower Perry Interchange
201.00	11000		North La Grande Automatic Traffic Recorder, Sta. 31-007, 1.05 miles east of La Grande-Baker Highway
260.12	10200	*	No. 66 (US30/North La Grande Interchange)
262.34	10000		0.50 mile southeast of Wallowa Lake Highway Interchange (OR82)
265.42	11200		0.50 mile south of La Grande-Baker Highway (US30), South La Grande Interchange
268.56	11200		0.30 mile south of Foothill Road Interchange
272.19	11100	*	Ladd Summit Automatic Traffic Recorder, Sta. 31-008, 1.72 miles northwest of Ladd Canyon Road
274.21	11100		0.30 mile south of Ladd Canyon Interchange
278.94	11100		0.30 mile south of Clover Creek Interchange
285.38	11100		0.30 mile north of La Grande-Baker Highway Interchange (US30), in North Powder
286.65	10500	*	Baker Valley Automatic Traffic Recorder, Sta. 01-011, 0.45 mile south of Union-Baker County Line
302.41	10700		0.30 mile north of Baker-Copperfield Highway Interchange (OR86)
303.74	10600		0.40 mile north of Campbell Street Interchange (OR7)
306.23	9600		0.30 mile north of South Baker City Interchange (US30)
309.02	10000	*	South Baker Automatic Traffic Recorder, Sta. 01-013, 4.27 miles north of Encina Interchange
313.94	9900		0.30 mile south of Encina Interchange
317.87	10000		0.40 mile south of Pleasant Valley Interchange
327.83	9700		0.40 mile south of Durkee Interchange
331.67	10000		1.00 mile south of Nelson Point Interchange
336.29	10000	*	Weatherby Automatic Traffic Recorder, Sta. 01-014, 0.53 mile south of Weatherby Interchange
		-	1
338.41	10000	-	0.30 mile south of Jordan Creek Interchange
342.12	10000		0.40 mile north of Huntington Highway Interchange (US30)
345.23	9900	-	0.60 mile north of North Huntington Interchange
352.00	9900	*	1.04 miles north of Benson Creek Interchange, Baker-Malheur County Line
353.47	10700	-	Huntington Automatic Traffic Recorder, Sta. 23-016, 1.47 miles south of Baker-Malheur County Line
356.67	10500		0.50 mile south of Olds Ferry-Ontario Highway Interchange (OR201)
362.45	10500	<del> </del>	0.30 mile south of Moore's Hollow Interchange
371.85	11600	<u> </u>	0.40 mile south of Stanton Boulevard Interchange
374.85	15700		0.32 mile south of Olds Ferry-Ontario Highway, North Ontario Interchange (US30 Bus./OR201)
376.98	20300	*	Snake River Automatic Traffic Recorder, Sta. 23-014, 1.03 miles northwest of Oregon-Idaho State Line

Milanaint	2017 AADT AII	ATR	Location Decembring
Milepoint	Vehicles	AVC	Location Description
			CENTRAL OREGON HIGHWAY NO. 7
			Milepoint indicates distance from Wall Street (US20 Bus. and US97 Bus.), in Bend
0.72	20900		0.04 mile east of 5th Street
1.18	24800		0.02 mile west of Summit Drive
2.53	18100		0.02 mile west of 27th Street
2.57	13800		0.02 mile east of 27th Street
4.55	7500		0.02 mile west of Erickson Road
4.77	8300		0.02 mile west of Powell Butte Highway
4.89	3800		0.10 mile east of Powell Butte Highway
6.28	2900	*	Pilot Butte Automatic Traffic Recorder, Sta. 09-005, 1.49 miles east of Powell Butte Road
			Equation: MP 17.60 BK = MP 18.01 AH
			Equation: MP 20.97 BK = MP 21.69 AH
25.80	1500		0.39 mile west of Pine Mountain Road
35.63	1700		0.02 mile west of Crooked River Highway (OR27)
35.80	1700		0.15 mile east of Crooked River Highway (OR27)
42.99	1700		0.25 mile east of Camp Creek Road
63.45	1700	*	Hampton Automatic Vehicle Classifier, Sta. 09-024, 5.80 miles northwest of Deschutes-Lake County Line
83.79	1500		At Lake-Harney County Line
104.60	1900		0.09 mile west of Lakeview-Burns Highway (US395)
104.79	1800		0.10 mile east of Lakeview-Burns Highway (US395/US20)
126.60	2600	*	Hines Automatic Traffic Recorder, Sta. 13-003, 0.04 mile northeast of Greenhouse Lane, southwest of Hines
128.09	2900		0.03 mile north of Hotchkiss Lane
129.14	5400		0.02 mile north of Barnes Avenue
129.58	6500		0.02 mile north of Conley Avenue
130.10	6600		0.12 mile north of West Roe Davis Avenue, on South Oregon Avenue
131.07	8500		0.02 mile southwest of West Monroe Street, on Hines Boulevard
131.32	7900		0.01 mile west of Court Avenue, on West Monroe Street
131.48	6600		0.02 mile west of Steens Highway (OR78), on West Monroe Street
			On North Broadway
131.52	4300		0.02 mile north of Steens Highway (OR78)
131.67	4600		0.02 mile north of Adams Street
131.78	4200		0.02 mile north of "A" Street
131.98	3900		0.02 mile south of Foley Drive
132.05	2900		0.05 mile north of Foley Drive
132.51	2200		0.40 mile north of Park Street, on Seneca Drive
133.89	2200		0.40 mile west of John Day-Burns Highway (US395)
134.49	2000		0.20 mile east of John Day-Burns Highway (US395)
144.22	1500		0.02 mile west of Old Lawen-Harney Road
154.98	1300		0.10 mile east of Crane-Buchanan Road
173.22	1300		0.02 mile west of Drewsey Road
180.15	1300		At Harney-Malheur County Line
189.00	1500		0.27 mile west of Beulah Road
189.38	1500	*	Juntura Automatic Traffic Recorder, Sta. 23-013, 0.11 mile east of Juntura-Riverside Road
189.51	1400		0.02 mile east of Frances Street
200.96	1500		0.50 mile east of Pole Creek Road
213.36	1400		0.02 mile east of road to Harper Dam

Milessini	2017 AADT AII	ATR	Location Decements
Milepoint	Vehicles	AVC	Location Description
			CENTRAL OREGON HIGHWAY NO. 7 (Continued)
223.06	1500		0.10 mile west of Harper-Westfall Road
223.26	1700		0.10 mile east of Harper-Westfall Road
224.91	1700		0.50 mile west of Coleman Road
230.08	1700		0.10 mile east of Little Valley Road
			Equation: MP 237.23 BK = MP 238.28 AH
238.62	2100		0.16 mile west of Vale-West Highway
238.88	1900		0.10 mile east of Vale-West Highway
240.17	1900		0.02 mile east of Hope Road
244.26	2200		0.05 mile west of Bench Road
245.61	2300		0.10 mile west of "A" Street East
			EASTBOUND - ONE-WAY TRAFFIC
			On "A" Street
245.73	2200		0.03 mile east of Vale-West Highway
246.01	2800		0.02 mile west of West Street
246.19	2900		0.02 mile west of Bryant Street
246.23	3200		0.02 mile east of Bryant Street
246.37	3100		0.02 mile west of John Day Highway (US26)
246.41	2700		0.02 mile east of John Day Highway (US26)
246.52	2400		0.02 mile east of Short Street South
			WESTBOUND - ONE-WAY TRAFFIC
			On Washington Street
245.80	2300		0.05 mile east of Vale-West Highway
246.02	2800		0.02 mile west of West Street
246.18	2900		0.02 mile west of Bryant Street
246.22	3100		0.02 mile east of Bryant Street
246.39	3100		0.02 mile west of John Day Highway (US26)
246.43	2900		0.02 mile east of John Day Highway (US26)
246.56	2300		0.02 mile east of 10th Street
			RESUME TWO-WAY TRAFFIC
251.31	4600		0.20 mile east of Halliday Road
255.09	4700		0.10 mile west of Lincoln Drive
257.86	5300	*	Cairo Junction Automatic Traffic Recorder, Sta. 23-006, 0.26 mile west of Olds Ferry-Ontario Highway No. 455 (OR201)
258.30	4300		0.10 mile south of Olds Ferry-Ontario Highway (OR201)
259.69	4000		0.02 mile south of Morgan Avenue
260.69	4000		0.02 mile south of King Avenue
262.69	3900		0.02 mile south of Gem Avenue
264.68	3900		0.02 mile south of Columbia Avenue
265.48	3500		0.02 mile north of Walnut Avenue
265.66	3500		0.02 mile north of Park Avenue
265.70	4100		0.02 mile south of Park Avenue
265.95	4200		0.02 mile north of Succor Creek Highway (OR201)
265.98	4600		0.01 mile east of Succor Creek Highway (OR201)
266.29	4200		0.02 mile west of South 1st Street
266.32	4400		0.01 mile east of South 1st Street
266.54	4200		0.02 mile east of East 2nd Street

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
- 1	Vernoies	AVO	CENTRAL OREGON HIGHWAY NO. 7 (Continued)
266.63	3900		0.02 mile west of East 4th Street
266.82	4500		Oregon-Idaho State Line
200.02	4000		OREGON-WASHINGTON HIGHWAY NO. 8
			Milepoint indicates distance from Pendleton Highway (US30), in Pendleton
-1.37	6100		0.40 mile north of Old Oregon Trail (I-84)
-1.09	3900		0.10 mile north of Isaac Avenue
-0.75	4600		0.02 mile east of 9th Street
-0.71	5600		0.01 mile south of Emigrant Avenue, Pendleton-John Day Highway (OR37)
-0.33	11000		0.02 mile east of 16th Street
0.25	6700		0.25 mile northeast of Pendleton Highway (US30)
0.35	4500		0.02 mile northeast of Riverside Drive
0.48	4400		0.02 mile northeast of Lindell Lane
0.77	3600		0.06 mile northeast of Riverside School Road
6.09	5100		0.10 mile southwest of Havana-Helix Highway
6.21	4700		0.02 mile northeast of Havana-Helix Highway
11.56	4400		0.08 mile south of Mann Road
12.14	4200		At east city limits of Adams
16.05	4200		0.02 mile west of Pambrun Road
17.27	3200		0.05 mile south of Athena-Holdman Highway
17.37	4000		0.05 mile north of Athena-Holdman Highway
20.23	3900		0.22 mile southwest of Weston-Elgin Highway (OR204)
20.65	4500		0.20 mile northeast of Weston-Elgin Highway (OR204)
21.77	5100		0.02 mile northeast of Steen Road (old highway alignment)
23.47	4900		0.02 mile north of Blue Mt. Station Road
26.59	5500		0.39 mile north of Steen Road
26.90	8000		0.02 mile north of SE 14th Avenue
			Equation: MP 26.93 BK = MP 29.92 AH
30.57	12100		0.02 mile south of Freewater Highway (South Main Street)
30.65	10900		0.03 mile north of Freewater Highway (South Main Street)
31.18	11300		0.02 mile south of NE 5th Avenue
31.22	10600		0.02 mile north of NE 5th Avenue
31.64	11800		0.28 mile south of Elizabeth Street
32.62	13100		0.02 mile south of Sunnyside-Umapine Highway
32.66	12600		0.02 mile north of Sunnyside-Umapine Highway
34.46	15200	*	Milton Automatic Traffic Recorder, Sta. 30-021, 0.86 mile south of Oregon-Washington State Line
35.30	13400		0.02 mile south of State Line Road, Oregon-Washington State Line
			OREGON COAST HIGHWAY NO. 9
			Milepoint indicates distance from Washington-Oregon State Line
3.79	8500	*	Astoria Bridge Automatic Traffic Recorder, Sta. 04-004, 0.01 mile north of Lower Columbia River Highway No. 92 (US30)
			On Marine Drive
3.90	22400		0.10 mile southwest of Lower Columbia River Highway (US30)
4.27	27100		0.05 mile northeast of Nehalem Highway (OR202)
4.97	21200		At south city limits of Astoria on Youngs Bay Bridge
7.05	14000		0.02 mile northeast of Warrenton-Astoria Highway, (US101 Bus.)
7.30	14400		0.20 mile northeast of Fort Stevens Highway Spur and connection to Warrenton-Astoria Highway (US101

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
	45400		0.10 mile south of Fort Stevens Highway Spur and connection to Warrenton-Astoria Highway
7.63	15100		(US101 Bus.)
8.72	12500		At south city limits of Warrenton
9.58	14800		0.10 mile south of Fort Stevens Highway
			Equation: MP 10.16 BK = MP 12.15 AH
15.90	15700	*	Gearhart Automatic Traffic Recorder, Sta. 04-001, 2.09 miles north of Dellmoor Loop Road
18.36	16000		0.10 mile north of Cutler Lane
18.85	16500		0.02 mile south of Pacific Way
19.32	18900		0.02 mile north of Airport Road
19.58	19600		0.10 mile north of Wahanna Road
19.72	17900		Neawanna Creek Bridge
			On Roosevelt Drive
19.89	17000		0.10 mile south of 24th Avenue
20.42	17200		0.02 mile north of 12th Avenue
20.46	14300		0.01 mile south of 12th Avenue
21.03	14400		0.02 mile north of Broadway
21.07	16000		0.02 mile south of Broadway
21.34	15000		0.02 mile south of Avenue "G"
21.51	14700		0.03 mile north of Avenue "M"
21.83	16200		0.02 mile north of Avenue "S"
21.88	16300		0.02 mile south of Avenue "S"
22.19	17100		0.02 mile south of Avenue "U"
24.83	12300		0.10 mile north of Sunset Highway (US26)
25.53	9800		0.10 mile south of Sunset Highway (US26)
28.35	6300		0.23 mile north of Cannon Beach Frontage Road
28.86	6400		At north city limits of Cannon Beach
29.68	5800		0.15 mile south of Sunset Boulevard Interchange, south city limits of Cannon Beach
30.82	5300		0.20 mile south of Warren Overcrossing
31.67	5000		0.30 mile south of South Hemlock Street
35.57	4600		On Arch Cape Creek Bridge
37.11	3500		At Clatsop-Tillamook County Line
43.08	4400		0.10 mile north of Laneda Avenue at Manzanita
43.20	6800		0.02 mile east of Laneda Avenue at Manzanita
43.98	5800		0.02 mile east of Bayside Gardens Lane
44.73	6100		At west city limits of Nehalem
44.96	5700		0.02 mile west of 7th Street
45.00	6400		0.02 mile south of "H" Street
45.53	5100		At south city limits of Nehalem
46.48	5200		0.02 mile north of Necanicum Highway (OR53)
46.52	4300		0.02 mile south of Necanicum Highway (OR53)
47.08	4900		At north city limits of Wheeler
47.32	5000		0.02 mile north of Rector Street
47.36	4600		0.02 mile south of Rector Street
47.42	4500		0.02 mile north of Hall Street
47.50	4200		0.02 mile south of Hospital Road
47.78	3600		0.05 mile west of Dubois Street

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
48.66	4000		At west city limits of Wheeler
			Equation: MP Z49.57 BK = MP Z45.37 AH
Z 46.53	4200		0.02 mile south of Glenn Avenue
Z 49.26	4500		0.05 mile north of NW 23rd Avenue
49.99	5200		0.02 mile north of NW 9th Avenue
50.86	6500		0.04 mile north of South 2nd Avenue
50.94	6300		0.04 mile south of South 2nd Avenue
51.77	6300		At south city limits of Rockaway Beach
53.55	6700	*	Rockaway Automatic Traffic Recorder, Sta. 29-001, 2.08 miles south of Washington Street
54.97	6700		At west city limits of Garibaldi
55.54	7700		0.02 mile west of 7th Street
55.58	8400		0.02 mile east of 7th Street
55.73	7800		0.02 mile west of 3rd Street
55.77	8100		0.02 mile east of 3rd Street
56.60	7900		At east city limits of Garibaldi
56.80	8600		0.03 mile east of Miami River Road
57.50	8700		0.02 mile north of Hobsonville Point Drive
57.54	8600		0.02 mile south of Hobsonville Point Drive, south city limits of Garibaldi
60.07	8400		0.02 mile north of 5th Street (old highway alignment)
60.11	9900		0.02 mile south of 5th Street
			Equation: MP 60.86 BK = MP 61.07 AH
61.19	10800		0.02 mile north of Alderbrook Loop Road (North Jct.)
61.31	10500		0.10 mile south of Alderbrook Loop Road (North Jct.)
63.14	12700		0.02 mile north of Alderbrook Loop Road (South Jct.)
63.22	12600		0.06 mile south of Alderbrook Loop Road (South Jct.)
64.23	14100		On Wilson River Bridge, north city limits of Tillamook
64.59	17400		0.02 mile south of Wilson River Loop Road
65.04	19100		0.02 mile north of Blue Heron Drive
65.23	19600		0.02 mile north of Hadley Road
			On Main Avenue
65.50	19800		0.09 mile north of Front Street
65.62	19100		0.02 mile north of 1st Street
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Main Avenue
65.66	10600		0.02 mile south of 1st Street
65.72	9600		0.02 mile north of Wilson River Highway (OR6-EB) and Netarts Highway
65.76	6700		0.02 mile south of Wilson River Highway (OR6-EB) and Netarts Highway
65.86	6900		0.02 mile south of 5th Street
66.26	4600		At south city limits of Tillamook
			NORTHBOUND - ONE-WAY TRAFFIC
			On 1st Street
			On Pacific Avenue
65.70	5400		0.02 mile south of Wilson River Highway (OR6-WB, 1st Street)
65.75	6200		0.02 mile north of Wilson River Highway (OR6-EB, 3rd Street)
65.79	6200		0.02 mile south of Wilson River Highway (OR6-EB, 3rd Street)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
65.89	6000		0.02 mile south of 5th Street
66.28	6400		At south city limits of Tillamook
			RESUME TWO-WAY TRAFFIC
67.62	8700		0.02 mile north of McCormick Loop Road
68.14	9200		0.02 mile north of Long Prairie Road
68.18	7800		0.01 mile south of Long Prairie Road
69.40	7800		0.02 mile north of Tillamook River Loop Road
71.80	5900		0.02 mile north of Simmons Creek Road
73.21	5400		0.04 mile north of Cedar Springs Place
74.30	5200		0.02 mile south of Yellow Fir Road
76.82	5200		0.02 mile north of Sand Lake Road
76.86	4500		0.02 mile south of Sand Lake Road
77.44	4300		0.02 mile south of East Beaver Creek Road
80.32	4500		0.02 mile west of Blaine Road at Beaver
84.91	4500		0.03 mile north of Three Rivers Highway (OR22)
84.99	3000		0.05 mile southwest of Three Rivers Highway (OR22)
89.75	3500		0.02 mile north of Resort Drive
89.89	2900		0.12 mile south of Resort Drive
91.27	4100		0.10 mile north of Little Nestucca Highway
91.47	3500		0.10 mile south of Little Nestucca Highway
93.66	3400		0.02 mile northeast of Winema Road
			Equation: MP 96.15 BK = MP 96.76 AH
97.60	3600		0.10 mile north of Summit Road at Neskowin
102.80	3600		At Tillamook-Lincoln County Line
104.05	4100		0.11 mile south of Three Rocks Road
105.01	3900		0.20 mile north of Salmon River Highway (OR18)
105.61	12700		0.40 mile south of Salmon River Highway (OR18)
			Equation: MP 105.64 BK = MP 110.75 AH
111.00	15500	*	North Lincoln City Automatic Traffic Recorder, Sta. 21-010, 0.30 mile north of East Devils Lake Road
112.35	16000	*	West Devils Lake Automatic Traffic recorder, Sta. 21-007, at West Devils Lake Road
112.80	15700		0.02 mile south of Northwest Logan Road
113.16	18600		0.02 mile north of North 34th Street
113.38	20000		0.02 mile south of Holmes Road
113.95	20300		0.02 mile north of North 21st Street
113.99	21000		0.02 mile south of North 21st Street
114.31	20900		0.02 mile north of North 14th Street
114.54	22600		0.02 mile south of North 10th Street
114.91	24900	*	D River Wayside Automatic Traffic Recorder, Sta. 21-008, 0.07 mile north of "D" River State Wayside
115.33	21900		0.01 mile south of SW Galley Street
115.58	20100		0.02 mile south of East Devils Lake Road
116.12	18500		0.02 mile south of SE 23rd Drive
117.03	17500		0.02 mile north of High School Drive
117.48	15600		0.02 mile south of South Coast Avenue
117.98	14800		0.02 mile north of SE 51st Street
118.17	14000		On Schooner Creek Bridge

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
118.70	13000		0.03 mile south of SW 63rd Avenue
119.15	13700	*	South Lincoln City Automatic Traffic Recorder, Sta. 21-011, 0.01 mile south of South Drift Creek Road
120.16	11900		On Siletz River Bridge
121.97	10400		0.30 mile north of Tom Robertson Boulevard
122.49	10400		0.06 mile north of Wessler Street
124.38	10600		0.02 mile south of Willow Street at Lincoln Beach
126.45	11300		At north city limits of Depoe Bay
127.16	10400		0.30 mile north of Collins Street
128.57	9000		0.39 mile north of SW Oceana Street
132.43	9000		0.02 mile north of Otter Rock Highway
136.53	10200		0.02 mile north of Iron Mountain Beach Road, north city limits of Newport
137.29	12500		0.03 mile north of NE 58th Street
138.48	15100		0.10 mile south of NW Ocean View Drive
139.11	18400	*	North Newport Automatic Traffic Recorder, Sta. 21-009, at 25th Street, in Newport
139.56	25700		0.02 mile south of NW 15th Street
140.07	23200		0.02 mile north of NE 6th Street
140.14	24000		0.05 mile south of NE 6th Street
140.26	23800		0.01 mile south of NE 3rd Street
140.34	23100		0.02 mile north of Corvallis-Newport Highway (US20)
140.40	19700		0.04 mile south of Corvallis-Newport Highway (US20)
140.54	18000		0.02 mile southwest of Angle Street
140.64	17300		0.02 mile northeast of Hurbert Street
140.68	17300		0.02 mile southwest of Hurbert Street
140.91	18400		0.02 mile north of Abbey Street
140.95	17500		0.02 mile south of Abbey Street
141.37	17000		0.02 mile south of SW Waterline Drive
142.16	15100		0.05 mile south of SE Pacific Way
142.28	12900		0.06 mile north of Ferry Slip Road
142.45	13400		0.05 mile south of Ferry Slip Road
144.40	10300		0.10 mile south of Airport Road
145.74	9900		0.10 mile south of SE 98th Street
146.46	10000		0.04 mile north of SE 116th Street, south city limits of Newport
148.98	8400		0.02 mile south of Beaver Creek Road
154.05	8200		0.02 mile south of Legion Road
155.07	9100		0.02 mile south of Bayview Road
155.92	7300		0.02 mile south of Alsea Highway (OR34)
156.36	6400		At south city limits of Waldport
157.24	6200		On Patterson Creek Bridge
158.99	5200		0.02 mile south of Wakonda Beach Road
162.24	5200		On Vingie Creek Bridge
163.41	5700		At north city limits of Yachats
164.10	5700		0.02 mile north of 7th Street
164.45	4700		0.01 mile northwest of Yachats River Road
164.48	3900		0.02 mile southeast of Yachats River Road
165.48	3200		At south city limits of Yachats

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
167.61	2700		At Lincoln-Lane County Line
171.40	2800		0.02 mile south of Tenmile Creek Road
174.40	2800		On Rock Creek Bridge
178.36	2900		0.20 mile south of entrance to Devils Elbow State Park
184.78	4000		On Sutton Creek Bridge
186.46	7100	*	Florence Automatic Traffic Recorder, Sta. 20-026, 0.77 mile north of Heceta Beach Road
187.58	9900		0.18 mile north of Munsel Lake Road
187.79	10800		0.03 mile south of Munsel Lake Road
188.64	11500		0.02 mile south of 36th Street
189.05	13700		0.02 mile south of 29th Street
189.46	15400		0.02 mile south of 22nd Street
189.75	16100		0.02 mile south of 17th Street
189.99	16200		0.02 mile south of 13th Street
190.14	14400		0.02 mile north of connection to Florence-Eugene Highway (OR126/10th Street)
190.25	13500		0.01 mile south of Florence-Eugene Highway (OR126/9th Street)
190.51	12000		0.02 mile north of Rhododendron Drive
190.55	12100		0.02 mile south of Rhododendron Drive
190.65	9900		0.02 mile south of Maple Street
190.76	9900		0.02 mile south of 2nd Street
190.98	10400		At south city limits of Florence
191.37	11800		0.02 mile south of Glenada Road
193.45	8900		0.02 mile north of entrance to Honeyman State Park and Cleawox Lake
193.51	6700		0.04 mile south of entrance to Honeyman State Park and Cleawox Lake
196.00	5200		0.02 mile south of Clear Lake Road
196.73	4800		0.02 mile south of Pacific Avenue
198.58	4500		At Lane-Douglas County Line
202.72	3600		On Tahkenitch Creek Bridge
209.06	4500		0.10 mile north of Old Highway 101
209.48	5300		0.02 mile north of Spring Street
209.51	5400		0.01 mile south of Spring Street
209.66	5500		0.02 mile south of Pitt Street
211.11	5400		At north city limits of Reedsport
211.65	8700		0.07 mile south of Umpqua Highway (OR38)
212.02	9800		0.03 mile northeast of Winchester Avenue
212.08	11000		0.03 mile southwest of Winchester Avenue
212.51	11600		0.02 mile northeast of 20th Street
212.76	11700		0.03 mile west of Bowman Drive
213.40	8500		At west city limits of Reedsport
215.17	11300		0.60 mile northeast of 8th Street at Winchester Bay
215.94	5500		0.02 mile southwest of Broadway Avenue
216.81	7500		0.10 mile south of Umpqua Lighthouse Road
220.58	7400		At Douglas-Coos County Line
221.67	8300	*	Lakeside Automatic Traffic Recorder, Sta. 06-001, 1.09 miles south of Douglas-Coos County Line
222.71	7000		0.02 mile north of Airport Way
222.75	8200		0.02 mile south of Airport Way

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
228.78	8400		0.10 mile north of Wildwood Road
229.25	9900		0.02 mile north of Hauser Depot Road
229.29	10000		0.02 mile south of Hauser Depot Road
233.09	12600		On Haynes Inlet Bridge
233.22	12600		0.02 mile south of North Bay Drive
234.03	14100		At north city limits of North Bend
235.02	14900		0.02 mile north of Florida Avenue
235.06	14000		0.02 mile south of Florida Avenue
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Sherman Avenue
235.29	8000		0.02 mile north of California Avenue
235.39	10000		0.02 mile north of Cape Arago Highway (Virginia Avenue)
235.43	8600		0.02 mile south of Cape Arago Highway (Virginia Avenue)
			NORTHBOUND - ONE-WAY TRAFFIC
			On Sheridan Avenue
235.31	6400		0.02 mile north of California Avenue
235.40	6600		0.02 mile north of Cape Arago Highway (Virginia Avenue)
235.44	8300		0.02 mile south of Cape Arago Highway (Virginia Avenue)
			RESUME TWO-WAY TRAFFIC
235.60	14000		0.01 mile south of Sheridan Avenue
236.77	20600		At south city limits of North Bend/north city limits of Coos Bay
			On Bayshore Drive
237.58	21000		0.02 mile north of Hemlock Avenue
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Broadway
237.79	13900		0.02 mile south of Fir Avenue
238.19	12500		0.02 mile north of Commercial Avenue
238.33	13400		0.02 mile south Anderson Avenue
238.52	13000		0.02 mile south of Elrod Avenue
238.81	13500		0.02 mile north of Ingersoll Avenue
238.85	12800		0.02 mile south of Ingersoll Avenue
			NORTHBOUND - ONE-WAY TRAFFIC
			On Bayshore Drive
237.82	10500		0.02 mile south of Front Street
238.21	11100		0.02 mile north of Commercial Avenue
238.34	12200		0.02 mile south of Anderson Avenue
			On 1st Street
238.54	12500		0.02 mile south of Elrod Avenue
238.83	13300		0.02 mile north of Ingersoll Avenue
238.87	13000		0.02 mile south of Ingersoll Avenue
			RESUME TWO-WAY TRAFFIC
			On Evans Boulevard
239.22	23900		At south city limits of Coos Bay
239.68	15200		0.20 mile southeast of Coos River Highway (OR241)
240.40	15100		0.03 mile south of Lorain Avenue

2017 AADT AII	ATR	
Vehicles	AVC	Location Description
		OREGON COAST HIGHWAY NO. 9 (Continued)
13500		0.16 mile south of Shingle House Road
14600		0.02 mile north of Coos City-Sumner Road
14900	*	Coos Bay Automatic Traffic Recorder, Sta. 06-009, 0.28 mile north of Coos Bay-Roseburg Highway No. 35 (OR42)
		0.70 mile south of Coos Bay-Roseburg Highway (OR42)
6500		0.10 mile south of Beaver Hill Road (South Jct.)
6900		0.15 mile south of Seven Devils Road
7900		Coquille River, on Bullards Bridge
7300		0.51 mile south of Prosper Junction Road, north city limits of Bandon
6700		0.06 mile north of Coquille-Bandon Highway (OR42S)
		Equation: MP 261.57 BK = MP 273.36 AH
10600		0.03 mile west of Michigan Avenue
11100		0.02 mile east of Fillmore Avenue
9100		0.02 mile west of Fillmore Avenue
8800		0.02 mile southwest of 2nd Street East
9900		0.02 mile south of Oregon Avenue
		0.02 mile north of 11th Street
7600		0.02 mile south of 13th Street
7500		0.01 mile north 18th SW Street, south city limits of Bandon
6800	*	Bandon Automatic Traffic Recorder, Sta. 06-004, 1.02 miles south of 18th SW Street
5400		0.02 mile north of Beach Loop Road
3100		0.02 mile north of Lower Fourmile Road
4100		0.02 mile south of Upper Fourmile Road
4000		At Coos-Curry County Line
4000		0.01 mile south of Kane Street
3500		0.02 mile north of Sixes River Road
3500		On Sixes River Bridge
3900		0.02 mile south of Cape Blanco Highway
3600		0.02 mile south of Elk River Road
3900		0.01 mile south of Paradise Point Road, north city limits of Port Orford
4800		0.02 mile south of 19th Street
4700		0.02 mile north of 13th Street
4400		0.02 mile north of Port Orford Highway
4200		0.01 mile south of Port Orford Highway
3400		0.01 mile west of Jackson Street
3400		0.02 mile east of Jackson Street
3400		0.02 mile west of Jefferson Street
2900	*	Port Orford Automatic Traffic Recorder Sta, 08-009, 0.11 mile southeast of Jefferson Street (Battle Rock Wayside)
2800		0.03 mile north of Humbug Mountain State Park Picnic Area
2600		0.02 mile south of entrance to Humbug Mountain State Park Picnic Area
2600		0.01 mile north of Euchre Creek Road
2600		0.02 mile south of Euchre Creek Road
2700		0.25 mile north of Nesika Beach Connection
2900		0.25 mile south of Nesika Beach Connection
3300		0.10 mile south of Nesika Beach Road
5000	i	1
	13500           14600           14900           5700           6500           6900           7900           7300           6700           10600           11100           9100           8800           9900           900           7500           6800           5400           3100           4100           4000           3500           3900           4800           4700           4400           4200           3400           3400           2900           2800           2600           2700           2900	Vehicles         AVC           13500

Milereint	2017 AADT AII	ATR	Leastion Description
Milepoint	Vehicles	AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
327.85	6500		At north city limits of Gold Beach
327.92	7700		0.02 mile south of Jerrys Flat Road
328.50	8500		0.02 mile south of Moore Street
328.62	9600		0.02 mile south of Caughell Street
328.75	9900		0.01 mile south of 1st Street
328.90	9500		0.02 mile south of 4th Street
329.21	7900		0.02 mile south of 8th Street
329.93	6000		0.29 mile south of Kerber Street
330.34	5000		0.05 mile south of Hunter Creek Loop
331.12	4300		0.05 mile south of Hunter Creek Road
334.77	4300		0.10 mile north of Cape View Loop Road (Carpenterville Highway)
336.94	4000		0.08 mile north of Meyers Creek Road
339.10	3900		On Pistol River Bridge
341.31	3900		0.30 mile north of Byrdies Road
347.78	4000		On Thomas Creek Bridge
354.73	5400		0.10 mile north of Dawson Road
355.38	8600		0.02 mile south of Harris Heights Road, north city limits of Brookings
356.13	10200		0.02 mile south of Ransom Avenue
356.51	10600		0.02 mile northwest of Arnold Lane
357.06	16800		0.02 mile west of Pacific Avenue
357.10	15500		0.02 mile east of Pacific Avenue
357.35	15800		0.02 mile east of Fern Avenue
357.59	18000		0.02 mile east of Alder Street
357.98	19800		On Chetco River Bridge, south city limits of Brookings
358.15	16800		0.02 mile southeast of South Bank Chetco River Road  0.06 mile north of Hoffeldt Lane
358.70	15200		
358.82	13800		0.06 mile south of Hoffeldt Lane
359.37	10900		0.05 mile south of Benham Lane
359.58	10300	*	0.02 mile south of Pedrioli Road
362.00	9700		Winchuck Automatic Vehicle Classifier, Sta. 08-005, 1.11 miles north of Oregon-California State Line
362.61	8300		At Winchuck River Bridge
363.11	8300		Oregon-California State Line WALLOWA LAKE HIGHWAY NO. 10
			Milepoint indicates distance from La Grande-Baker Highway (US30), in La Grande
0.20	12900		0.02 mile southwest of Monroe Avenue
0.30	14200		0.02 mile southwest of Montoe Avenue  0.06 mile northeast of North Pine Street
0.30	16800		0.15 mile southwest of Old Oregon Trail (I-84)
1.04	17700		0.15 mile southwest of Old Oregon Trail (I-84)
1.18	15500		0.02 mile northeast of Riddle Road
1.10	10000		Island City Automatic Traffic Recorder, Sta. 31-003, 0.82 mile east of Old Oregon Trail Highway No. 6
1.74	12200	*	(1-84)
2.39	8100		0.02 mile west of Cove Highway (OR237)
2.43	8000		0.02 mile north of Cove Highway (OR237)
			North city limits of Island City
2.71	5500		0.02 mile east of Hunter Lane
8.35	4300		0.02 mile south of Stanley Lane at Alicel

Milepoint	2017 AADT All Vehicles	ATR	Location Description
-		7110	WALLOWA LAKE HIGHWAY NO. 10 (Continued)
10.93	4400		0.02 mile south of Woodell Lane
10.55	7700		South city limits of Imbler
12.36	4300		0.02 mile north of 6th Street
12.50	3900		0.02 mile north of Striker Lane, north city limits of Imbler
19.48	4100		0.14 mile south of Hemlock Street, south city limits of Elgin
19.40	4100		Equation: MP 19.73 BK = MP 19.96 AH
20.23	3700		0.02 mile south of Weston-Elgin Highway (OR204)
20.27	2700		0.02 mile north of Weston-Elgin Highway (OR204)
20.32	2200		0.02 mile east of 8th Avenue
20.32	2100		0.02 mile east of North 6th Avenue
20.41	2100		Elgin Automatic Traffic Recorder, Sta. 31-005, 0.45 mile northeast of Weston-Elgin Highway No. 330
20.70	1900	*	(OR204)
24.59	1600		0.02 mile west of Good Road
28.38	1300		0.10 mile west of Merritt Lane
			Union-Wallowa County Line, MP 33.00
			Equation: MP 41.73 BK = MP 42.09 AH
46.47	1600		0.02 mile southeast of 7th Street
46.83	1800		0.05 mile south of 2nd Street
47.46	2200		0.15 mile southeast of Ellen Street
47.67	2200		0.09 mile south of Winema Street, south city limits of Wallowa
54.11	2200		On Lostine River Bridge
			North city limits of Lostine
54.93	2400		0.04 mile south of Wallowa Street
			East city limits of Lostine
63.99	2900		0.04 mile south of Tejaka Lane
64.94	4600		0.02 mile west of West 2nd Street
65.00	4700		0.02 mile west of Enterprise-Lewiston Highway (OR3)
65.07	4200		0.05 mile east of Enterprise-Lewiston Highway (OR3)
65.19	5700		0.02 mile north of Greenwood Street
65.23	5800		0.02 mile south of Greenwood Street
65.33	5400		0.04 mile north of Hogan Street (Litch Street)
65.81	3600		0.06 mile west of SE Florence Street
			East city limits of Enterprise
68.22	2800		0.25 mile west of Crow Creek Road (Eggleson Lane)
			North city limits of Joseph
71.40	3500		0.02 mile north of Little Sheep Creek Highway
			ENTERPRISE-LEWISTON HIGHWAY NO. 11
			Milepoint indicates distance from Washington-Oregon State Line
0.00	210		Washington-Oregon State Line
28.49	340		0.02 mile south of Charolais Road (Wellamotkin Drive USFS Road 46)
36.85	350		0.02 mile north of Dunham Loop
42.67	700		0.16 mile north of NW Flora Street, north city limits of Enterprise
42.92	1700		0.02 mile north of NW Silver Street
	2400		0.02 mile north of Wallowa Lake Highway (OR82)

Milonoint	2017 AADT AII	ATR	Location Description
Milepoint	Vehicles	AVC	Location Description
			BAKER-COPPERFIELD HIGHWAY NO. 12
			Milepoint indicates distance from La Grande-Baker Highway (US30), in Baker City
			On Main Street
0.02	5900		0.02 mile north of La Grande-Baker Highway (US30)
0.22	6000		0.02 mile south of Campbell Street
			On Campbell Street
0.29	10700		0.02 mile east of Resort Street
0.59	9600		0.02 mile west of Cedar Street
0.62	9200		0.01 mile east of Cedar Street
1.09	5900		0.10 mile west of Old Oregon Trail (I-84)
2.50	1300		0.01 mile east of West Airport Road
7.44	970		0.02 mile west of Ruckles Creek Road
10.00	800		0.02 mile west of Keating Cutoff Road
14.31	720		0.02 mile west of Ruckles Creek Road
23.22	560		0.05 mile east of Sparta Road
			Equation: MP 31.73 BK = MP 32.01 AH
37.55	590	*	Richland Automatic Traffic Recorder, Sta. 01-010, 2.21 miles northwest of Dry Gulch Road
39.89	670		0.02 mile east of Foothill Road
41.04	660		0.02 mile south of New Bridge Road connection
			West city limits of Richland
			Equation: MP 41.37 BK = MP 42.00 AH
42.06	940		0.02 mile west of 2nd Street
42.27	750		0.12 mile east of 1st Street, east city limits of Richland
42.92	650		0.10 mile west of Robinette Road (Hewitt Park)
43.12	510		0.10 mile northeast of Robinette Road (Hewitt Park)
53.53	510		0.02 mile south of Pine Town Road, Baker-Copperfield Spur
53.60	120		0.05 mile north of Pine Town Road, Baker-Copperfield Spur
54.41	370		0.02 mile east of Pine Creek Highway
63.48	470		0.02 mile west of North Pine Creek Road
70.38	210		0.10 mile south of road to Oxbow & Brownlee Dam
70.52	310		0.04 mile south of road to Homestead
70.80	240		Oregon-Idaho State Line CROOKED RIVER HIGHWAY NO. 14
4.00	500		Milepoint indicates distance from Ochoco Highway No. 41 (US26), in Prineville
1.92	590		1.92 miles south of Ochoco Highway No. 41 (US26)
12.55	130		On Hoffman's Irrigation Dam
22.98	100		0.02 mile north of SE Reservoir Road
42.21	20		Equation: MP 27.39 BK = MP Z25.04 AH  0.30 mile north of Central Oregon Highway (US20)
42.21	20		MCKENZIE HIGHWAY NO. 15
0.24	17400		Milepoint indicates distance from Pacific Highway West (OR99), in Eugene
0.24	17400		0.30 mile east of Pacific Highway West (OR99), east city limits of Eugene
			MP 0.24 to MP 1.23 Transferred to city of Spingfield
			EASTBOUND - ONE-WAY TRAFFIC
			On "A" Street
1.34	16300		On Willamette River Bridge, west city limits of Springfield
1.55	11200		0.02 mile west of Springfield Highway (OR528-SB)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			MCKENZIE HIGHWAY NO. 15 (Continued)
1.59	16700		0.02 mile east of Springfield Highway (OR528-SB)
1.65	9900		0.02 mile east of Springfield Highway (OR528-NB)
2.44	12900		0.02 mile west of 14th Street
2.89	12000		0.02 mile west of 19th Street
			WESTBOUND - ONE-WAY TRAFFIC
			On Main Street
1.33	15300		On Willamette River Bridge, west city limits of Springfield
1.58	10900		0.02 mile west of Springfield Highway (OR528-SB)
1.62	11000		0.02 mile east of Springfield Highway (OR528-SB)
1.68	10000		0.02 mile east of Springfield Highway (OR528-NB)
2.47	10600		0.02 mile west of 14th Street
2.89	9900		0.02 mile west of 19th Street
			RESUME TWO-WAY TRAFFIC
3.02	19300		0.02 mile east of 20th Street
3.68	19000		0.05 mile west of 32nd Street
3.75	21000		0.02 mile east of 32nd Street
4.59	21400		0.02 mile west of Springfield-Creswell Highway (42nd Street)
4.63	22800		0.02 mile east of Springfield-Creswell Highway (42nd Street)
6.01	16700		0.22 mile west of Eugene-Springfield Highway (OR126)
6.38	25900		0.15 mile east of Eugene-Springfield Highway (OR126)
7.60	15200		0.02 mile east of 69th Street
8.44	12900		0.10 mile west of 79th Street
9.75	10700		0.02 mile east of Thurston Road
10.89	10100		0.02 mile east of Cedar Flat Road
11.53	9800		East end of the Hendricks Bridge at the McKenzie River
11.85	8100		0.02 mile east of Millican Road
15.37	7200		0.02 mile east of Twin Firs Drive
19.04	6000		0.02 mile east of Holden Creek Lane (East Jct.)
21.40	5300		0.02 mile east of Proder Creek Lane (Last 3ct.)
26.38	4300		0.02 mile east of Greenwood Brive (West Set.)
29.14	3700	*	Vida Automatic Traffic Recorder, Sta. 20-010, 2.74 mile east of South Gate Creek Road
36.00	3400		0.90 mile east of Nimrod
45.37	3400		0.90 mile east of Nimrod  0.02 mile west of Cougar Reservoir Road
49.80	2700		0.02 mile east of road to McKenzie Bridge Campground
54.12	4300		0.02 mile east of road to McKerizie Bridge Campground  0.02 mile west of Paradise Forest Camp Road
54.12	2100		0.10 mile east of Paradise Forest Camp Road  0.10 mile east of Paradise Forest Camp Road
54.24	2000		· · · · · · · · · · · · · · · · · · ·
34.92	2000		0.05 mile west of Clear Lake-Belknap Springs Highway (OR126)
61.01	310		Equation: MP 54.97 BK = MP 55.46 AH  At the McKenzie Highway west snow gate (OR242)
61.91	310		Linn - Deschutes County Line, MP 77.14
89.40	530		On Trout Creek Bridge, 2.83 miles west of Sisters
			1
91.29	1800		0.02 mile east of Edgington Road
7.04.00	1500		Equation: MP 92.05 BK = MP Z91.85 AH
Z 91.96	1500		0.07 mile west of Santiam Highway (US20)
92.07	11200		0.05 mile east of Hood Street

Milepoint	2017 AADT All Vehicles	ATR	Location Description
Milepolite	venicies	AVC	1
			MCKENZIE HIGHWAY NO. 15 (Continued)
92.52	11700		0.01 mile east of Elm Street
92.85	14500		0.02 mile east of Locust Street
93.09	5100		0.02 mile east of McKenzie-Bend Highway (US20)
97.48	4500		0.02 mile east of Goodrich Road
107.23	5800		0.20 mile west of Cline Falls Highway
107.53	9000	*	0.10 mile east of Cline Falls Highway  Cline Falls Automatic Traffic Recorder, Sta. 09-021, 1.38 miles west of SW Helmholtz Way  (SW 43rd Street)
			On SW Highland Avenue
110.13	10600		0.02 mile west of SW 35th Street
110.92	20800		0.02 mile east of SW 23rd Street
111.39	19000		0.02 mile west of SW 15th Street
111.00	70000		EASTBOUND - ONE-WAY TRAFFIC
			On SW Highland Avenue
111.61	9800		0.02 mile west of SW 11th Street
111.72	6500		0.02 mile west of SW 9th Street
111.72	7300		0.02 mile east of SW 9th Street
111.70	7300		WESTBOUND - ONE-WAY TRAFFIC
			On Glacier Avenue
111.57	9100		0.02 mile west of SW 13th Street
111.67	9900		0.02 mile east of SW 11th Street
111.77	6600		
111.77	6600		0.02 mile east of SW 9th Street  SANTIAM HIGHWAY NO. 16
0.00	0.400		Milepoint indicates distance from Albany-Junction City Highway (OR99E)
0.06	8400		0.09 mile west of Burkhart Street SE
0.13	17100		0.02 mile west of Burkhart St SE (OR99E)
0.47	20100		0.02 mile west of Waverly Drive
0.79	19500		0.08 mile west of southbound Pacific Highway (I-5) ramps
1.37	16500		0.07 mile east of northbound Pacific Highway (I-5) ramps
2.63	9100		0.02 mile east of Scravel Hill Road
6.40	10500		0.15 mile west of Albany-Lyons Highway (OR226)
6.65	6700		0.10 mile southeast of Albany-Lyons Highway (OR226)
8.58	6800		0.05 mile south of Bohlken Drive
10.92	8400		0.02 mile south of KGAL Drive
12.27	9800		0.02 mile south of Reeves Parkway
			On Main Street
12.85	9900		0.05 mile south of Corvallis-Lebanon Highway (OR34/Morton Street)
			SOUTHBOUND - ONE-WAY TRAFFIC
0.09	8400		0.03 mile northwest of 9th Avenue SE (OR99E)
			On Main Street
12.98	6000		0.05 mile south of Carolina Street
13.16	4600		0.02 mile south of Vine Street
13.30	6800		0.02 mile north of East Grant Street
13.35	7500		0.02 mile south of West Grant Street
	8600	1	0.02 mile south of Oak Street

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			SANTIAM HIGHWAY NO. 16 (Continued)
			NORTHBOUND - ONE-WAY TRAFFIC
			On Carolina Street
12.98	5200		0.05 mile east of Main Street
			On Park Street
13.23	4300		0.02 mile south of East Vine Street
13.37	5900		0.02 mile north of East Grant Street
13.41	7400		0.02 mile south of East Grant Street
13.54	7300		0.02 mile south of East Oak Street
			RESUME TWO-WAY TRAFFIC
13.64	16600		0.05 mile south of Elmore Street
14.06	22700		Lebanon Ditch, 0.06 mile north of Airport Road
14.45	21300		0.07 mile southeast of South Main Road
14.85	21200		0.04 mile southeast of Market Drive
15.64	14900		0.23 mile northwest of Crowfoot Road
16.04	15100		0.02 mile southeast of Weirich Road
19.05	13100	*	Waterloo Automatic Traffic Recorder, Sta. 22-013, 0.38 mile southeast of Sodaville-Waterloo Drive, southeast of Lebanon
22.84	10200		0.02 mile south of Fairview Road
26.60	11400		0.07 mile north of Osage Street, west city limits of Sweet Home
26.79	12100		0.08 mile east of 1st Avenue
27.10	13300		0.03 mile east of Halsey-Sweet Home Highway (OR228-Holley Road)
27.44	13100		0.02 mile east of 13th Avenue
27.74	14000		0.02 mile east of 18th Avenue
28.07	11500		0.02 mile west of 23rd Avenue
28.61	10000		0.02 mile east of Clark Mill Road
29.82	8000		0.02 mile west of 47th Avenue
30.27	6600		0.02 mile west of Wiley Creek Drive
30.31	6600		0.02 mile east of Wiley Creek Drive
31.33	2800		0.15 mile east of Riggs Hill Road
33.00	1600		0.02 mile east of Quartzville Road
35.08	1600		2.10 miles east of Quartzville Drive
43.16	960		0.02 mile east of Canyon Creek Road
51.47	790		0.91 mile west of Soda Fork Road
71.42	780		0.10 mile west of Clear Lake-Belknap Springs Highway (OR126)
71.72	2500		0.20 mile east of Clear Lake-Belknap Springs Highway (OR126)
74.50	2400		0.40 mile west of North Santiam Highway (OR22)
75.05	5100		0.15 mile east of North Santiam Highway (OR22)
	2.00		Linn - Jefferson County Line, MP 80.77
90.89	6100		0.02 mile west of Camp Sherman Road
90.93	6800		0.02 mile east of Camp Sherman Road
93.12	8800	*	Sisters Automatic Traffic Recorder, Sta. 09-014, 0.31 mile south of Black Butte Ranch Road
100.05	11600		0.10 mile south of Barclay Drive
100.00	11000		MCKENZIE-BEND HIGHWAY NO. 17
			Milepoint indicates distance from McKenzie Highway (OR126), east of Sisters
0.25	8400		
0.25	0400		0.25 mile southeast of McKenzie Highway (OR126)  Three Sisters Viewpoint Automatic Traffic Recorder, Sta. 09-015, 0.47 mile northwest of Innes Market
9.25	10900	*	Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			MCKENZIE-BEND HIGHWAY NO. 17 (Continued)
14.70	13000		0.02 mile northwest of Cline Falls Highway (O.B. Riley Road)
16.72	13900		0.02 mile northwest of Redmond-Bend Highway
18.01	21100		0.50 mile northwest of The Dalles-California Highway (US97)
18.78	16100		0.02 mile north of Empire Avenue
19.33	18200		0.02 mile north of River Mall Avenue
19.47	18800		0.02 mile north of O.B. Riley Road
19.64	23300		0.02 mile north of Butler Market Road
19.80	11600		0.14 mile south of Butler Market Road
			On East 3rd Street
20.45	16700		0.02 mile north of Revere Avenue
20.49	18100		0.02 mile south of Revere Avenue
20.75	20600		0.02 mile south of NE Norton Avenue
20.97	17700		0.02 mile north of Central Oregon Highway (US20/Greenwood Avenue)
	11100		WILLAMETTE HIGHWAY NO. 18
			Milepoint indicates distance from Pacific Highway (I-5), near Goshen
0.75	15100		0.25 mile east of Seavey Loop (Mathews Road)
2.66	16800		0.02 mile east of Cloverdale Road
5.68	15100		0.05 mile west of Springfield-Creswell Highway (Jasper Jct.)
5.83	13300		0.10 mile east of Springfield-Creswell Highway (Jasper Jct.)
8.57	10200		0.02 mile east of Rattlesnake Road
9.63	9200		0.10 mile east of Dexter Road
13.17	7400		0.02 mile west of Jasper-Lowell Road
13.21	6800		0.02 mile east of Jasper-Lowell Road
34.11	5800		0.02 mile west of McAtee Lane
34.33	6400		0.02 mile east of River Road
34.85	8000		0.02 mile west of Rainbow Street
35.43	8800		0.05 mile west of Crestview Street
35.50	5700		0.02 mile east of Crestview Street
35.83	5300		0.02 mile west of Hills Street
35.96	5500		0.07 mile east of Margaret Street
37.36	3100	*	Oakridge Automatic Traffic Recorder, Sta. 20-017, 0.10 mile east of Kitson Springs Road
45.20	3300		0.02 mile southeast of McCredie Springs Ranger Station Road
			Lane - Klamath County Line, MP 62.07
69.31	2600		0.10 mile north of Crescent Lake Highway
69.51	2900		0.10 mile south of Crescent Lake Highway
86.00	2000		0.45 mile northwest of The Dalles-California Highway (US97)
			FREMONT HIGHWAY NO. 19
			Milepoint indicates distance from The Dalles - California Highway (US97), south of LaPine
0.20	1100		0.20 mile east of The Dalles-California Highway (US97)
			Deschutes - Klamath County Line, MP 2.31
18.21	920		0.59 mile south of Mowich Spring Road (NF-2516), Klamath-Lake County Line
49.60	810	*	Silver Lake Automatic Vehicle Classifier, Sta. 19-010, 2.25 miles southeast of 1st Street
62.95	510		Picture Rock Pass Summit
			North city limits of Paisley
97.60	500		0.02 mile north of Red House Lane

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
-	- 31110100		FREMONT HIGHWAY NO. 19 (Continued)
98.34	720		0.02 mile north of Mill Street
98.38	850		0.02 mile south of Mill Street
98.89	550		0.11 mile south of Murphy Lane, east city limits of Paisley
120.37	520		0.20 mile north of Lakeview-Burns Highway (US395)
		*	Valley Falls Automatic Vehicle Classifier, Sta. 19-004, 0.26 mile south of Lakeview-Burns Highway No. 49
120.83	840	*	(US395)
138.29	860		0.05 mile north of Warner Highway (OR140)
138.39	1200		0.05 mile south of Warner Highway (OR140)
140.71	1400		0.02 mile north of Goldmohr Terrace Road (Sunnyslope Lane)
142.60	1900		0.02 mile north of North 10th Street
142.88	1800		0.02 mile north of North 6th Street
143.01	2300		0.02 mile north of Klamath Falls-Lakeview Highway (OR140)
143.06	4100		0.03 mile southeast of Klamath Falls-Lakeview Highway (OR140)
143.32	4100		0.02 mile south of Center Street
143.65	3400		0.02 mile north of 4th Street South
143.86	3000		0.02 mile north of 7th Street South
144.08	1900		0.02 mile south of "F" Street South
144.22	1800		0.02 mile south of 10th Street South
144.47	1300		0.02 mile south of 12th Street South
148.63	940		0.02 mile north of Crane Creek Road
157.43	870	*	New Pine Creek Automatic Traffic Recorder, Sta. 19-008, 0.30 mile north of Oregon-California State Line
			KLAMATH FALLS-LAKEVIEW HIGHWAY NO. 20
			Milepoint indicates distance from The Dalles - California Highway (US97), in Klamath Falls
0.14	4800		0.04 mile west of Ewauna Street
			MP 0.19 to MP 2.50 Transferred to the City of Klamath Falls
2.70	17000		0.02 mile west of Altamont Drive
2.74	17400		0.02 mile east of Altamont Drive
3.26	19700		0.02 mile west of Klamath Falls-Malin Highway (OR39)
3.30	18400		0.02 mile east of Klamath Falls-Malin Highway (OR39)
3.72	18400		0.02 mile west of Wiard Street
3.98	18300		0.02 mile west of Homedale Road
4.02	18300		0.02 mile east of Homedale Road
4.27	13800		0.02 mile east of Madison Street
5.34	11900		0.20 mile west of Western Street (OR140/OR39 Interchange)
5.74	6200		0.20 mile east of Western Street (OR140/OR39 Interchange)
10.08	4200		0.02 mile west of South Poe Valley Road
10.12	3700		0.02 mile east of South Poe Valley Road
19.00	3000		0.02 mile west of Dairy-Bonanza Highway (OR70)
19.12	2200		0.10 mile east of Dairy-Bonanza Highway (OR70)
27.39	1200		0.02 mile west of Bly Mountain Cutoff
40.88	1000		0.10 mile east of Godowa Springs Road at Beatty
44.92	1100	*	Beatty Automatic Vehicle Classifier, Sta. 18-017, 4.14 miles east of Yellow Jacket Springs Road at Beatty
50.36	1100		0.02 mile west of Ivory Pine Road
50.00			
53.85	1.3(1()		
53.85 53.88	1300 990		0.02 mile west of Elder Street at Bly 0.01 mile east of Elder Street at Bly

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			KLAMATH FALLS-LAKEVIEW HIGHWAY NO. 20 (Continued)
70.73	690		4.00 miles southeast of Quartz Mountain Pass Summit
88.96	990		0.10 mile west of Tunnel Hill Road
89.16	1200		0.10 mile east of Tunnel Hill Road
92.43	1400		0.70 mile east of Westside Road, Maddock Corner
93.88	1800		0.02 mile west of road to Airport
95.39	2100		0.02 mile east of Roberta Avenue
95.72	2600		0.02 mile east of North "R" Street
			West city limits of Lakeview
96.03	3200		0.02 mile west of "L" Street
96.35	3600		0.02 mile west of Fremont Highway (US395)
			GREEN SPRINGS HIGHWAY NO. 21
			Milepoint indicates distance from OR99, in Ashland
1.02	12400		0.02 mile west of Tolman Creek Road
1.22	13400		0.12 mile west of Pacific Highway (I-5)
1.42	6700		0.08 mile east of Pacific Highway (I-5)
1.80	7000		0.07 mile east of East Main Street
2.04	5500		0.06 mile southeast of Dead Indian Memorial Road
2.49	4200		0.04 mile southeast of Crowson Road
4.61	2300		0.02 mile southeast Emigrant Lake Road
6.44	1500		0.02 mile northwest of Siskiyou Highway
6.61	1100	*	Siskiyou Junction Automatic Traffic Recorder, Sta. 15-007, 0.15 mile east of Siskiyou Highway No. 273 (OR273)
9.28	590		0.10 mile east of Buckhorn Spring Road
			Equation: MP 13.66 BK = MP Z13.00 AH
17.51	450		0.02 mile east of Eastside Hyatt Lake access road
23.42	350		On Jenny Creek Bridge
			Jackson - Klamath County Line, MP 27.87
48.73	510		0.02 mile east of Hamaker Mountain Road
49.89	1500		0.02 mile west of Keno-Worden Road (to US97)
49.93	2500		0.02 mile east of Keno-Worden Road (to US97)
50.68	3000		0.02 mile east of Clover Creek Road
54.46	4800		0.02 mile east of Round Lake Road
56.64	4400		0.10 mile southwest of Weyerhaeuser Corporation Road
56.79	5100		0.05 mile northeast of Weyerhaeuser Corporation Road
58.17	5700		0.10 mile west of Granite Street
58.84	7000		0.02 mile west of Lake of the Woods Highway (OR140)
			CRATER LAKE HIGHWAY NO. 22
			Milepoint indicates distance from Rogue Valley Highway (OR99), in Medford
0.20	35500		0.15 mile north of Rogue Valley Highway (OR99/Siskyou Boulevard)
0.84	31700		0.05 mile west of Poplar Drive
1.11	47100	*	North Medford Automatic Traffic Recorder, Sta. 15-017, 0.64 mile east of Pacific Highway No. 1 (I-5)
1.38	39100		0.02 mile southwest of Whittle Avenue
2.02	24200		0.15 mile south of Owen Drive
3.63	31600		0.02 mile south of East Vilas Road
3.67	29200		0.02 mile north of East Vilas Road
5.42	29200		0.02 mile south of Agate Road

Milenaint	2017 AADT AII	ATR	Location Description
Milepoint	Vehicles	AVC	Location Description
			CRATER LAKE HIGHWAY NO. 22 (Continued)
5.98	27700		0.05 mile south of Lake of the Woods Highway (OR140)
6.08	20700		0.05 mile north of Lake of the Woods Highway (OR140)
7.34	15500		0.02 mile south of Avenue "H", entrance to Camp White
7.38	15200		0.02 mile north of Avenue "H", entrance to Camp White
9.40	13700		0.02 mile south of Nick Young Road
9.44	10600		0.02 mile north of Nick Young Road
13.58	9300		0.05 mile south of Sams Valley Highway (OR234)
13.73	7300		0.10 mile north of Sams Valley Highway (OR234)
14.55	7300		0.01 mile south of Butte Falls Road
15.46	8500	*	Shady Cove Automatic Traffic Recorder, Sta. 15-013, 1.83 miles north of Sams Valley Highway No. 271 (OR234)
18.35	6100		0.06 mile south of Brophy Way
19.81	6800		0.03 mile north of Indian Creek Road
20.11	6800		0.02 mile north of Rogue River Drive
21.10	4700		0.07 mile north of Train Lane, north city limits of Shady Cove
22.37	4100		0.05 mile south of Tiller-Trail Highway (OR227)
22.60	2900		0.18 mile east of Tiller-Trail Highway (OR227)
25.54	2300		0.02 mile west of Elk Creek Road
			Equation: MP 26.65 BK = MP 26.91 AH
29.30	2200		0.05 mile south of Crowfoot Road
			Equation: MP 35.70 BK = MP 36.64 AH
44.19	1300		0.02 mile south of Mill Creek Drive
			Equation: MP 44.29 BK = MP 45.31 AH
51.46	1100		0.10 mile east of Woodruff Bridge Road
57.29	1000		0.02 mile south of West Diamond Lake Highway (OR230)
57.81	350		0.50 mile east of West Diamond Lake Highway (OR230)
			Jackson - Klamath County Line, MP 65.45
65.45	330		At west boundary of Crater Lake National Forest
			National Park Jurisdiction, MP 65.45 to MP 83.63
89.75	550		0.02 mile north of Nicholson Road
89.79	590		0.02 mile south of Nicholson Road
91.10	660	*	Fort Klamath Automatic Traffic Recorder, Sta. 18-021, 0.28 mile northwest of Sun Mountain Road
97.30	1100		0.01 mile north of Modoc Point Road
98.53	1100		0.02 mile north of Chiloquin Highway (North Jct.)
102.37	840		0.10 mile north of South Chiloquin Highway
103.67	1100		0.28 mile northwest of The Dalles-California Highway (US97)
			DAIRY-BONANZA HIGHWAY NO. 23
			Mllepoint indicates distance from Klamath Falls - Lakeview Highway (OR140), at Dairy
0.10	820		0.10 mile east of Klamath Falls-Lakeview Highway (OR140)
2.96	830		0.02 mile east of Burgdorf Road
5.94	980		0.24 mile west of Bowne Avenue, west city limits of Bonanza
6.43	1300		0.05 mile west of Carroll Avenue
6.50	2000		0.02 mile east of Carroll Avenue
6.81	1800		0.01 mile east of 2nd Avenue
	1200	I	0.02 mile southwest of Central Street

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			REDWOOD HIGHWAY NO. 25
			Milepoint indicates distance from Rogue River Highway (OR99), at Redwood Jct. in Grants Pass
			SOUTHBOUND - ONE-WAY TRAFFIC
			On 6th Street
-2.61	4900		On southbound off-ramp from I-5 to NW 6th Street, at the North Grants Pass exit
-2.18	11900		0.02 mile north of Hillcrest Drive
-1.97	12300		0.02 mile north of Midland Avenue
-1.69	13400		0.02 mile south of Savage Street
-1.17	14300		0.02 mile north of NE "A" Street
-1.13	21800		0.02 mile south of NE "A" Street
-0.96	14900		0.02 mile north of "E" Street
-0.89	16500		0.02 mile north of "F" Street
-0.81	15100		0.02 mile north of "G" Street
-0.65	14500		0.02 mile north of "J" Street
-0.41	17000		0.02 mile north of "M" Street
-0.37	18400		0.02 mile south of "M" Street
-0.14	19200		On Rogue River Bridge
			NORTHBOUND - ONE-WAY TRAFFIC
			On 7th Street
-2.57	5700		0.02 mile north of NW Morgan Lane
-2.29	11500		0.10 mile north of Hillcrest Drive
-2.07	12400		0.02 mile north of Midland Avenue
-1.79	13100		0.02 mile south of Savage Street
-1.23	16900		0.02 mile north of NE "A" Street
-1.19	14700		0.02 mile south of NE "A" Street
-1.02	15200		0.02 mile north of "E" Street
-0.96	14900		0.02 mile north of "F" Street
-0.88	14600		0.02 mile north of "G" Street
-0.72	14900		0.02 mile north of "J" Street
-0.49	14800		0.02 mile north of "M" Street
-0.45	19200		0.02 mile south of "M" Street
-0.24	19000		On Rogue River Bridge
			RESUME TWO-WAY TRAFFIC
0.75	31600		0.04 mile east of Fairgrounds Road
0.89	32200		0.10 mile west of Fairgrounds Road
1.22	20700		0.02 mile east of Allen Creek Road
2.03	21600		0.02 mile east of Dowell Road
2.58	16100		0.02 mile west of Willow Lane
4.68	12900	*	Timber Ridge Automatic Traffic Recorder, Sta. 17-005, 0.50 mile east of Redwood Avenue
5.20	10500		0.02 mile west of Redwood Avenue
6.33	10200		0.02 mile east of Helms Road
6.97	10600		0.12 mile east of Rogue River Loop Highway
7.14	9900		0.05 mile west of Rogue River Loop Highway
8.81	9300		0.02 mile south of Fish Hatchery Road
			Equation: MP 9.03 BK = MP 9.33 AH
16.10	8300		Hayes Hill Summit

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			REDWOOD HIGHWAY NO. 25 (Continued)
17.87	8100		0.08 mile north of Circle West Drive
19.60	8500		0.04 mile north of Squaw Mountain Road
20.08	8500		0.10 mile north of Illinois River Road
20.24	7600		0.02 mile north of North Jct. of Hogue Drive and Highway 25
20.37	8300		0.37 mile north of Deer Creek Bridge
20.81	7800		0.02 mile south of Lakeshore Drive
21.44	8000		0.08 mile south of South Jct. of Hogue Drive and Highway 25
26.32	8500		0.09 mile north of 5th Street
26.81	9000		0.10 mile south of Finch Road
27.71	8200		0.04 mile south of Laurel Road, north city limits of Cave Junction
28.65	9500		0.02 mile south of Lister Street
28.93	10700		0.02 mile north of Oregon Caves Highway (OR46)
29.27	8100		0.14 mile south of Hamilton Avenue, south city limits of Cave Junction
29.65	6600		0.02 mile south of Rockydale Road
32.34	5500		0.02 mile north of Westside Road
36.22	3900		0.02 mile north of O'Brien Road
36.71	3500		0.02 mile north of Gene Brown Road
41.32	3500	*	O'Brien Automatic Vehicle Classifier, Sta. 17-003, 0.37 mile north of Oregon-California State Line
			MT. HOOD HIGHWAY NO. 26
			Milepoint indicates distance from Pacific Highway West (OR99W), in Portland
0.05	18800		0.04 mile south of connection from Arthur Street
0.85	64200		On the east side of Ross Island Bridge, 0.77 mile east of Pacific Highway West Overcrossing (OR99W)
1.08	56100		0.07 mile east of Pacific Highway East Overcrossing (OR99E)
1.17	44100		0.02 mile east of SE 8th Avenue
1.36	41000		0.04 mile east of SE Milwaukie Avenue
1.79	34000		0.02 mile west of SE 21st Avenue
1.83	35000		0.02 mile east of SE 21st Avenue
2.09	31800		0.02 mile east of SE 26th Avenue
2.89	33200		0.02 mile west of SE Cesar E Chavez Boulevard
2.93	33100		0.02 mile east of SE Cesar E Chavez Boulevard
3.23	38000		0.02 mile east of SE 45th Avenue
3.41	43400		0.05 mile west of SE Foster Road
3.55	22400		0.02 mile west of SE 52nd Avenue
3.59	26500		0.02 mile east of SE 52nd Avenue
4.06	26600		0.02 mile east of SE 62nd Avenue
4.56	27000		0.02 mile east of SE 72nd Avenue
5.02	27200		0.02 mile west of Cascade Highway North (OR213)
5.16	26400		0.05 mile west of SE 84th Avenue
5.67	36300		0.07 mile west of East Portland Freeway (I-205)
5.82	20300		0.08 mile east of East Portland Freeway (I-205)
6.69	18400		0.02 mile west of SE 112th Avenue
6.73	18500		0.02 mile east of SE 112th Avenue
7.19	18500		0.02 mile west of SE 122nd Avenue
7.23	19900		0.02 mile east of SE 122nd Avenue
7.92	19500		0.02 mile east of SE 136th Avenue

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			MT. HOOD HIGHWAY NO. 26 (Continued)
8.34	19200		0.02 mile west of SE 144th Avenue
8.42	18400		0.02 mile east of SE 145th Avenue
9.37	18200		0.02 mile east of SE 164th Avenue
9.96	22900		0.09 mile east of SE 174th Avenue, west city limits of Gresham
			MP 9.96 to MP 14.22 Transferred to City of Gresham
14.36	32900	*	Gresham Automatic Traffic Recorder, Sta. 26-003, 0.18 mile southeast of SE Powell Valley Road
14.80	26900		0.05 mile south of SE Palmquist Road
18.30	23600		0.05 mile northwest of SE Haley Road
19.24	23400		0.30 mile northwest of Clackamas-Boring Highway (OR212)
20.60	29600		0.50 mile northwest of SE Kelso Road
21.40	33300		0.30 mile southeast of SE Kelso Road
22.72	30200		0.02 mile northwest of SE 362nd Drive, west city limits of Sandy
23.85	30800		0.02 mile west of Bluff Road
			EASTBOUND - ONE-WAY TRAFFIC
			On Pioneer Boulevard
23.89	15400		0.02 mile east of Bluff Road
24.02	15400		0.02 mile west of Beers Avenue
24.35	15100		0.05 mile west of Eagle Creek-Sandy Highway (OR211)
24.42	12200		0.02 mile east of Eagle Creek-Sandy Highway (OR211)
24.59	11400		0.02 mile west of Ten Eyck Road
			WESTBOUND - ONE-WAY TRAFFIC
			On Proctor Boulevard
23.89	15500		0.02 mile east of Bluff Road
24.04	15600		0.02 mile west of Beers Avenue
24.36	14900		0.05 mile west of Eagle Creek-Sandy Highway (OR211)
24.40	12400		0.02 mile east of Eagle Creek-Sandy Highway (OR211)
24.61	12000		0.02 mile west of Ten Eyck Road
			RESUME TWO-WAY TRAFFIC
			Equation: MP 24.70 BK = MP 24.92 AH
25.10	18400		0.02 mile west of Langensand Road
25.66	22700		0.10 mile east of Vista Loop Drive
26.76	27100		0.10 mile west of SE Firwood Road
26.93	21900		0.07 mile east of SE Firwood Road
29.66	19600		0.23 mile west of Wagoneer Loop Drive (East Jct.)
34.87	22000		0.10 mile west of East Sleepy Hollow Drive
35.07	17300		0.10 mile east of East Sleepy Hollow Drive
38.54	17300		0.10 mile west of East Brightwood Loop Road (East Jct.)
41.19	13200		0.02 mile west of Vine Maple Drive
			Equation: MP 41.60 BK = MP 42.25 AH
			Equation: MP 44.57 BK = MP 44.79 AH
46.38	10200	*	Rhododendron Automatic Traffic Recorder, Sta. 03-006, 0.30 mile east of Camp Creek Road (USFS 28)
52.78	10400		0.10 mile west of road to Government Camp (West Jct.)
54.13	9900		0.10 mile west of Timberline Highway
56.00	9300		0.50 mile west of Warm Springs Highway (US26)
			Equation: MP 56.11 BK = MP 57.20 AH

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			MT. HOOD HIGHWAY NO. 26 (Continued)
			Mt. Hood Meadows Automatic Traffic Recorder, Sta. 03-007, 0.02 mile east of Warm Springs Highway
57.79	2600	*	No. 53 (US26)
70.64	1300		0.10 mile south of Lookout Mountain Loop Road
80.06	1800		0.02 mile south of Base Line Road
			Equation: MP 80.59 BK = MP 82.62 AH
82.91	1700	*	Mt. Hood Automatic Traffic Recorder, Sta. 14-003, 2.12 miles south of Hood River Highway No. 281
85.00	1600		0.02 mile south of Hood River Highway
88.34	3200		0.07 mile north of Hood River Highway
88.74	3900		0.02 mile north of Woodworth Road
90.57	5700		0.20 mile north of Miller Road
93.40	4800		0.07 mile south of Central Vale Road
			Equation: MP 94.17 BK = MP 94.43 AH
95.15	5100		0.10 mile south of Odell Highway
95.30	5500		0.05 mile north of Odell Highway
95.86	5600		0.02 mile south of Neal Creek Road
95.90	5900		0.02 mile north of Neal Creek Road
			Equation: MP 96.87 BK = MP 97.08 AH
97.57	7100		0.02 mile south of Dethman Ridge Drive
97.61	8500		0.02 mile north of Dethman Ridge Drive
97.81	7600		0.02 mile north of Van Horn Drive
101.72	8100		0.10 mile south of Historic Columbia River Highway (US30) and connection to Columbia River Highway (I-84)
	0.00		ALSEA HIGHWAY NO. 27
			Milepoint indicates distance from Oregon Coast Highway (US101), in Waldport
0.08	7300		0.02 mile east of Verbena Street
0.30	7300		0.02 mile northeast of Bay Street
0.52	5200		0.02 mile east of Mill Street
1.62	5100		0.22 mile east of Meadowlark Lane, southeast city limits of Waldport
1.80	4300		0.02 mile west of SE Clover Lane
2.40	3100		On Eckman Slough Bridge
2.63	2200		0.02 mile east of Eckman Creek Road
5.21	1400		At Siuslaw Forest Boundary
7.15	1200		0.02 mile east of Risley Creek Road
9.82	1000		0.02 mile west of Roe Lane
10.49	980		0.02 mile west of Little Switzerland Road
14.22	720		On Scott Creek Bridge
20.09	610		0.02 mile south of Five Rivers Road to Denzer
20.13	560		0.02 mile north of Five Rivers Road to Denzer
27.52	680		At Lincoln-Benton County Line
33.11	770		0.02 mile east of Salmonberry Road
38.15	970		0.04 mile east of Hayden Road
39.71	1100		0.10 mile west of Alsea-Deadwood Highway
39.85	1600		0.04 mile east of Alsea-Deadwood Highway
40.00	1700		0.04 mile east of 3rd Street
40.06	1900		0.02 mile east of Alder Street
40.99	1800		0.02 mile northeast of Honey Grove Road
43.01	1700		0.02 mile east of Fish Hatchery Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			ALSEA HIGHWAY NO. 27 (Continued)
47.87	1500		0.02 mile west of road to Marys Peak
			Equation: MP 48.65 BK = MP 50.43 AH
52.19	1600		0.10 mile west of Schreiber Road
F0 00	0400	*	Alsea Automatic Traffic Recorder, Sta. 02-003, 4.67 miles southwest of Corvallis-Newport Highway No. 33
53.89 54.26	2100 2200		(US20/OR34)  0.02 mile northeast of Greasy Creek Road
54.58	1800		0.02 mile northeast of Greak Road
55.43	1700		0.01 mile northeast of Hock Greek Road
57.96	3800		0.02 mile northeast of Fielikie Way
58.08	3500		0.02 mile northeast of Old Peak Road
58.46	3900		0.10 mile southwest of Corvallis-Newport Highway (US20/OR34)
00.10	3000		PENDLETON-JOHN DAY HIGHWAY NO. 28
			Milepoint indicates distance from Oregon - Washington Highway (OR11), at 10th Street in
			Pendleton
			SOUTHBOUND - ONE-WAY TRAFFIC
			On SE Emigrant Avenue
0.06	1800		0.01 mile west of 10th Street, Oregon-Washington Highway (OR11)
0.10	2100		0.02 mile west of SE 9th Street
0.30	2300		0.08 mile west of SE 6th Street
0.35	2500		0.02 mile east of SE 3rd Street
0.39	4100		0.02 mile west of SE 3rd Street
0.45	3300		0.02 mile east of SE 1st Street
0.52	3600 5100		0.02 mile east of South Main Street  0.01 mile west of South Main Street
0.55	5800		0.02 mile east of SW 4th Street
0.08	6500		0.02 mile west of SW 4th Street
1.15	7900		0.02 mile east of SW 13th Street
1.19	8300		0.02 mile west of SW 13th Street
1.29	6900		0.02 mile west of SW 15th Street
1.45	9100		0.07 mile east of SW 20th Street
			NORTHBOUND - ONE-WAY TRAFFIC
			On SE 10th Street
0.05	5000		0.02 mile south of Oregon-Washington Highway (OR11)
			On SE Frazer Avenue
0.12	2000		0.02 mile east of SE 9th Street
0.48	2300		0.04 mile west of SE 3rd Street
0.52	2500		0.02 mile east of SE 1st Street
0.57	3000		0.02 mile east of South Main Street
0.61	3500		0.02 mile west of South Main Street
0.71	3900		0.09 mile east of SW 4th Street
0.82	5100		0.02 mile west of SW 4th Street
1.22	5600		0.02 mile east of SW 13th Street
1.26	7100		0.02 mile west of SW 13th Street
1.36	7600		0.02 mile west of SW 15th Street
1.57	6700		0.02 mile east of SW 20th Street
			RESUME TWO-WAY TRAFFIC
1.66	24300		Undercrossing Old Oregon Trail (I-84)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			PENDLETON-JOHN DAY HIGHWAY NO. 28 (Continued)
1.75	29300		0.02 mile north of Tutuilla Creek Road
1.77	25600	*	South Pendleton Automatic Traffic Recorder, Sta. 30-008, 0.09 mile south of Old Oregon Trail Highway
2.24	14300		No. 6 (I-84)  0.02 mile north of SW 30th Street
2.34	12500 4000		0.02 mile south of SW Ladow Avenue  0.07 mile south of SW Southgate Place (North Jct.), south city limits of Pendleton
3.27	4900		
			0.02 mile south of Southgate Place (South Jct.)
5.38 6.70	4000 3300		0.10 mile south of SW Gateway Avenue
			0.02 mile south of Coombs Canyon Road
11.49	2800		0.02 mile south of Stewart Creek Frontage Road
12.98	2900		0.05 mile south of Stewart Creek
14.64	2800		0.09 mile south of Old Highway 395
15.12	2900		0.10 mile south of NE 4th Street
15.27	2800		On East Fork Birch Creek Bridge
15.38	2700		0.02 mile south of West Main Street
15.56	2300		0.02 mile north of SW Birch Street
15.59	1500		0.02 mile southwest of SW Birch Street
			Equation: MP 15.68 BK = MP 16.00 AH
16.70	810	*	Pilot Rock Automatic Traffic Recorder, Sta. 30-007, 1.34 miles southwest of West Main Street
17.26	570		0.20 mile southwest of Yellow Jacket Road
23.55	560		0.10 mile east of Heppner Highway (OR74)
23.75	460		0.10 mile southwest of Heppner Highway (OR74)
38.58	440		0.02 mile south of road to Battle Mountain State Park
41.26	460		0.70 mile north of Albee Road (South Jct.)
42.06	440		0.10 mile south of Albee Road (South Jct.)
49.47	420		0.10 mile north of Ukiah-Hilgard Highway (OR244)
49.67	350		0.10 mile south of Ukiah-Hilgard Highway (OR244)
55.66	310		On Fivemile Creek Bridge
60.93	410		On Camas Creek Bridge
62.41	310		At the 45th Parallel
63.96	310		At Umatilla-Grant County Line
65.14	310		0.89 mile south of Desolation Road
70.26	280		0.20 mile south of Ritter-Dale Road
77.18	330		0.10 mile north of Long Creek Road
81.02	290		0.02 mile north of Old Ritter Road
89.80	380	*	Long Creek Automatic Traffic Recorder, Sta. 12-006, 0.62 mile south of bridge over Long Creek
90.24	450		0.02 mile north of Kimberly-Long Creek Highway
90.28	420		0.02 mile south of Kimberly-Long Creek Highway
90.35	340		0.02 mile south of 2nd Street
90.83	330		0.46 mile south of 3rd Street
91.92	340		1.10 miles south of Long Creek
			Equation: MP 97.18 BK = MP 98.30 AH
98.31	340		At Smith Creek
100.39	400		0.02 mile north of Beech Creek Road
104.18	340	1	0.01 mile south of Donaldson Creek Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			PENDLETON-JOHN DAY HIGHWAY NO. 28 (Continued)
110.04	350		0.01 mile north of East Beech Creek Road
			Equation: MP 114.90 BK = MP 115.32 AH
119.78	400		0.40 mile north of Rim Rock Lane
120.49	530		0.02 mile north of John Day Highway (US26)
			TUALATIN VALLEY HIGHWAY NO. 29
			Milepoint indicates distance from Sunset Highway (US26), northeast of Beaverton
0.26	18200		0.21 mile southwest of Sunset Highway (US26)
0.40	13800		0.02 mile southwest of Canyon Lane
1.53	16100		0.02 mile east of SW 87th Avenue
1.79	22900		0.02 mile west of SW 91st Avenue
2.22	24600		0.02 mile east of SW Walker Road
2.26	18200		0.02 mile west of SW Walker Road
2.79	19000		0.11 mile east of Beaverton-Tigard Highway (OR217)
3.04	37500		0.05 mile east of SW 115th Avenue
3.23	33400		0.05 mile west of SW 117th Avenue
3.47	35300		0.03 mile east of SW Hall Boulevard (Beaverton-Tualatin Highway)
3.52	34300		0.02 mile west of SW Hall Boulevard (Beaverton-Tualatin Highway)
3.80	32700		0.02 mile east of SW Cedar Hills Boulevard
3.84	28200		0.02 mile west of SW Cedar Hills Boulevard
3.97	31100		0.02 mile west of SW Broadway Street
4.12	30900		0.10 mile west of SW Hocken Avenue
4.68	35800		0.10 mile west of SW Murray Boulevard
5.82	42200		0.02 mile east of SW 170th Avenue
5.96	41100		0.12 mile west of SW 170th Avenue
6.50	41000		0.10 mile east of SW 185th Avenue at Aloha
6.62	38200		0.02 mile west of SW 185th Avenue at Aloha
7.78	35800		0.02 mile east of SW 209th Avenue
8.30	40700		0.02 mile east of SW 219th Avenue
8.34	36900		0.02 mile west of SW 219th Avenue
8.79	36900		0.02 mile east of SW 229th Avenue
9.31	34100		0.02 mile east of SE Imlay Avenue
9.84	29700		0.02 mile east of SE 48th Avenue
11.26	29600		0.02 mile east of SE 21st Avenue
11.70	26400		0.02 mile east of SE 13th Avenue
11.74	30900		0.02 mile west of SE 13th Avenue
			On Tenth Avenue
12.16	30700		0.02 mile south of SE Maple Street
12.39	28000		0.05 mile south of SE Oak Street
12.51	24600		0.02 mile south of SE Baseline Street
			WESTBOUND - ONE-WAY TRAFFIC
			On Baseline Street
12.58	15500		0.02 mile east of SE 9th Avenue
12.91	15400		0.02 mile east of SE 5th Avenue
12.95	16000		0.02 mile west of SE 5th Avenue
13.27	14700		0.02 mile east of Hillsboro-Silverton Highway (OR219)

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
			TUALATIN VALLEY HIGHWAY NO. 29 (Continued)
13.31	13500		0.02 mile west of Hillsboro-Silverton Highway (OR219)
13.60	12600		0.02 mile west of SW Dennis Avenue
			EASTBOUND - ONE-WAY TRAFFIC
			On Oak Street
12.50	18100		0.02 mile east of SE 9th Avenue
12.84	18300		0.02 mile east of SE 5th Avenue
12.88	17200		0.02 mile west of SE 5th Avenue
13.19	16400		0.02 mile east of Hillsboro-Silverton Highway (OR219)
13.23	17700		0.02 mile west of Hillsboro-Silverton Highway (OR219)
13.52	16000		0.02 mile west of SW Dennis Avenue
			RESUME TWO-WAY STREET
14.25	31500		0.10 mile west of SW 17th Avenue
14.84	35200	*	Cornelius Automatic Traffic Recorder, Sta. 34-009, 0.28 mile west of NW 334th Avenue
15.17	31000		0.05 mile west of NW 341st Avenue
15.70	30700		0.02 mile east of West 26th Avenue
			WESTBOUND - ONE-WAY TRAFFIC
			On Adair Street
16.11	15500		0.02 mile east of 19th Avenue
16.46	15800		0.02 mile west of 14th Avenue
16.64	15500		0.02 mile west of 11th Avenue
16.69	15900		0.02 mile west of 10th Avenue
17.05	16000		0.01 mile west of 4th Avenue
17.37	16900		0.02 mile west of Yew Street
			EASTBOUND - ONE-WAY TRAFFIC
			On Baseline Street
16.05	15100		0.02 mile east of 20th Avenue
16.46	17900		0.02 mile west of 14th Avenue
16.63	18500		0.02 mile west of 11th Avenue
16.69	15800		0.02 mile west of 10th Avenue
17.05	16200		0.02 mile west of 4th Avenue
17.36	15600		0.02 mile west of Yew Street
			RESUME TWO-WAY TRAFFIC
17.58	29100		0.10 mile west of Mt. View Lane
18.54	11700		0.02 mile east of Maple Street
19.20	9800		0.02 mile west of Elm Street
20.01	14100		0.05 mile south of Old Nehalem Highway ("B" Street)
			Equation: MP 20.40 BK = MP 21.08 AH
21.52	12600		0.05 mile north of Dudney Avenue at Dilley
21.62	11800		0.05 mile south of Dudney Avenue at Dilley
22.33	9200		0.02 mile south of Springhill Road
23.68	9300		0.05 mile south of Seghers Road
24.83	8000		0.02 mile south of Patton Road
25.43	8200		0.02 mile north of Main Street at Gaston
25.47	7500		0.02 mile south of Main Street at Gaston

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
991111	A GIIICIG2	AVC	TUALATIN VALLEY HIGHWAY NO. 29 (Continued)
25.72	7700		At Washington-Yamhill County Line, south city limits of Gaston
25.12	7700		Equation: MP 25.73 BK = MP 26.52 AH
28.79	5400		0.02 mile south of Wapato-Newberg Road (Flett Road)
31.02	5400		0.02 mile north of Roosevelt Drive
34.14	5300		0.03 mile east of Pike Road
34.22	5600		0.05 mile south of Pike Road
34.45	5800		0.02 mile north of Yamhill-Newberg Highway (OR240)
34.49	5700		0.02 mile south of Yamhill-Newberg Highway (OR240)
34.60	5400		0.02 mile north of West 3rd Street
34.94	5100		0.32 mile south of West 3rd Street
37.37	5900		0.13 mile north of Lincoln Street
37.56	5900		0.02 mile north of Johnson Street
37.85	6500		0.02 mile north of Main Street
37.85	5900		0.02 mile east of Yamhill Street
37.09	5900		0.02 mile west of South Pine Street
38.01	4600		0.02 mile south of Main Street 0.02 mile north of Taft Street
38.18	4500 4900		0.02 mile north of Tait Street  0.05 mile south of West Arthur Street
42.33	4800		0.10 mile north of Pacific Highway West (OR99W)  WILLAMINA-SALEM HIGHWAY NO. 30
0.27	8600		Milepoint indicates distance from Salmon River Highway (OR18), at Wallace Bridge
0.27 4.67	8200		0.27 mile southeast of Salmon River Highway (OR18)  0.03 mile southeast of Mill Creek Road
5.91	10000		0.05 mile southeast of Mili Creek Road  0.05 mile southeast of Red Prairie Road
8.43	9900		
	9800		0.02 mile southeast of Enterprise Road  0.02 mile southeast of Salt Creek Church Road
8.60			
11.65	10600		0.14 mile west of Perrydale Road at Dolph Corner
11.94	9800		0.15 mile east of Perrydale Road at Dolph Corner
14.73	10600		1.00 mile west of Dallas-Rickreall Highway (OR223) Interchange
17.14	26000		1.00 mile east of Pacific Highway West (OR99W) Overcrossing  Oak Knoll Automatic Traffic Recorder, Sta. 27-006, 0.90 mile west of Independence Highway No. 193
19.47	29300	*	(OR51)
20.12	26800		0.02 mile east of Oak Grove Road at Brunks Corner
20.87	36500		0.50 mile east of Independence Highway (OR51)
22.14	33600		0.10 mile east of Doaks Ferry Road
23.61	33800		0.06 mile west of College Drive, west city limits of Salem
24.03	34600		0.05 mile west of Salem-Dayton Road
24.90	33800		0.01 mile west of Rosemont Avenue connection
			EASTBOUND - ONE-WAY TRAFFIC
			On Center Street
25.15	24200		0.24 mile east of Rosemont Avenue connection
25.90	47500	*	Center Street Bridge Automatic Traffic Recorder, Sta. 24-014, Polk-Marion County Line
			WESTBOUND - ONE-WAY TRAFFIC
			On Marion Street
25.20	23600		0.05 mile west of connection to Salem-Dayton Highway (OR221/Wallace Road)
25.96	47300	*	Marion Street Bridge Automatic Traffic Recorder, Sta. 24-014, Polk-Marion County Line

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
Т	venicies	AVC	ALBANY-CORVALLIS HIGHWAY NO. 31
			+
			Milepoint indicates distance from Corvallis - Lebanon Highway (OR34), in Corvallis
0.40	5000		On North 2nd Street
0.12	5800		0.02 mile north of Corvallis-Lebanon Highway (OR34-EB)
0.17	8800		0.02 mile north of Corvallis-Lebanon Highway (OR34-WB)
	2000		On NE 2nd Street
0.25	8800		0.02 mile north of NW Tyler Avenue
2.19	6400		0.02 mile southwest of Circle Boulevard
2.44	11900		0.02 mile south of NE Seavy Avenue
5.50	13300		0.05 mile south of Granger Road
6.39	15400		0.02 mile west of NW Independence Road
8.51	16200		0.02 mile west of NW Scenic Drive
9.08	17400		0.02 mile west of NW Rainwater Lane
9.89	15300		0.09 mile west of North Albany Road
10.00	21200		0.02 mile east of North Albany Road
			SOUTHBOUND - ONE-WAY TRAFFIC
			On SW Ellsworth Street
10.44	16400		On Willamette River Bridge, Benton-Linn County Line
10.59	18300		0.02 mile south of 1st Avenue
10.74	13500		0.02 mile south of 4th Avenue
10.99	14200		0.02 mile north of 9th Avenue
			On SW 9th Street
11.03	11300		0.02 mile east of Ellsworth Street
11.22	11000		0.06 mile southwest of Albany-Junction City Highway (OR99E)
			NORTHBOUND - ONE-WAY TRAFFIC
			On SW Lyons Street
10.45	16100		On Willamette River Bridge, Benton-Linn County Line
10.60	12700		0.02 mile south of 1st Avenue
10.76	12800		0.02 mile south of 4th Avenue
10.94	12800		0.02 mile north of 8th Avenue
11.15	9000		0.04 mile west of Albany-Junction City Highway (OR99E), on Lyon Street ramp
			THREE RIVERS HIGHWAY NO. 32
			Milepoint indicates distance from Oregon Coast Highway (US101), at Hebo
0.10	2000		0.10 mile southeast of Oregon Coast Highway (US101)
0.29	1600		0.02 mile southeast of Mt. Hebo Road
1.26	1600		0.02 mile southeast of Cedar Creek Road
4.15	1300		0.32 mile northwest of Castle Rock Camp Road
10.58	1300		0.05 mile north of Little Nestucca Highway
10.96	1700		At Tillamook-Yamhill County Line
17.79	1700		0.02 mile west of Arch Cedar Creek Bridge
21.99	2100		0.02 mile west of Grand Ronde Road
22.03	2100		0.01 mile east of Grand Ronde Road
23.84	2100		At Yamhill-Polk County Line
24.87	2500		0.10 mile north of Salmon River Highway (OR18)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			CORVALLIS-NEWPORT HIGHWAY NO. 33
			Milepoint indicates distance from Oregon Coast Highway (US101), in Newport
			On Olive Street
0.04	16400		0.04 mile east of Oregon Coast Highway (US101)
0.07	13500		0.02 mile east of Avery Street
0.30	17300		0.02 mile west of Eads Street
0.34	14300		0.02 mile east of Eads Street
0.76	11000		At east city limits of Newport
1.74	11900		0.02 mile east of Benson Road
5.28	10900		0.02 mile west of Christiansen Road
5.49	14900		0.10 mile west of Toledo Frontage Road (West Jct.)
5.61	8800		0.20 mile east of Toledo Frontage Road (West Jct.)
5.80	7400		0.06 mile east of Siletz Highway (OR229)
7.45	6600		0.15 mile west of Toledo Frontage Road (East Jct.)
7.62	4400		0.02 mile east of Toledo Frontage Road (East Jct.)
9.46	3700		0.02 mile north of Pioneer Mountain Road
			Equation: MP 11.92 BK = MP 14.50 AH
14.87	4600		0.02 mile west of Sams Creek Road
15.67	6300		0.02 mile north of Elk City Road
15.71	6300		0.02 mile south of Elk City Road
16.96	5600		New Pioneer Mt. Eddyville road segment, 0.50 mile east of intersection with old Highway US20
			Equation: MP 28.23 BK = MP 28.69 AH
32.76	4700		0.05 mile west of Spout Creek Road at Burnt Woods
34.24	6100	*	Burnt Woods Automatic Traffic Recorder, Sta. 21-006, 0.11 mile west of Lincoln-Benton County Line
			Equation: MP 36.63 BK = MP 37.20 AH
39.37	6400		0.02 mile west of Eddyville-Blodgett Highway
39.49	5900		0.10 mile east of Eddyville-Blodgett Highway
			Equation: MP 42.18 BK = MP Z42.07 AH
42.21	4900		0.15 mile east of Lilly Hill Road
43.63	6200		0.02 mile southeast of Priest Road
44.59	7900		0.02 mile east of Kings Valley Highway (OR223)
			Equation: MP 44.68 BK = MP 45.66 AH
46.25	8800		0.30 mile west of Garrett Lane
48.01	9400		0.02 mile southeast of Woods Creek Road
49.63	9700		0.10 mile west of Alsea Highway (OR34)
49.80	11900		0.07 mile east of Alsea Highway
			EASTBOUND - ONE-WAY TRAFFIC
			On Applegate Street
50.13	6700		At west city limits of Philomath
50.61	8100		0.02 mile west of 13th Street
50.65	8200		0.02 mile east of 13th Street
			Equation: MP 50.72 BK = MP Z50.79 AH
			WESTBOUND - ONE-WAY TRAFFIC
			On Main Street
50.11	6700		At west city limits of Philomath
50.56	8200		0.02 mile west of 13th Street

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			CORVALLIS-NEWPORT HIGHWAY NO. 33 (Continued)
50.60	9000		0.02 mile east of 13th Street
			RESUME - TWO-WAY TRAFFIC
50.83	17700		0.02 mile east of 16th Street
51.35	12700		0.02 mile east of Green Street
52.10	13200		0.12 mile west of SW 77th Street
52.56	14500		0.02 mile west of Country Club Drive
53.51	20900		0.02 mile east of SW 53rd Street
54.63	15500		0.02 mile west of SW 35th Street
54.67	19400		0.02 mile east of SW 35th Street
55.43	20600		0.02 mile west of SW 15th Street
55.56	24500		0.30 mile west of Pacific Highway West (OR99W)
56.70	16100		0.10 mile south of Corvallis-Lebanon Highway (OR34)
i			COOS BAY-ROSEBURG HIGHWAY NO. 35
			Milepoint indicates distance from Oregon Coast Highway (US101), near Davis Slough
0.70	8800		0.70 mile south of Oregon Coast Highway (US101)
4.14	8400		Southern Pacific Overcrossing at Delmar
6.66	8400		0.10 mile north of North Bank Lane
9.56	9500		0.05 mile northwest of Cedar Point Road
9.85	9900		0.12 mile west of West Central Boulevard
10.15	8200		0.18 mile southeast of West Central Boulevard
10.87	9200		0.02 mile east of Coquille-Bandon Highway (OR42S)
11.31	9000		0.02 mile south of North Adams Street
			Equation: MP 11.42 BK = MP 12.13 AH
12.80	8200		At south city limits of Coquille
13.20	7300		0.02 mile north of Rink Creek Lane
13.24	7000		0.02 mile south of Rink Creek Lane
15.27	6400		0.09 mile south of Finley Loop (South Jct.)
17.35	6200		0.27 mile north of road to Norway Cemetery
17.85	6400		0.23 mile south of road to Norway Cemetery
19.30	6300		0.02 mile north of North Fork Lane
19.65	6300		0.02 mile north of Robison Lane
20.01	5800		At north city limits of Myrtle Point
20.56	7000		0.02 mile north of Spruce Street
20.60	6800		0.02 mile south of Spruce Street
20.65	6900		0.02 mile south of Maple Street
20.82	6100		0.02 mile south of Harris Street
21.12	5400		0.02 mile south of Maryland Avenue
21.81	4600		0.02 mile north of Carlisle Lane
23.03	4200		0.40 mile west of Powers Highway
23.83	3400		0.40 mile east of Powers Highway
26.72	2900		On Endicott Creek Bridge
29.13	2900		0.02 mile west of King Creek Road
30.48	2900		0.02 mile west of Myrtle Creek Road
			Equation: MP 39.04 BK = MP 40.53 AH
37.29	2500		0.02 mile east of Sandy Creek Road

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
Willepolite	venicies	AVC	
	0.500		COOS BAY-ROSEBURG HIGHWAY NO. 35 (Continued)
44.95	2500		At Coos-Douglas County Line
52.39	2600		0.02 mile west of Westside Road
54.82	2900		0.12 mile southwest of East Camas Road
55.02	3000		0.08 mile northeast of East Camas Road
60.67	2200		Equation: MP 60.14 BK = MP 61.72 AH
63.67	3300 3700		0.07 mile southwest of Benedict Road 0.02 mile southwest of Reston Road
65.66	3700		On Porter Creek Bridge
66.37	4800		0.02 mile east of Tenmile Valley Road
70.20	5900	*	Brockway Automatic Vehicle Classifier, Sta. 10-006, 1.53 miles west of Brockway Road
71.90	4600		At west city limits of Winston
73.06	8200		0.02 mile west of Civil Bend Avenue
73.10	8500		0.02 mile east of Civil Bend Avenue
73.10	10300		0.10 mile west of Main Street (OR99)
73.42	13700		0.05 mile north of Main Street (OR99)
73.74	14800		0.02 mile south of Brosi Orchard Road
73.86	14900		0.02 mile south of Safari Road
74.41	17100		0.06 mile south of Umpqua River
75.70	19900		0.02 mile southwest of Southwest Carnes Road (Kelley's Corner)
76.05	19400		0.02 mile southwest of Winery Lane
76.40	22000		0.25 mile southwest of Pacific Highway (I-5)
			PENDLETON-COLD SPRINGS HIGHWAY NO. 36
			Milepoint indicates distance from Cold Springs
0.74	70		At Columbia River Highway Undercrossing
0.94	670		0.20 mile south of Columbia River Highway (US395 and US730)
			Equation: MP 6.59 BK = MP 6.90 AH
8.83	340		0.02 mile west of South Cold Springs Road
13.23	260		0.02 mile west of Holdman Road at Holdman
18.84	260		0.11 mile west of Eggers Road
20.08	270		0.05 mile west of Athena-Holdman Highway
20.27	410		0.14 mile south of Athena-Holdman Highway
23.37	520		0.02 mile south of South Cold Springs Road
26.11	610		0.10 mile south of Despain Gulch Road
			North city limits of Pendleton
30.66	1700		0.02 mile north of NW Carden Avenue
30.73	4300		0.02 mile north of Pendleton Highway (US30)
			WILSON RIVER HIGHWAY NO. 37
			Milepoint indicates distance from Oregon Coast Highway (US101), in Tillamook
			EASTBOUND - ONE-WAY TRAFFIC
			On 3rd Street
0.01	6700		0.01 mile east of Oregon Coast Highway (US101-SB)
0.05	6200		0.02 mile east of Oregon Coast Highway (US101-NB)
0.16	5700		0.02 mile east of Madrona Avenue
0.24	2300	1	0.02 mile east of Ocean Place

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			WILSON RIVER HIGHWAY NO. 37 (Continued)
			WESTBOUND - ONE-WAY TRAFFIC
			On 1st Street
0.02	6300		0.02 mile east of Oregon Coast Highway (US101-NB)
0.13	5000		0.02 mile east of Madrona Avenue
0.20	3900		0.01 mile east of Ocean Place
			RESUME TWO-WAY TRAFFIC
0.48	4900		At east city limits of Tillamook
1.91	6500		0.11 mile east of Wilson River Loop
2.51	4200		0.02 mile west of Olson Road
2.55	5400		0.02 mile east of Olson Road
4.20	5300		0.02 mile west of Fairview Road
4.24	5500		0.02 mile east of Fairview Road
			Equation: MP 4.63 BK = MP 5.00 AH
5.71	5200		0.02 mile east of Mills Bridge Road
10.82	4800		0.02 mile west of Kansas Creek Road
10.89	4800		0.05 mile east of Kansas Creek Road
22.63	4700		0.02 mile west of Northfork Road
32.88	4700		At Tillamook-Washington County Line
38.55	5500	*	Gales Creek Automatic Traffic Recorder, Sta. 34-004, 0.75 mile west of Glenwood Lane
39.05	5200		0.10 mile east of Timber Road
42.13	5900		0.15 mile northwest of Gales Creek Road
42.38	5200		0.10 mile east of Gales Creek Road
43.34	5200		0.10 mile northeast of Parson Road
48.59	6400		0.50 mile west of Nehalem Highway (OR47)
49.59	9200		0.50 mile east of Nehalem Highway (OR47)
51.12	9700		0.50 mile west of Sunset Highway (US26)
			OREGON CAVES HIGHWAY NO. 38
			Milepoint indicates distance from Redwood Highway (US199), in Cave Junction
0.11	4900		0.02 mile east of Caves Avenue
0.29	4700		0.06 mile west of Old Stage Road
0.37	4200		0.02 mile east of Old Stage Road
0.51	3700		0.10 mile east of Frederick Court
1.74	5200		0.02 mile west of Holland Loop Road (West Jct.)
2.41	1600		0.02 mile west of White School House Road
3.15	1200		0.02 mile west of Smith Sawyer Road
3.75	1200		0.02 mile east of White School House Road
6.15	810		0.03 mile west of Holland Loop Road (East Jct.)
6.53	670		On Arch Bear Creek Bridge
11.02	450		0.43 mile west of Grayback Forest Camp Road
11.97	340		0.20 mile east of French Peak Road
19.09	320		0.10 mile west of Oregon Caves National Monument
			SALMON RIVER HIGHWAY NO. 39
			Milepoint indicates distance from Oregon Coast Highway (US101), near Otis Jct.
0.40	10200		0.40 mile east of Oregon Coast Highway (US101)
1.36	10200		0.05 mile east of Old Scenic Highway 101 (North Bank Road)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			SALMON RIVER HIGHWAY NO. 39 (Continued)
3.96	9600		On Bear Creek Bridge
5.28	7800		0.02 mile west of North Bank Road at Rose Lodge
5.32	9500		0.02 mile east of North Bank Road at Rose Lodge
10.26	6600		At Lincoln-Tillamook County Line
14.90	6900		At Tillamook-Polk County Line
20.65	7600		0.02 mile west of Fire Hall Road
21.16	8200		0.02 mile west of Grand Ronde Road
21.20	11100		0.02 mile east of Grand Ronde Road
22.96	15800		0.10 mile west of Three Rivers Highway (OR22)
23.23	17800	*	Valley Junction Automatic Traffic Recorder, Sta. 27-001, 0.19 mile east of Three Rivers Highway No. 32 (OR22)
23.97	17500		0.70 mile west of Fort Hill Frontage Road Overcrossing
26.67	15100		0.10 mile west of Willamina-Sheridan Highway (OR18 Bus.)
27.91	7200		0.03 mile east of connection to Willamina-Salem Highway (OR22)
29.76	7300		At Polk-Yamhill County Line
30.65	7500		0.02 mile east of Harmony Road
32.30	7800		0.30 mile west of Sheridan Interchange (Ballston Road)
32.90	7800		0.30 mile east of Sheridan Interchange (Ballston Road)
34.01	8700		0.10 mile west of Willamina-Sheridan Highway (OR18 Bus.)
34.21	13600		0.10 mile east of Willamina-Sheridan Highway (OR18 Bus.)
36.91	14300		0.02 mile west of Bellevue-Hopewell Highway
36.95	14300		0.02 mile east of Bellevue-Hopewell Highway
41.00	13800	*	Salmon River Automatic Traffic Recorder, Sta. 36-006, 3.36 miles south of Pacific Highway West No. 91 (OR99W)
43.04	15400		0.02 mile northeast of Durham Lane
43.76	15400		0.60 mile west of Undercrossing Pacific Highway West (OR99W)
44.71	15200		0.35 mile east of Pacific Highway West (OR99W)
46.79	22900		0.10 mile east of Norton Lane
48.54	20700		0.05 mile west of Cruickshank Road
48.61	16100		0.02 mile east of Cruickshank Road
49.96	15900		0.05 mile east of Lafayette Highway (OR233)
51.03	15300		0.20 mile west of Salem-Dayton Highway (OR221)
52.56	12600		0.15 mile southwest of Pacific Highway West (OR99W)
57.55	11600		0.16 mile west of Chehalem Creek
60.29	6500		On S Springbrook Road, 0.07 mile south of (East 2nd Street/East Fernwood Road)
60.64	8600		On North Springbrook Road, 0.03 mile south of Hayes Street
60.72	8600		On North Springbrook Road, 0.06 mile north of Hayes Street
			BEAVERTON-HILLSDALE HIGHWAY NO. 40
			Milepoint indicates distance from Tualatin Valley Highway (OR8), in Beaverton
1.09	33600		0.05 mile west of SW 110th Avenue
1.45	28900		0.05 mile west of SW Western Avenue
1.55	29200		0.05 mile east of SW Western Avenue
1.88	28300		0.02 mile west of SW Jamieson Road
2.03	25900		0.04 mile west of SW 91st Avenue
2.54	24300		0.02 mile west of SW Laurelwood Avenue
2.58	25000		0.02 mile east of SW Laurelwood Avenue
3.08	25500		0.05 mile west of Scholls Ferry Road (OR210)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			BEAVERTON-HILLSDALE HIGHWAY NO. 40 (Continued)
3.39	24900		0.02 mile west of west city limits of Portland, at Washington-Multnomah County Line
			MP 3.41 to MP 6.87 Transferred to the City of Portland
			OCHOCO HIGHWAY NO. 41
			Milepoint indicates distance from The Dalles - California Highway (US97), in Redmond
			On Evergreen Avenue
0.40	7500		0.02 mile east of South Franklin Street
0.51	7100		0.01 mile east of South Jackson Street
0.91	6700		0.07 mile southeast of 9th Street on Ochoco Way
2.32	9000		At east city limits of Redmond
3.23	9600	*	Powell Butte Automatic Vehicle Classifier, Sta. 07-002, 0.35 mile west of Deschutes-Crook County Line
6.82	8700		0.02 mile west of Powell Butte Highway
6.86	10700		0.02 mile east of Powell Butte Highway
7.82	10700		0.02 mile west of South Reif Road
7.86	10500		0.02 mile east of South Reif Road
9.37	9600		0.02 mile east of Minson Road
15.82	11200		0.01 mile west of Tom McCall Road
15.86	12300		0.02 mile east of Tom McCall Road
17.90	12800		0.02 mile west of O'Neil Highway
17.94	14400		0.02 mile east of O'Neil Highway, 0.23 mile west of Madras-Prineville Highway (US26)
18.30	14800		0.05 mile west of Harwood Street
18.57	14100		0.02 mile east of Deer Street
18.73	9500		0.02 mile west of Crooked River Highway (OR27)
18.77	11300		0.02 mile east of Crooked River Highway (OR27)
18.94	12300		0.04 mile west of Elm Street
19.02	13500		0.02 mile west of Fairview Street
19.06	13800		0.02 mile east of Fairview Street
19.40	14400		On Ochoco Creek Bridge
19.73	12700		0.02 mile west of Paulina Highway
19.77	9400		0.02 mile east of Paulina Highway
20.75	4900		0.24 mile west of Barnes Butte Road
21.01	3500		0.02 mile east of Barnes Butte Road
22.85	3000	*	Ochoco Automatic Traffic Recorder, Sta. 07-001, 2.03 miles west of Ochoco Dam
28.13	1500		0.02 mile east of Mill Creek Road
31.16	1300		0.02 mile east of Keystone Ranch Road
34.84	940		0.02 mile east of Ochoco Ranger Station Road
50.03	1000		At Crook-Wheeler County Line
56.90	810		0.02 mile east of West Branch Road
62.56	880		0.02 mile west of Burnt Ranch Road
65.80	1000		At west city limits of Mitchell
65.96	1100		0.02 mile east of Service Creek-Mitchell Highway (OR207)
66.88	660		At east city limits of Mitchell
			Equation: MP 72.52 BK = MP 73.52 AH
75.21	700		0.02 mile west of Parrish Creek-Waterman Flat Road
75.25	600		0.02 mile east of Parrish Creek-Waterman Flat Road
79.86	660		0.02 mile west of Buck Point Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			OCHOCO HIGHWAY NO. 41 (Continued)
81.61	660		0.02 mile east of Antone Road
98.33	700		0.03 mile west of John Day Highway (OR19)
			SHERMAN HIGHWAY NO. 42
			Milepoint indicates distance from Columbia River Highway (I-84), east of Biggs
-0.43	5400		Oregon-Washington State Line, Samuel Hill Memorial Bridge
-0.06	7800		0.07 mile south of Columbia River Highway (I-84)
0.05	3300		0.02 mile south of Celilo-Wasco Highway Spur
7.80	2700		0.30 mile south of Wasco-Heppner Highway (OR206)
9.22	2600		0.40 mile south of Celilo-Wasco Highway (OR206)
			Equation: MP 13.01 BK = MP 13.27 AH
17.36	3100	*	Wasco Automatic Traffic Recorder, Sta.28-001, 0.83 mile northwest of 1st Street
18.21	3000		0.02 mile southwest of 1st Street
			North city limits of Grass Valley
27.68	2700		0.02 mile south of North Street
27.91	2700		0.02 mile north of Union Street
28.34	2400		0.02 mile north of Sherars Bridge Highway (OR216)
28.45	2300		0.02 mile south of South Street, south city limits of Grass Valley
			Sherman - Wasco County Line, MP 48.81
56.51	2300		0.02 mile northeast of Shaniko-Fossil Highway (OR218)
			West city limits of Shaniko
68.46	2300		0.20 mile east of The Dalles-California Highway (US197)
			MONMOUTH-INDEPENDENCE HIGHWAY NO. 43
			Milepoint indicates distance from Pacific Highway West (OR99W), in Monmouth
0.09	9700		0.02 mile east of High Street
0.80	11100		0.02 mile east of Boyd Lane
1.28	11900		0.02 mile west of Gun Club Road
2.05	9600		0.02 mile west of South 5th Street
2.19	8400		0.02 mile west of South 3rd Street
2.34	7700		0.01 mile west of Independence Highway (OR51)
			WAPINITIA HIGHWAY NO. 44
			Milepoint indicates distance from Warm Springs Highway (US26), at Warm Springs Jct.
0.28	270		0.07 mile southeast of Warm Springs Highway (US26)
4.23	270		0.02 mile east of Bear Springs Campground
4.33	270		0.02 mile east of Bear Springs Ranger Station Road
13.13	400		0.02 mile west of Kelly Spring Road at Pine Grove
13.17	410		0.02 mile east of Kelly Spring Road at Pine Grove
18.69	450		0.10 mile west of Old Wapinitia Road
18.89	610		0.10 mile east of Old Wapinitia Road
25.77	710		0.40 mile west of The Dalles-California Highway (US197)
			UMPQUA HIGHWAY NO. 45
			Milepoint indicates distance from Oregon Coast Highway (US101), in Reedsport
0.10	5500		0.10 mile east of Oregon Coast Highway (US101)
0.26	5100		0.02 mile east of East Railroad Avenue
0.36	4900		0.02 mile west of 5th Street
0.48	4600		0.02 mile east of 4th Street

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			UMPQUA HIGHWAY NO. 45 (Continued)
0.61	3700		0.02 mile west of Winchester Avenue
0.65	4300		0.02 mile east of Winchester Avenue
2.22	3600		0.02 mile east of Scholfield Road
13.15	3400		0.05 mile west of Loon Lake Road
13.22	3400		0.02 mile east of Loon Lake Road
16.35	3600		At the west end of the Umpqua River Bridge
17.63	3400		0.75 mile east of Main Street at Scottsburg
23.65	3600	*	Scottsburg Automatic Traffic Recorder, Sta. 10-003, 7.08 miles east of Scottsburg West Road
28.42	3500		0.19 mile south of Paradise Creek Road
35.52	4100		0.10 mile west of Elkton West Road
35.87	4000		At west city limits of Elkton
36.19	4200		0.02 mile west of 2nd Street
36.29	4300		0.02 mile east of 1st Street
36.39	4600		At east city limits of Elkton
36.46	3100		0.02 mile east of Elkton-Sutherlin Highway (OR138)
40.14	2900		0.10 mile east of Tom Folley Road
43.78	3200		At Parker Creek
47.49	3700		0.02 mile east of Hardscrabble Road
50.20	3900		0.05 mile west of 4th Street, west city limits of Drain
50.27	5800		0.02 mile east of 4th Street
50.38	5500		0.02 mile west of 1st Street
50.42	5700		0.02 mile north of "B" Avenue
50.46	5600		0.02 mile north of "C" Avenue
50.56	5300		0.02 mile north of "E" Avenue
51.20	5300		At north city limits of Drain
52.41	4800		0.02 mile south of Upper Smith River Road
52.45	4900		0.02 mile north of Upper Smith River Road
56.35	4900		0.02 mile west of Curtin Road
56.78	5000		0.35 mile west of Pacific Highway (I-5)
			NECANICUM HIGHWAY NO. 46
			Milepoint indicates distance from Sunset Highway (US26), at Necanicum Jct.
0.14	680		0.10 mile south of Sunset Highway (US26)
0.82	420		0.10 mile south of Hamlet Road
7.71	540		On North Fork Nehalem River Bridge
11.38	640		At Clatsop-Tillamook County Line
12.71	750		0.10 mile north of North Fork Road (South Jct.)
12.91	590		0.10 mile south of North Fork Road (South Jct.)
13.52	660		0.02 mile south of God's Valley Road
16.18	860		0.11 mile north of McDonald Road
16.69	910		0.40 mile south of McDonald Road
16.84	960		0.02 mile south of McKimmens Road
18.93	1600		0.10 mile north of Oregon Coast Highway (US101)
			SUNSET HIGHWAY NO. 47
			Milepoint indicates distance from Oregon Coast Highway (US101), north of Cannon Beach
0.60	8100		0.70 mile east of Oregon Coast Highway (US101)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			SUNSET HIGHWAY NO. 47 (Continued)
4.40	7100		On Black Bridge
9.47	7200		0.05 mile east of Necanicum Highway (OR53)
10.19	7500		0.02 mile east of Saddle Mountain Road
21.81	7300		0.05 mile west of Fishhawk Falls Highway
30.75	6800		At Clatsop-Tillamook County Line
34.16	6800		At Tillamook-Washington County Line
37.60	8100	*	Timber Jct. Automatic Traffic Recorder, Sta. 34-005, 0.10 mile west of Vernonia Road
40.74	7400		0.10 mile west of the Sunset Tunnel
45.32	7700		0.09 mile west of Nehalem Highway/OR47 (Staleys Jct.)
45.72	11900		0.05 mile west of Fisher/Buxton Road
47.54	12200		0.05 mile east of Hayward Road
49.51	11300		0.20 mile east of Nehalem Highway/OR47 (Davies Jct.)
52.83	10700		0.50 mile west of Wilson River Highway (OR6)
53.73	22300		0.40 mile east of Wilson River Highway (OR6)
56.23	23400	*	North Plains Automatic Vehicle Classifier, Sta. 34-007, 0.93 mile northwest of North Plains (Glencoe Road
57.46	39500		Interchange)  0.30 mile east of North Plains (Glencoe Road Interchange)
59.24	48200		0.50 mile east of Jackson Road Interchange
62.07	66200		0.39 mile west of Cornelius Pass Interchange
63.89	86000		0.40 mile west of NW 185th Avenue Interchange
65.02	114400	*	Beaverton Bethany Automatic Traffic Recorder, Sta. 34-010, 0.73 mile east of 185th Avenue overcrossing
66.30	142000		0.39 mile east of Cornell Road Interchange
67.58	143200		0.44 mile east of Murray Road Interchange
68.98	147800		0.64 mile east of Cedar Hills Boulevard Interchange
70.39	146400		1.20 miles east of Beaverton-Tigard Highway (OR217) Interchange
70.83	127600		Tualatin Valley Highway (OR8) Undercrossing
71.60	161800		0.30 mile east of Sylvan Undercrossing
72.47	156200		0.30 mile east of Highlands Interchange
72.11	700200		EASTBOUND - ONE-WAY TRAFFIC
			Vista Ridge Tunnels Automatic Traffic Recorder, Sta. 26-002, 0.20 mile west of Stadium Freeway No. 61
73.75	66400	*	(I-405), at the Vista Ridge Tunnels (eastbound)
73.90	13700		0.07 mile west of SE 13th Avenue
			MP 73.97 to MP 74.62 Transferred to the City of Portland
			WESTBOUND - ONE-WAY TRAFFIC  Vista Didna Tunnal Automatic Traffic December Stee 20,000, 0,000 mile weet of Stadium Fragues No. 04
73.75	74400	*	Vista Ridge Tunnel Automatic Traffic Recorder, Sta. 26-002, 0.20 mile west of Stadium Freeway No. 61 (I-405), at the Vista Ridge Tunnel (westbound)
			On SW Clay Street
73.98	11100		0.02 mile west of SW 13th Avenue
			JOHN DAY-BURNS HIGHWAY NO. 48
			Milepoint indicates distance from John Day Highway (US26), in John Day
0.20	6000		0.02 mile south of SW 2nd Avenue
0.57	5100		0.02 mile south of SW 6th Avenue, south city limits of John Day
0.95	4700		0.11 mile south of Blue Gulch Road, north city limits of Canyon City
1.60	3400		0.05 mile north of Washington Street
1.76	3000		0.02 mile south of Clark Street
1.96	2500		0.02 mile south of Main Street
2.09	1700		0.02 mile south of Izee Street

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
тторотт	venicies	AVC	· · · · · · · · · · · · · · · · · · ·
0.50	4400		JOHN DAY-BURNS HIGHWAY NO. 48 (Continued)
2.53	1100		At south city limits of Canyon City
9.98	930		0.10 mile north of Canyon Creek Lane
15.50	760		0.02 mile north of Star Ridge Road
17.70	750		0.02 mile north of Izee Paulina Road
21.93	700		0.02 mile north of Lemke Road
24.73	750		0.02 mile north of North Bridge Road
25.00	710		0.02 mile north of 4th Street in Seneca
25.52	510		At south city limits of Seneca
36.14	510		0.10 mile north of Bridge Creek Road (Silvies Landing Road)
40.38	420		At Grant-Harney County Line
49.28	420	*	0.02 mile south of Call Meadows Road
66.30	540	,	Burns Automatic Traffic Recorder, Sta. 13-001, 1.31 miles north of Central Oregon Highway No. 7 (US20)
			LAKEVIEW-BURNS HIGHWAY NO. 49
			Milepoint indicates distance from Central Oregon Highway (US20), west of Riley
0.20	240		0.19 mile south of Central Oregon Highway (US20)
89.52	280		0.50 mile north of Fremont Highway (OR31)
			KLAMATH FALLS-MALIN HIGHWAY NO. 50  Milepoint indicates distance from Klamath Falls - Lakeview Highway (OR39/OR140), in Klamath Falls
			On Crater Lake Parkway
-6.50	9400		0.09 mile north of Campus Way and Biehn Street
-6.31	16200		0.10 mile south of Campus Way and Biehn Street
-4.99	16900		0.02 mile northwest of Esplanade Street
			On Alameda Avenue
-4.87	16500		0.10 mile southeast of Esplanade Street
-4.48	17200		0.02 mile northwest of Main Street
-4.08	22800	*	Klamath Falls Automatic Traffic Recorder, Sta. 18-018, 0.46 mile south of Main Street
-3.83	11700		0.10 mile east of Washburn Way
-2.91	12900		0.02 mile northwest of Shasta Way
-2.87	9700		0.02 mile southeast of Shasta Way
			On 6th Street
-2.26	9800		0.02 mile north of Klamath Falls-Lakeview Highway (OR39/OR140/South 6th Street)
0.10	6700		0.10 mile south of Klamath Falls-Lakeview Highway (OR39/OR140)
1.76	7600		0.02 mile north of South Klamath Falls Highway (OR140)
1.80	8200		0.02 mile south of South Klamath Falls Highway (OR140)
2.30	7200		0.02 mile south of Short Road
3.07	6900		0.02 mile south of Henley Road
8.10	4900		0.02 mile north of Matney Road
12.41	4500		0.05 mile south of Anderson Road
			West city limits of Merrill
13.75	4700		0.02 mile east of Polk Street
13.97	5100		0.02 mile west of Main Street
14.01	5100		0.02 mile east of Main Street
14.22	4800		0.02 mile west of Lincoln Street
14.49	4600		0.03 mile east of North Elm Street
16.15	4500	*	Merrill Automatic Traffic Recorder, Sta. 18-020, 0.36 mile west of Hatfield Highway No. 426 (OR39)

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
тторотт	venicies	AVC	KLAMATH FALLS-MALIN HIGHWAY NO. 50 (Continued)
16.59	1600		
23.55	1300		0.08 mile east of Hatfield Highway (OR39) 0.02 mile west of Drazil Road
23.78	1400		0.21 mile east of Drazil Road
24.13	1100		0.02 mile south of Railroad Avenue
24.33	500		0.02 mile east of South Malin Road
05.00	200		East city limits of Malin
25.69	380		0.02 mile west of Stastny Road (Tule Lake Road)
27.08	180		0.02 mile north of Oregon-California State Line (Loveness Road)  WILSONVILLE-HUBBARD HIGHWAY NO. 51
			Milepoint indicates distance from Pacific Highway (I-5), south of Wilsonville
0.50	22200		0.44 mile south of Pacific Highway (I-5 overcrossing)
1.49	12000		0.02 mile south of Arndt Road, Clackamas-Marion County Line
3.46	11600		0.02 mile north of Ehlen Road
3.70	9100	*	Hubbard Automatic Traffic Recorder, Sta. 24-016, 0.22 mile south of Ehlen Road
			HEPPNER HIGHWAY NO. 52
			Milepoint indicates distance from Columbia River Highway (I-84), at Heppner Jct.
0.30	180		0.30 mile south of Columbia River Highway (I-84)
3.93	180		On Willow Creek Bridge
8.44	170		At Gilliam-Morrow County Line
13.88	160		0.10 mile north of Fairview Road at Cecil
14.12	150		0.02 mile south of Immigrant Road
19.29	140		0.10 mile north of East Morgan Road
19.61	150		0.22 mile south of East Morgan Road
20.43	170		0.02 mile south of Ely Canyon Road
24.58	190		0.05 mile northwest of McNab West Road
24.73	310		0.10 mile east of McNab West Road
27.49	350		0.02 mile west of Main Street
27.61	260		At west city limits of lone
27.91	630		0.02 mile east of Green Street
28.32	600		0.02 mile west of Ella Road
28.72	710		0.03 mile west of Emert Road
29.09	710		0.34 mile east of Emert Road
30.85	550		0.02 mile west of Rhea Creek Road
30.89	570		0.02 mile east of Rhea Creek Road
36.12	600		0.02 mile east of Tom Street, north city limits of Lexington
36.40	840		0.02 mile northwest of Lexington-Echo Highway (OR207)
36.47	1300		0.02 mile southeast of Lexington-Echo Highway (OR207)
36.62	1300		0.02 mile southeast of "C" Street
37.83	1400	*	Lexington Automatic Traffic Recorder, Sta. 25-007, 1.38 miles southeast of Lexington-Echo Highway No. 320 (OR207)
41.58	1300		0.02 mile southeast of Bunker Hill Lane
44.27	1500		0.02 mile northwest of Dee Cox Road
44.70	1600		0.07 mile northwest of Fuller Canyon Road
45.00	1500		At north city limits of Heppner
45.52	2000		0.02 mile north of Quaid Street
45.56	2000		0.02 mile south of Quaid Street

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
	701110100	7110	HEPPNER HIGHWAY NO. 52 (Continued)
45.72	2300		0.02 mile north of Center Street
45.76	2300		0.02 mile south of Center Street
45.87	2100		0.02 mile north of Wasco-Heppner Highway (OR206/OR207)
45.91	1800		0.02 mile east of Wasco-Heppner Highway (OR206/OR207)
46.04	1100		0.02 mile north of May Street
46.34	530		At east city limits of Heppner
49.43	240		0.02 mile west of Sand Hollow Road
49.50	150		0.05 mile east of Sand Hollow Road
53.93	90		0.02 mile east of Hanna-Arbuckle Road
62.10	90		0.02 mile east of Little Butter Creek Road
72.70	50		At Morrow-Umatilla County Line
76.82	90		0.05 mile southeast of North Fork Butter Creek Road
83.05	90		0.10 mile west of Pendleton-John Day Highway (US395)
			WARM SPRINGS HIGHWAY NO. 53
			Milepoint indicates distance from Pacific Highway West (OR99W), in Portland
57.77	6300	*	Warm Springs Jct. Automatic Traffic Recorder, Sta. 03-009, 0.32 mile south of Mt. Hood Highway No. 26 (OR35)
62.16	4400		At Clackamas-Wasco County Line
71.02	4200		0.25 mile northwest of Wapinitia Highway (OR216)
71.67	4300		0.40 mile southeast of Wapinitia Highway (OR216)
81.96	4700		0.10 mile south of Beaver Butte Road at 45th Parallel
96.48	4900		At Wasco-Jefferson County Line
103.25	4900		0.02 mile northwest of Agency-Hot Springs Road
103.29	7700		0.02 mile southeast of Agency-Hot Springs Road
107.30	7600		0.52 mile north of NW Pelton Dam Road
111.76	7800		0.02 mile northwest of NW Columbia Drive
113.17	8200	*	Warm Springs Automatic Traffic Recorder, Sta. 16-006, 4.54 miles northwest of The Dalles-California Highway No. 4 (US97)
113.93	15000		0.02 mile northwest of NW Boise Drive
113.97	8800		0.02 mile southeast of NW Boise Drive
115.91	9600		0.05 mile southeast of NW Cherry Lane
116.42	13300		0.02 mile southeast of NW Earl Street
117.10	13400		0.02 mile north of NE Jefferson Street
117.15	13300		0.02 mile north of NE Lee Street
117.69	12600		0.02 mile north of The Dalles-California Highway (US97)
			UMATILLA-STANFIELD HIGHWAY NO. 54
			Milepoint indicates distance from Columbia River Highway (US730), in Umatilla
0.20	11100		0.16 mile south of Columbia River Highway (US730)
0.49	11800		0.02 mile south of Margaret Avenue
1.77	11400		0.02 mile south of Bensel Road
3.30	14000		0.02 mile south of Joy Lane
4.32	14800	-	0.02 mile north of Theater Lane, north city limits of Hermiston
4.85	19300		0.02 mile south of Elm Avenue (OR 207)
5.11	19400		0.02 mile south of Jennie Avenue
5.38	19200		0.02 mile north of Gladys Avenue, Hermiston Highway (OR207)
5.42	18000	-	0.02 mile south of Gladys Avenue
5.48	16000		0.02 mile south of Hermiston Highway (OR207), West Main Street

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			UMATILLA-STANFIELD HIGHWAY NO. 54 (Continued)
5.85	14300		0.02 mile north of East Highland Avenue
6.01	11500		0.02 mile northwest of SE 4th Street
9.70	7000	*	Stanfield Automatic Vehicle Classifier, Sta. 30-019, 0.12 mile northwest of Feedville Road (Northwest of
8.70	7900		Stanfield)
9.25	7500		At north city limits of Stanfield
10.76	8000		0.02 mile north of Harding Avenue
10.80	7200		0.02 mile south of Harding Avenue
11.01	7200		0.02 mile north of Coe Avenue
11.22	6100		0.02 mile north of Tuttle Avenue
40.40	2000		South city limits of Stanfield
12.40	9900		0.50 mile north of Old Oregon Trail (I-84)
			ALBANY-JUNCTION CITY HIGHWAY NO. 58
			Milepoint indicates distance from Pacific Highway (I-5), at North Albany Interchange
0.05	0.4000		On Pacific Boulevard
0.35	21600		0.04 mile northeast of Airport Road
0.78	23700		0.10 mile east of Waverly Drive
0.90	19900		0.02 mile west of Waverly Drive
			SOUTHBOUND - ONE-WAY TRAFFIC
4.00	0.400		On Pacific Boulevard
1.32	8100		0.10 mile east of Santiam Highway (US20)
1.48	18800		0.06 mile west of Santiam Highway (US20)
1.78	18900		0.02 mile east of Main Street
1.91	18200		0.02 mile east of Madison Street
1.95	18700		0.02 mile west of Madison Street
			NORTHBOUND - ONE-WAY TRAFFIC
			On 9th Avenue
1.33	11100		0.03 mile east of Santiam Highway (US20)
1.39	11800		0.03 mile west of Santiam Highway (US20)
1.80	20000		0.02 mile east of Main Street
1.91	17900		0.02 mile east of Madison Street
1.95	19400		0.02 mile west of Madison Street
			RESUME TWO-WAY TRAFFIC  Central Albany Automatic Vehicle Classifier, Sta. 22-022, 0.28 mile northeast of Albany-Corvallis Highway
2.14	39300	*	No. 31 (US20)
2.47	34600		0.07 mile north of Ellsworth Street SW
2.69	21500		0.05 mile southwest of 12th Avenue
2.95	23800		0.06 mile north of Queen Avenue
3.03	19800		0.02 mile south of Queen Avenue
3.67	19500		0.02 mile north of 29th Avenue
4.26	17800		0.02 mile south of 37th Avenue
5.79	13900		0.02 mile north of Allen Lane
7.66	13900		0.15 mile north of Corvallis-Lebanon Highway (OR34)
7.96	5200		0.15 mile south of Corvallis-Lebanon Highway (OR34)
8.68	4500		0.02 mile north of Tangent Drive
8.79	3900		0.02 mile north of Birdfoot Drive
9.32	3100		0.18 mile south of Glass Drive, south city limits of Tangent
14.73	2900		0.02 mile north of "F" Street

Milensint	2017 AADT AII	ATR	Leastion Description
Milepoint	Vehicles	AVC	Location Description
			ALBANY-JUNCTION CITY HIGHWAY NO. 58 (Continued)
19.29	2700		At north city limits of Halsey
19.38	3500		0.02 mile south of Halsey-Sweet Home Highway (OR228)
19.87	4100		0.02 mile south of "J" Street
20.31	3600		At south city limits of Halsey
21.64	3900	*	Halsey Automatic Traffic Recorder, Sta. 22-012, 2.28 miles south of Halsey-Sweet Home Highway No. 212 (OR228)
28.17	4100		At north city limits of Harrisburg
28.46	5900		0.02 mile north of Territorial Street
28.50	7500		0.02 mile south of Territorial Street
28.66	8200		0.02 mile south of Moore Street
29.09	9100		At Linn-Lane County Line, at south city limits of Harrisburg
30.69	8800		0.02 mile south of Noraton Road
32.32	8600		0.05 mile northeast of Pacific Highway West (OR99W), north city limits of Junction City
			ROGUE RIVER HIGHWAY NO. 60
			Milepoint indicates distance from Redwood Highway (US199), at south city limits of Grants Pass
0.06	10100		0.06 mile south of East Park Street
0.28	12300		0.07 mile south of Redwood Highway Spur (US199)
0.50	10600		0.02 mile east of Maple Lane
0.77	6200		0.02 mile east of Parkdale Drive
1.43	4600		0.10 mile east of Hamilton Lane
2.37	3600		0.02 mile west of Fruitdale Drive
3.73	5400		0.02 mile east of Gordon Way
			Josephine - Jackson County Line, MP 5.51
6.19	4900		0.10 mile east of Savage Creek Road
8.80	5800		0.03 mile west of Depot Street in Rogue River
8.89	2900		0.06 mile east of Depot Street in Rogue River
11.45	2200		0.02 mile east of Foots Creek Road
12.45	2200		0.15 mile south of Pacific Highway (I-5), Homestead Interchange
14.40	1300		0.10 mile west of Sams Valley Highway (OR234)
14.55	1900		0.05 mile south of Sams Valley Highway (OR234)
			STADIUM FREEWAY HIGHWAY NO. 61
			Milepoint indicates distance from Pacific Highway (I-5), South Jct., in Portland
0.60	93600	*	Stadium Freeway Automatic Traffic Recorder, Sta. 26-005, 0.64 mile northwest of Pacific Highway No. 1
0.88	89400		(I-5) SW 4th Avenue Undercrossing
1.11	82600		SW Broadway Undercrossing
1.11	125900		SW Park Avenue Undercrossing
2.02	112900		SW Yamhill Street Undercrossing
2.02	104400		
			NW Glisan Street Undercrossing
2.65	116300		NW Kearney Street Overcrossing  Fremont Bridge Automatic Traffic Recorder, Sta. 26-027, 1.16 miles southwest of Pacific Highway No. 1
3.05	130000	*	(I-5)
			FLORENCE-EUGENE HIGHWAY NO. 62
			Milepoint indicates distance from Oregon Coast Highway (US101), in Florence
0.22	9500		0.02 mile west of Spruce Street
0.68	8000		0.10 mile east of Xylo Street
0.95	6300		0.05 mile west of North Fork Siuslaw Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			FLORENCE-EUGENE HIGHWAY NO. 62 (Continued)
1.05	5700		0.05 mile east of North Fork Siuslaw Road
2.31	5600		0.02 mile east of Skunk Hollow Road
2.99	5400		0.30 mile east of Rose Hill Road
9.15	5300		0.03 mile west of Tiernan Road North
9.20	5300		0.02 mile east of Tiernan Road North
14.09	5400		0.13 mile east of Rice Road
14.32	5000		0.13 mile north of Riverview Avenue
14.48	5100		0.10 mile east of Sweet Creek Road
14.67	4300		0.02 mile east of East Mapleton Road
17.01	4300		0.50 mile east of Archie Knowles Forest Camp
19.83	4200		0.02 mile east of Knowles Creek Tunnel
23.29	4200		0.02 mile west of Richardson Road (Stage Coach Road)
26.55	4200		0.06 mile east of Siuslaw River Road
29.57	4300		0.08 mile west of Keith Road
32.46	4500		0.02 mile east of Nelson Mountain Road
			Equation: MP 34.90 BK = MP 34.95 AH
34.98	4500		0.02 mile east of Penn Road
40.95	5000		0.02 mile east of Poodle Creek Road
42.34	6000		0.05 mile east of Knight Road
			Equation: MP 42.72 BK = MP 42.88 AH
43.86	6600	*	Noti Automatic Traffic Recorder, Sta. No. 20-005, 3.06 miles west of Territorial Highway No. 200 (OR200)
46.56	7100		0.05 mile east of 8th Street
47.02	10300		0.10 mile east of Territorial Highway
			Equation: MP 47.46 BK = MP Z47.27 AH
47.97	11700		0.13 mile east of Huston Road
49.73	12400		0.02 mile west of Central Road
49.77	14000		0.02 mile east of Central Road
52.20	12700		0.10 mile east of Fisher Road
52.48	12900		0.10 mile east of Richmond Street
			ROGUE VALLEY HIGHWAY NO. 63
			Milepoint indicates distance from Pacific Highway (I-5), at Seven Oaks Interchange
0.50	6500		0.16 mile south of the southbound Pacific Highway (I-5) ramps
1.43	6800		0.02 mile south of Scenic Avenue
			MP 1.64 to MP 3.60 Transferred to the City of Medford
3.72	15900		0.05 mile south of Beall Lane
4.56	14900		0.05 mile south of Sage Road
4.84	14600		0.02 mile southeast of Howard Avenue
5.30	15400		0.02 mile east of Elm Street
			On Rogue Valley Boulevard
			MP 5.48 to MP 8.13 Transferred to the City of Medford
8.18	16700		0.05 mile south of Stewart Avenue
9.74	14500		0.05 mile north of South Stage Road
9.81	15200		0.02 mile south of South Stage Road
			North city limits of Phoenix
11.13	15000		0.02 mile north of Fern Valley Road

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
-			ROGUE VALLEY HIGHWAY NO. 63 (Continued)
11.27	12800		0.02 mile south of Bolz Lane
11.21	12000		MP 11.37 to 12.00 Transferred to City of Phoenix
12.37	9100		0.22 mile north of Cabbage Lane, south city limits of Phoenix
13.76	8100		0.10 mile north of Suncrest Road
14.40	9400		0.20 mile south of West Valley View Road
14.92	8700		0.02 mile south of Arnos Street, south city limits of Talent
15.93	9400	*	Talent Automatic Traffic Recorder, Sta. 15-014, 0.33 mile northwest of Talent Avenue
17.04	16000		0.02 mile south of Valley View Road
17.04	70000		North city limits of Ashland
18.63	16400		0.03 mile north of Hersey Street
18.71	15200		0.03 mile south of Van Ness Street
18.98	13900		0.05 mile north of Helman Street
10.90	13900		
			SOUTHBOUND - ONE-WAY TRAFFIC On East Main Street
10.06	9300		0.01 mile south of Church Street
19.06			
19.25	9100		0.02 mile south of Pioneer Street
19.42	9900		0.02 mile south of 2nd Street
			NORTHBOUND - ONE-WAY TRAFFIC
40.45	0500		On "C" Street
19.15	9500		0.02 mile north of Oak Street
19.23	9300		0.02 mile south of Pioneer Street
			MP 19.46 to MP 20.84 Transferred to the City of Ashland
			RESUME TWO-WAY TRAFFIC
00.00	7000		On Siskiyou Boulevard
20.86	7300		0.02 mile south of Walker Avenue
21.55	5500		0.02 mile north of Clay Street
21.97	2800		0.10 mile south of Tolman Creek Road
22.48	1500		0.08 mile south of Crowson Road
			EAST PORTLAND FREEWAY NO. 64
	20722	*	Milepoint indicates distance from Pacific Highway (I-5), in Tualatin
1.99	88700	*	Stafford Automatic Vehicle Classifier, Sta. 03-016, 1.99 miles east of Pacific Highway No. 1 (I-5)
3.66	87400		0.50 mile east of Wankers Corner Interchange (Stafford Road)
7.00	89700		0.60 mile east of 10th Street, South West Linn Interchange
9.12	103100		On Willamette River Bridge, 0.30 mile east of Oswego Highway (OR43), West Linn Interchange
9.69	114300		0.40 mile east of Pacific Highway East (OR99E), Oregon City Interchange On Clackamas River Bridge, 0.30 mile south of SE 82nd Drive (OR213 South Jct.), Gladstone
10.75	141400		Interchange
12.27	128900		0.40 mile south of Clackamas Highway (OR224), South Clackamas Interchange
12.97	133300		0.30 mile north of Clackamas Highway (OR224), South Clackamas Interchange
13.38	132400		0.20 mile north of SE 82nd Drive/OR213 (North Jct.), Lake Road Interchange
13.88	113300		0.70 mile south of Sunnyside Road Interchange
15.84	141900		0.40 mile south of Johnson Creek Boulevard Interchange
17.45	147700		0.40 mile south of Foster Road Interchange
18.25	153600	*	Lents Automatic Traffic Recorder, Sta. 26-022, 0.87 mile south of Mt. Hood Highway No. 26 (US26)
20.11	166900		0.50 mile north of Division Street Interchange
20.35	148900	*	Yamhill Automatic Traffic Recorder, Sta. 26-018, 0.22 mile south of SE Washington Street Undercrossing

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
шороше	venicies	AVC	EAST PORTLAND FREEWAY NO. 64 (Continued)
20.87	124200		
21.77	134300 137200		Burnside Street Undercrossing  0.20 mile north of Columbia River Highway (I-84) Interchange
22.99	161400		0.40 mile north of connections to Columbia River Highway (I-84)
24.15	150700		0.50 mile south of Airport Way Interchange Glenn Jackson Automatic Traffic Recorder, Sta. 26-024, 1.06 miles south of Oregon-Washington
25.50	157000	*	State Line
			LA GRANDE-BAKER HIGHWAY NO. 66
			Milepoint indicates distance from Old Oregon Trail (I-84), west of La Grande
0.93	1500		0.30 mile west of Terrace Avenue
			On Adams Avenue
1.25	2000		0.02 mile west of Walnut Street
1.41	4600		0.02 mile east of Cedar Street
1.63	6200		0.02 mile west of 4th Street
1.67	5500		0.02 mile east of 4th Street
1.80	6200		0.02 mile southeast of Depot Street
2.04	7900		0.02 mile southeast of Greenwood Street
2.17	8500		0.02 mile northwest of Wallowa Lake Highway (OR82)
2.21	7600		0.02 mile southeast of Wallowa Lake Highway (OR82)
2.63	5800		0.02 mile northwest of Willow Street
2.67	6100		0.02 mile southeast of Willow Street
2.88	4000		0.02 mile northwest of Jefferson Avenue
2.93	3700		0.03 mile southeast of Jefferson Avenue, southeast city limits of La Grande
5.24	6800		0.15 mile west of Old Oregon Trail (I-84)
6.04	3500		0.40 mile east of Old Oregon Trail (I-84)
10.90	2500		0.02 mile east of Curtis Road
15.58	2300		At north city limits of Union
15.88	2200		0.05 mile northwest of Cove Highway (OR237)
15.95	2600		0.02 mile south of Cove Highway (OR237)
16.10	2500		0.02 mile south of Fir Street
16.49	2600		0.02 mile north of Medical Springs Highway (OR203)
16.53	2400		0.02 mile south of Medical Springs Highway (OR203)
16.63	1600		0.02 mile south of Dearborn Street
16.73	1100		0.02 mile south of Fulton Street
16.88	840		0.02 mile south of Iowa Street
17.44	380		0.04 mile west of Ramo Flat Road
29.29	410		0.02 mile south of Jimmy Creek Road
31.74	690		0.02 mile northeast of Center Street
31.93	980		0.02 mile southwest of "E" Street
32.19	1500		0.10 mile east of Old Oregon Trail (I-84)
32.33	1200		0.04 mile west of Old Oregon Trail (I-84), west city limits of North Powder
37.70	850	*	North Powder Automatic Traffic Recorder, Sta. 01-001, 4.84 miles south of Union-Baker County Line
39.97	780		0.02 mile north of Neill-Peck Lane
40.67	1400		0.02 mile north of Anthony Lakes Highway
			South city limits of Haines
46.54	2000		0.10 mile south of Wingville Lane
49.85	2100		0.10 mile north of Pocahontas Road (Hughes Lane)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			LA GRANDE-BAKER HIGHWAY NO. 66 (Continued)
49.97	4200		0.02 mile south of Pocahontas Road (Hughes Lane)
			On 10th Street
50.50	5800		0.02 mile south of "H" Street
50.96	5700		0.02 mile north of Campbell Avenue
51.00	4500		0.02 mile south of Campbell Avenue
51.21	4100		0.02 mile north of Broadway Avenue
			On Broadway Avenue
51.25	4200		0.02 mile east of 10th Street
51.54	4700		0.02 mile west of 4th Street
51.58	4700		0.02 mile east of 4th Street
51.77	3800		0.02 mile west of Baker-Copperfield Highway (OR86)
			On Main Street
51.81	5800		0.02 mile south of Baker-Copperfield Highway (OR86)
52.02	5200		0.02 mile north of Whitney Highway (OR7)
52.09	2600		0.05 mile east of Whitney Highway (OR7), on Bridge Street
52.44	2100		0.02 mile north of Myrtle Avenue on Elm Street
53.10	1100		0.05 mile northwest of South Bridge Street
			South city limits of Baker City
54.06	690		0.40 mile west of Old Oregon Trail Highway (I-84)
			PENDLETON HIGHWAY NO. 67
			Milepoint indicates distance from Old Oregon Trail (I-84), west of Pendleton
			On SW Westgate Avenue
1.17	4400		0.02 mile east of Old Airport Road
1.65	5300		0.02 mile west of Clopton Road
1.93	6000		0.15 mile west of Pendleton-Cold Springs Highway (OR37)
2.10	9700		0.02 mile east of Pendleton-Cold Springs Highway (OR37)
2.50	5300		0.02 mile east of SW 18th Street
			EASTBOUND - ONE-WAY TRAFFIC
			On SW Dorion Avenue
2.89	7500		0.02 mile west of SW 10th Street
2.93	6300		0.02 mile east of SW 10th Street
3.22	5800		0.02 mile east of SW 4th Street
3.37	5600		0.02 mile west of South Main Street
			On SE Dorion Avenue
3.41	5400		0.02 mile east of South Main Street
3.52	6600		0.02 mile west of SE 3rd Street
3.66	5200		0.02 mile west of SE 6th Street
			WESTBOUND - ONE-WAY TRAFFIC
			On SW Court Avenue
2.86	6500		0.02 mile west of SW 10th Street
2.90	6000		0.02 mile east of SW 10th Street
3.19	5800		0.02 mile east of SW 4th Street
3.35	5600		0.02 mile west of South Main Street
			On SE Court Avenue
3.39	5500		0.02 mile east of South Main Street

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			PENDLETON HIGHWAY NO. 67 (Continued)
3.50	7000		0.02 mile west of SE 3rd Street
3.65	5100		0.02 mile west of SE 6th Street
			RESUME TWO-WAY TRAFFIC
3.89	8700		0.03 mile west of Oregon-Washington Highway (OR11), and Pendleton-John Day Highway (US395)
4.96	4900		0.34 mile east of Oregon-Washington Highway (OR11), east city limits of Pendleton
5.80	1200		0.80 mile north of Old Oregon Trail (I-84)
			CASCADE HIGHWAY NORTH NO. 68
			Milepoint indicates distance from NE Columbia Boulevard, in Portland
			On NE 82nd Avenue
0.15	11900		0.05 mile south of NE Columbia Boulevard
0.46	18700		0.23 mile south of Northeast Portland Highway (US30 Bypass-NE Killingsworth Street)
0.70	19000		0.05 mile north of NE Prescott Street
0.90	16400		0.05 mile north of Sandy Boulevard
1.00	18500		0.05 mile south of Sandy Boulevard
1.30	19100		0.05 mile south of NE Fremont Street
2.13	24600		0.13 mile north of Columbia River Highway (I-84)
2.46	25300		0.20 mile south of Columbia River Highway (I-84)
2.85	25300		0.10 mile south of NE Glisan Street
			On SE 82nd Avenue
3.42	25800		0.02 mile south of SE Morrison Street
4.13	26700		0.11 mile north of SE Division Street
4.30	25600		0.06 mile south of SE Division Street
4.70	26400		0.05 mile north of Powell Boulevard, Mt. Hood Highway (US26)
4.77	25500		0.02 mile south of Powell Boulevard, Mt. Hood Highway (US26)
5.29	24200		0.05 mile south of SE Holgate Boulevard
5.58	24300		0.18 mile north of SE Foster Road
5.87	23400		0.11 mile south of SE Foster Road
6.68	21000		0.05 mile north of SE Flavel Street
6.76	21900		0.03 mile south of SE Flavel Street
			Multnomah - Clackamas County Line, MP 7.23
7.52	26700		0.02 mile north of Johnson Creek Boulevard
7.57	29900		0.03 mile south of Johnson Creek Boulevard
8.32	28800		0.02 mile south of King Road
9.17	30200		0.02 mile north of Sunnyside Road
9.72	36200		0.46 mile north of Clackamas Highway (OR224)
			BELT LINE HIGHWAY NO. 69
			Milepoint indicates distance from Florence - Eugene Highway (OR126), west of Eugene
0.10	14300		0.42 mile west of Goble Lane
1.33	17800		0.05 mile east of Green Hill Road
2.85	20300		0.02 mile east of Danebo Avenue
3.20	17500		0.10 mile north of West 11th Avenue
5.20	27600	*	West Beltline Automatic Traffic Recorder, Sta. 20-028, 0.42 mile south of Barger Drive Interchange
6.00	41500		0.58 mile southwest of Pacific Highway West (OR99) Interchange
6.68	45700		0.10 mile east of Pacific Highway West (OR99) Interchange
7.07	56700		0.24 mile east of Prairie Road Interchange

Milepoint	2017 AADT AII	ATR	Location Description
Muchollit	Vehicles	AVC	·
7.04	5000		BELT LINE HIGHWAY NO. 69 (Continued)
7.84	58900		0.75 mile east of Northwest Expressway Interchange
8.97	85400		0.50 mile east of River Road Interchange
9.65	85400		0.40 mile west of Delta Highway Interchange
10.96	57600		0.70 mile west of Coburg Road Interchange
12.00	54100	*	Beltline Automatic Traffic Recorder, Sta. 20-011, 0.76 mile west of Pacific Highway No. 1 (I-5)
12.97	34900		0.22 mile east of Pacific Highway (I-5) Interchange
			McNARY HIGHWAY NO. 70
			Milepoint indicates distance from Washington - Oregon State Line  Umatilla Bridge Automatic Traffic Recorder, Sta. 30-025, 0.58 mile south of Oregon-Washington
0.58	21600	*	State Line
1.30	15300		0.30 mile south of Columbia River Highway (US730)
5.13	14900		0.30 mile south of Powerline Road
10.40	16300		0.30 mile north of Old Oregon Trail Highway (I-84)
			WHITNEY HIGHWAY NO. 71
			Milepoint indicates distance from John Day Highway (US26), at Austin Junction
0.07	430		0.07 mile north of John Day Highway (US26)
1.91	390		0.02 mile east of Austin Road
			Grant - Baker County Line, MP 7.56
15.76	400		At Camp Creek, 0.22 mile east of Whitney Road
24.24	420		0.02 mile west of Huckleberry Loop Road
24.88	430		0.35 mile west of Sumpter Highway
25.50	710		0.27 mile east of Sumpter Highway
29.05	700		0.02 mile west of Hudspeth Lane
34.66	700		0.02 mile east of Black Mountain Road
40.09	800		0.02 mile west of Denny Creek Road
41.75	930		0.10 mile west of Dooley Mountain Highway (OR245)
41.95	1200		0.10 mile north of Dooley Mountain Highway (OR245)
48.40	1500	*	Whitney Automatic Traffic Recorder. Sta. 01-012, 0.20 mile south of Griffin Gulch Lane
49.49	1900		0.02 mile south of David Eccles Road
49.90	2400		0.02 mile north of Colorado Street
50.81	4900		0.02 mile south of Estes Avenue
50.90	5300		0.02 mile north of Place Avenue
50.94	5300		0.02 mile south of La Grande-Baker Highway (US30)
			SALEM HIGHWAY NO. 72
			Milepoint indicates distance from Pacific Highway (I-5), north of Salem
0.67	25100	*	Salem Parkway Automatic Traffic Recorder, Sta. 24-022, 0.87 mile north of Hyacinth Street NE
1.64	28100		0.10 mile south of Verda Lane
2.51	33400		0.10 mile northeast of Cherry Avenue
3.06	25700		0.10 mile northeast of Broadway Street
3.21	21900		0.05 mile southwest of Broadway Street
3. <u>-</u> .	2.000		SOUTHBOUND - ONE-WAY TRAFFIC
			On Commercial Street
3.62	15200		SB Salem Highway, 0.02 mile north of Pine Street
3.66	17000		SB Salem Highway, 0.02 mile south of Pine Street
4.34	17000		0.02 mile north of Market Street
4.34	17600		0.02 mile south of Market Street

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			SALEM HIGHWAY NO. 72 (Continued)
			NORTHBOUND - ONE-WAY TRAFFIC
			On Liberty Street
3.60	13600		NB Salem Highway, 0.02 mile north of Pine Street
3.64	14300		NB Salem Highway, 0.02 mile south of Pine Street
4.34	14600		0.02 mile north of Market Street
4.38	14900		0.02 mile south of Market Street
			RESUME TWO-WAY TRAFFIC
4.70	33600		0.02 mile north of Division Street
4.78	15100		0.02 mile northeast of Front Street
4.86	25800		0.02 mile south of Union Street
5.22	44200		0.03 mile south of Court Street
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Front Street
5.41	19700		0.02 mile west of Commercial Street
			On Trade Street
5.50	11600		0.02 mile west of Liberty Street
5.67	16900		0.02 mile west of Church Street
			NORTHBOUND - ONE-WAY TRAFFIC
			On Front Street
5.37	18500		0.02 mile west of Commercial Street
			On Ferry Street
5.45	22100		0.02 mile west of Liberty Street
5.63	11400		0.02 mile west of Church Street
0.00			RESUME TWO-WAY TRAFFIC
			On Pringle Creek Parkway
5.95	21100		0.02 mile east of Winter Street
6.18	21600		0.02 mile west of 12th Street
6.74	37200		0.03 mile west of 17th Street
<u> </u>	0/200		On Mission Street
7.12	35600		0.02 mile west of 22nd Street
7.50	35100		0.02 mile west of 25th Street
7.82	48200		0.10 mile west of Turner Road
8.02	48600		0.10 mile east of Turner Road
8.28	52000		0.02 mile east of Hawthorne Avenue
0.20	02000		PACIFIC HIGHWAY EAST NO. 75
5.46	17900	*	Sunrise Expressway Automatic Traffic Recorder, Sta. 03-021, 0.80 mile north of Clackamas Highway
0.40	17300		PACIFIC HIGHWAY EAST NO. 81
			Milepoint indicates distance from East Burnside, in Portland On Martin Luther King Jr. Boulevard
-5.53	15500		On wartin Lutter King Jr. Boulevard     O.20 mile southeast of ramp to Delta Park (Marine Drive East)
-4.70	14600		0.02 mile north of Vancouver Avenue (SB connection)
-4.05	21400		0.04 mile north of NE Columbia Boulevard
-3.77	17500		0.02 mile north of Northeast Portland Highway (US30 Bypass)
			MP -3.75 to MP 1.00 Transferred to the City of Portland

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
Miliopoliti	venicies	AVC	·
			PACIFIC HIGHWAY EAST NO. 81 (Continued)
			On McLoughlin Boulevard
1.69	71200		0.20 mile south of Ross Island Bridge
2.68	46700		0.05 mile north of SE 17th Avenue
3.02	49200		0.05 mile north of SE Harold Street
4.29	48500		0.01 mile north of SE Tacoma Street
4.59	47000		0.10 mile south of SE Umatilla Street, Multnomah-Clackamas County Line
5.10	44100		0.10 mile north of SE Milport Road
5.21	33300		0.25 mile north of Clackamas Highway (OR224)
5.67	34000		0.05 mile north of Harrison Street
5.90	30800		0.02 mile south of Jefferson Street
6.55	25700		0.25 mile south of River Road
7.36	26800		0.05 mile north of Courtney Road
7.46	27100		0.05 mile south of Courtney Road
8.47	30200		0.05 mile south of Concord Road
10.51	30000		0.24 mile north of Gloucester Street
10.97	30300		0.05 mile north of River Road
11.20	39700		On McLoughlin Bridge at Clackamas River (south city limits of Gladstone/north city limits of Oregon City)
11.92	36700		0.19 mile south of East Portland Freeway (I-205)
12.17	27900		0.02 mile north of 10th Street
12.21	21200		0.02 mile south of 10th Street
12.35	20400		0.02 mile south of 8th Street
12.54	20800		0.02 mile northwest of Main Street (OR43)
12.58	28400		0.02 mile southeast of Main Street (OR43)
13.02	18900		0.02 mile south of South 2nd Street
13.75	18300		0.15 mile south of Apperson Street
20.56	25400		0.06 mile east of Pine Street
21.12	25100		0.02 mile north of Canby-Marquam Road (Ivy Street)
21.44	21000		0.02 mile south of SW Elm Street
22.03	23800		At Molalla River, west city limits of Canby
22.84	23000		0.05 mile north of Barlow-Monitor Road
22.94	13100		0.05 mile south of Barlow-Monitor Road
24.83	16400		0.05 mile northeast of Ehlen Road and Liberty Street, east city limits of Aurora
25.03	7900		0.02 mile south of Main Street
25.70	7100		0.14 mile south of Ottoway Avenue, south city limits of Aurora
27.74	15900		0.20 mile south of Wilsonville-Hubbard Highway (OR551)
28.85	16400		0.05 mile north of Elm Street
29.39	15500		0.02 mile north of "G" Street
-			South city limits of Hubbard
30.87	16100		0.02 mile south of Carl Road NE, north city limits of Woodburn
31.65	18400		0.05 mile north of Woodburn-Estacada Highway (OR211) and Hillsboro-Silverton Highway (OR214)
31.80	19600		0.10 mile south of Woodburn-Estacada Highway (OR211)
32.46	20700		0.05 mile south of East Lincoln Street
32.82	19700		0.05 mile north of Hillsboro-Silverton Highway (OR214)
32.90	14700		0.03 mile south of Hillsboro-Silverton Highway (OR214)
32.30	14700		10.00 mile 30um of Filliopolo-Silvetton Filginway (ONZ 14)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			PACIFIC HIGHWAY EAST NO. 81 (Continued)
			South city limits of Woodburn
34.03	12400	*	Woodburn Automatic Traffic Recorder, Sta. 24-001, 0.11 mile south of NE Belle Passi Road
36.17	12100		0.05 mile north of Mt. Angel-Gervais Road NE
39.12	12000		0.05 mile south of Waconda Road
41.29	10100		0.05 mile south of Brooklake Road
44.41	10900		0.05 mile north of Chemawa Road
44.51	16800		0.05 mile south of Chemawa Road
45.34	11300		0.10 mile south of Lancaster Drive NE
45.59	11100		0.05 mile north of Hayesville Drive NE
45.84	18400		0.05 mile north of Ward Drive NE
46.44	28300		0.05 mile north of Hyacinth Street
			PACIFIC HIGHWAY WEST NO. 91
			Milepoint indicates distance from West Burnside, in Portland
			On North Denver Avenue
-5.25	11700		0.10 mile north of Schmeer Road
-4.81	14300		0.34 mile south of Schmeer Road
			MP -4.75 to MP -0.44 Transferred to the City of Portland
-0.36	11700		On the Steel Bridge
			On SW Naito Parkway
			MP -0.29 to MP 0.85 Transferred to the City of Portland
1.41	13800		At the Arthur Street Overcrossing
1.73	23800		0.24 mile north of Barbur Boulevard Undercrossing
2.23	32400		0.11 mile north of Hamilton Street
3.00	29900		0.20 mile north of SW Capitol Highway (WB connection)
3.39	15800		0.20 mile south of SW Capitol Highway (WB connection)
4.03	18500		0.05 mile north of SW Terwilliger Boulevard
4.13	32200		0.05 mile south of SW Terwilliger Boulevard
4.47	22200		0.02 mile south of SW 13th Avenue
4.92	21100		0.05 mile south of Multnomah Boulevard Overcrossing
5.71	22900		0.07 mile north of Taylors Ferry Road
6.41	14300		0.20 mile south of Capitol Highway (South Jct.)
7.07	20000		0.10 mile south of SW 53rd Street
8.08	45700		0.20 mile east of SW Pfaffle Road
8.50	47600		0.05 mile east of Beaverton-Tigard Highway (OR217-NB ramps)
8.72	48000		0.03 mile west of Beaverton-Tigard Highway (OR217-SB ramps)
8.84	44200		0.02 mile west of Beaverton-Tualatin Highway
9.21	39200		Southern Pacific Overcrossing at Tigard
9.52	39600		0.06 mile southwest of SW Main Street
9.69	41600		0.05 mile west of Walnut Avenue
9.84	43200		0.01 mile southwest of Garrett Street
11.00	40300		0.05 mile south of SW Beef Bend Road
11.51	40700		0.05 mile south of Durham Road
12.71	30800		0.05 mile south of 124th Avenue
			North city limits of Sherwood
14.90	31200		0.10 mile northeast of Tualatin-Sherwood Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			PACIFIC HIGHWAY WEST NO. 91 (Continued)
15.25	38600		0.25 mile southwest of Tualatin-Sherwood Road
			South city limits of Sherwood
16.77	38800		0.10 mile southwest of Sunset Boulevard
19.81	37900		0.05 mile northeast of Haugen Road
			East city limits of Newberg
21.81	37200	*	Newberg Automatic Traffic Recorder, Sta. 36-004, 0.01 mile west of Brutscher Street
22.15	33600		0.10 mile west of Springbrook Road
22.78	33500		0.02 mile east of North Everest Road
22.94	39100		0.05 mile west of Villa Road
23.10	45300		0.05 mile west of Hillsboro-Silverton Highway (OR219) connection and Parkview Drive, on 1st Street
			WESTBOUND - ONE-WAY TRAFFIC
			On Hancock Street
23.22	20000		0.02 mile north of 1st Street
23.43	19300		0.02 mile east of Hillsboro-Silverton Highway (OR219)
23.47	19000		0.02 mile west of Hillsboro-Silverton Highway (OR219)
23.74	18500		0.02 mile east of Yamhill-Newberg Highway (OR240)
23.78	14800		0.02 mile west of Yamhill-Newberg Highway (OR240)
			EASTBOUND - ONE-WAY TRAFFIC
			On First Street
23.39	20700		0.02 mile east of Hillsboro-Silverton Highway (OR219)
23.43	18800		0.02 mile west of Hillsboro-Silverton Highway (OR219)
23.69	18400		0.02 mile east of Yamhill-Newberg Highway (OR240)
23.73	14900		0.02 mile west of Yamhill-Newberg Highway (OR240)
			RESUME TWO-WAY TRAFFIC
			West city limits of Newberg
			Equation: MP 24.58 BK = MP Z24.49 AH
25.51	28600		0.03 mile southwest of Bienz Road
26.09	25300		0.02 mile northeast of 9th Street
26.44	23800		0.02 mile north of Niederberger Road
28.88	23000		0.02 mile north of Riverwood Road
29.59	24400		0.20 mile north of Salmon River Highway (OR18)
29.99	9800		0.20 mile west of Salmon River Highway (OR18)
			East city limits of Lafayette
32.31	13900		0.02 mile west of Madison Street
32.75	15800		0.04 mile east of Mineral Springs Road
34.75	17700		0.10 mile east of Tualatin Valley Highway (OR47)
34.95	22700		0.10 mile west of Tualatin Valley Highway (OR47)
35.21	20800		0.03 mile west of Riverside Drive
35.50	17600		0.02 mile west of Lafayette Avenue
36.34	22000		0.02 mile east of McDonald Lane
36.98	22500		0.02 mile northeast of NE 17th Street
37.02	21900		0.02 mile southwest of NE 17th Street
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Adams Street
37.14	13100		0.02 mile south of 15th Street (Walnut Way)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			PACIFIC HIGHWAY WEST NO. 91 (Continued)
37.34	12900		0.02 mile north of 10th Street
37.70	13200		0.02 mile north of 3rd Street
37.73	13600		0.01 mile south of 3rd Street
37.79	12800		0.03 mile south of 2nd Street
			NORTHBOUND - ONE-WAY TRAFFIC
			On Baker Street
37.14	13000		0.02 mile south of 15th Street (Walnut Way)
37.34	13500		0.02 mile north of 10th Street
37.68	13700		0.02 mile north of 3rd Street
37.72	12700		0.02 mile south of 3rd Street
37.77	12800		0.02 mile south of 2nd Street
			RESUME TWO-WAY TRAFFIC
38.28	23500		0.01 mile north of Linfield College Entrance (Blaine Street)
38.97	20000		0.02 mile north of connection to Salmon River Highway (OR18) and Old Sheridan Road
			Equation: MP 29.05 BK = MP Z39.01 AH
39.04	13800		0.05 mile south of connection to Salmon River Highway (OR18) and Old Sheridan Road
39.44	11300		0.20 mile south of Salmon River Highway (OR18 overcrossing)
43.40	8600		0.10 mile north of Amity-Dayton Highway (OR233)
43.60	10300		0.10 mile south of Amity-Dayton Highway (OR233)
.0.00			North city limits of Amity
44.67	9300		0.01 mile north of Bellevue-Hopewell Highway (North Jct.)
44.73	7900		0.02 mile north of Bellevue-Hopewell Highway (South Jct.)
44.89	7400		0.09 mile south of Church Street
47.45	7200	*	Amity Automatic Traffic Recorder, Sta. 36-005, 0.07 mile north of Yamhill-Polk County Line
49.74	4800		0.02 mile south of Bethel Road
57.18	5100		0.10 mile north of westbound Willamina-Salem Highway (OR22) ramps
57.61	11600		0.05 mile south of eastbound Willamina-Salem Highway (OR22) ramps
57.89	11600		At Rickreall Creek Bridge
59.24	12500		0.10 mile south of Orrs Corner Road
60.13	14400		0.10 mile south of Clow Corner Road
62.41	12500		0.10 mile south of Hoffman Road
02	.2000		North city limits of Monmouth
63.40	13000		0.02 mile north of Monmouth-Independence Highway (OR51)
63.44	11900		0.02 mile south of Monmouth-Independence Highway (OR51)
63.85	9300		0.06 mile south of Gwinn Street East
66.58	9000		0.02 mile south of Parker Road
70.65	8600		0.02 mile north of Airlie Road (Suver Road)
70.90	8200	*	Monmouth Automatic Traffic Recorder, Sta. 27-005, 1.43 miles north of Polk-Benton County Line
73.90	7400		0.15 mile south of Camp Adair Road
75.75	8800		0.02 mile south of Arnold Avenue
. 5.7 6	5555		Equation: MP 77.94 BK = MP Z77.90 AH
78.91	11000		0.02 mile north of Lewisburg Road
78.95	13100		0.02 mile south of Lewisburg Road
80.62	14700		0.85 mile south of NE Elliott Circle
81.24	14900		0.05 mile south of NE Conifer Boulevard

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			PACIFIC HIGHWAY WEST NO. 91 (Continued)
81.47	15500		0.05 mile south of Walnut Boulevard
81.82	20800		0.05 mile south of Circle Boulevard
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Fourth Street
83.00	10500		0.05 mile south of NW Buchanan Avenue
83.26	10100		0.02 mile north of NW Tyler Avenue
83.33	9800		0.02 mile north of Corvallis-Lebanon Highway (OR34-WB)
83.37	12300		0.02 mile south of Corvallis-Lebanon Highway (OR34-WB)
83.44	12000		0.02 mile south of Corvallis-Lebanon Highway (OR34-EB)
83.54	8500		0.02 mile north of SW Monroe Avenue
83.69	13000		0.02 mile north of SW Jefferson Avenue
83.91	13900		0.02 mile north of Western Boulevard
83.95	13700		0.02 mile south of Western Boulevard
84.23	12600		On Marys River Bridge
			NORTHBOUND - ONE-WAY TRAFFIC
			On Third Street
82.90	10400		0.05 mile north of NW Buchanan Avenue
83.26	11700		0.02 mile north of NW Tyler Avenue
83.33	13900		0.02 mile north of Corvallis-Lebanon Highway (OR34-WB)
83.38	14000		0.03 mile south of Corvallis-Lebanon Highway (OR3-WB)
83.44	16200		0.02 mile south of Corvallis-Lebanon Highway (OR34-EB)
83.54	16700		0.02 mile north of SW Monroe Street
83.73	14400		0.02 mile south of SW Jefferson Avenue
83.91	13500		0.02 mile north of Western Boulevard
83.95	12900		0.02 mile south of Western Boulevard
84.14	10300		On Marys River Bridge
			RESUME TWO-WAY TRAFFIC
84.44	24300		0.05 mile north of SW Avery Avenue and Crystal Lake Drive
84.54	23000		0.05 mile south of SW Avery Avenue and Crystal Lake Drive
84.85	21900		0.11 mile north of SE Alexander Avenue
85.01	18200		0.05 mile south of SE Alexander Avenue
85.57	11000		0.02 mile south of SE Goodnight Avenue
86.20	7600		0.10 mile north of SE Kiger Island Drive
87.55	5400		0.02 mile south of SW Airport Avenue (Corvallis Airport)
94.90	5400	*	Monroe Automatic Traffic Recorder, Sta. 02-007, 5.47 miles north of Monroe Cemetery Road
100.35	5800		0.02 mile north of Monroe Cemetery Road
101.10	6900		0.05 mile north of Territorial Highway
20			East city limits of Monroe
101.68	5200		0.02 mile south of West Ingram Island Road
	3200		Benton - Lane County Line, MP 104.36
106.51	5100		0.02 mile south of Lingo Lane
108.71	6600		0.05 mile north of Albany-Junction City Highway (OR99E)
100.71	5500		On Ivy Street
108.83	14500		0.07 mile south of Albany-Junction City Highway (OR99E)
100.03	14000		
			Equation: MP 108.92 BK = MP Z108.89 AH

Milepoint	2017 AADT All	ATR	Location Description
michouit	Vehicles	AVC	· ·
			PACIFIC HIGHWAY WEST NO. 91 (Continued)
109.23	16700		0.02 mile north of 10th Avenue
109.45	17400		0.02 mile north of 6th Avenue
109.74	17300		0.02 mile north of 1st Avenue
109.86	16700		0.10 mile south of 1st Avenue
444.40	40700		South city limits of Junction City
111.18	16700		0.10 mile north of Mapleton-Junction City Highway (OR36)
111.38	15300	*	0.10 mile south of Mapleton-Junction City Highway (OR36)
115.28	16800 15300		Eugene-Meadowview Automatic Vehicle Classifier, Sta 20-024, 1.00 mile south of Meadowview Road
			0.05 mile south of Awbrey Lane
116.94	16300 22200		0.10 mile north of Airport Road 0.10 mile north of Irving Road
117.79	22900		0.10 mile south of Irving Road
118.85	11300		0.43 mile south of Beltline Highway (OR569), north city limits of Eugene
119.21	20900		0.43 fille south of Prairie Road
120.11	20800		0.20 mile south of Pattison Avenue
120.58	19300		0.03 mile north of Royal Avenue
120.87	18500		0.10 mile north of Elmira Road
121.04	21200		0.10 mile north of Roosevelt Boulevard
121.24	21000		0.10 mile south of Roosevelt Boulevard
			EASTBOUND - ONE-WAY TRAFFIC
			On 7th Avenue
122.24	19200		0.02 mile west of Garfield Street
122.28	23400		0.02 mile east of Garfield Street
122.75	26800		0.02 mile west of Polk Street
123.21	28400		0.02 mile west of Madison Street
			MP 123.37 to MP 125.48 Transferred to the City of Eugene
			WESTBOUND - ONE-WAY TRAFFIC
			On 6th Avenue
122.17	19900		0.02 mile west of Garfield Street
122.21	23500		0.02 mile east of Garfield Street
122.68	24500		0.02 mile west of Polk Street
123.13	26100		0.02 mile west of Madison Street
123.17	11000		0.02 mile east of Madison Street
			MP 123.30 to MP 125.48 Transferred to the City of Eugene
			RESUME TWO-WAY TRAFFIC
			On Franklin Boulevard
125.50	19900		0.02 mile east of Walnut Street
126.07	18800		0.30 mile northwest of Pacific Highway (I-5)
			LOWER COLUMBIA RIVER HIGHWAY NO. 92
			Milepoint indicates distance from Stadium Freeway (I-405), at West Fremont Bridge Interchange in Portland
1.45	77200		West end of ramp structure
			On NW Yeon Street
1.87	39900		0.10 mile south of NW Nicolai Street
2.38	35200		0.05 mile southeast of NW 26th Avenue
2.63	35000		0.05 mile southeast of NW 29th Avenue

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			LOWER COLUMBIA RIVER HIGHWAY NO. 92 (Continued)
3.07	32900		0.05 mile southeast of NW 35th Avenue
3.76	27000		0.05 mile southeast of NW 44th Avenue
3.97	33300		0.05 mile northwest of Kittridge Avenue
			Equation: MP 4.13 BK = MP 4.52 AH
6.31	29800		0.10 mile southeast of south approach to St. Johns Bridge, Northeast Portland Highway (US30 Bypass)
7.42	28700		0.10 mile northwest of north approach to St. Johns Bridge, Northeast Portland Highway (US30 Bypass)
			West city limits of Portland
10.75	22500		0.08 mile south of Sauvie Island Road
10.95	18200		0.12 mile north of Sauvie Island Road
13.12	18300		0.10 mile south of Cornelius Pass Road
17.34	27000		0.05 mile south of Rocky Point Road
			Columbia - Multnomah County Line, MP 18.37
19.35	24800		0.30 mile north of Johnsons Landing Road
20.58	31400		0.05 mile north of SW Em Watts Road
21.24	32800		0.03 mile south of Scappoose-Vernonia Road
21.32	24900		0.05 mile north of Scappoose-Vernonia Road
23.30	25400		0.05 mile south of Fullerton Road
23.40	24600		0.05 mile north of Fullerton Road
24.86	24300		0.05 mile south of Berg Road
25.53	24200		0.05 mile north of Church Road
27.01	21600		0.05 mile north of Millard Road
27.54	24400		0.05 mile south of Firlock Park Boulevard
27.64	23500		0.05 mile south of Gable Road
27.74	24700		0.05 mile north of Gable Road
28.58	21300		0.02 mile north of Columbia Boulevard
			North city limits of St. Helens
29.47	14700		0.05 mile north of Deer Island Road
30.46	14700		0.07 mile south of "L" Street
30.58	14000		0.05 mile north of "L" Street
30.97	14000		0.05 mile south of "E" Street
32.00	10900		0.39 mile north of Pacific Street
33.77	11000		0.20 mile south of Deer Island Frontage Road
36.58	8900		0.05 mile north of Tide Creek Road (Shiloh Basin)
40.56	8500		0.09 mile north of Nicolai Road (Moorage Road)
43.07	8900		0.05 mile south of Graham Road
45.88	7900		0.49 mile north of Spring Lane
			On B Street
46.89	9100		0.02 mile east of 2nd Street
46.99	10200		0.02 mile west of 1st Street
47.25	11400		0.02 mile east of 5th Street West
48.11	12400		0.02 mile east of Mill Street
48.42	17400		0.04 mile west of Rockcrest Street
48.97	13000		0.30 mile west of Lewis & Clark Bridge Interchange
51.42	11500	1	0.10 mile west of Heath Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			LOWER COLUMBIA RIVER HIGHWAY NO. 92 (Continued)
53.33	11300	*	Rainier Automatic Traffic Recorder, Sta. 05-006, 1.03 miles west of Rainier Road
			Equation: MP 53.42 BK = MP 54.50 AH
60.62	9500		0.20 mile east of Swedetown Road overcrossing
60.96	9200		0.22 mile west of Swedetown Road overcrossing
61.65	8600		0.05 mile south of Mist-Clatskanie Highway (OR47)
			North city limits of Clatskanie
65.94	6600		0.05 mile east of Marshland District Road
66.04	6600		0.05 mile west of Marshland District Road
68.00	6200		0.05 mile west of Woodson Road
69.95	6900		At Clatsop-Columbia County Line
70.58	7000		0.02 mile east of Westport Ferry Road
70.62	6300		0.02 mile west of Westport Ferry Road
72.49	6300		0.20 mile east of Taylorville Road (Wauna)
72.89	5400		0.20 mile west of Taylorville Road (Wauna)
81.38	5400		On Fertile Valley Creek Bridge
82.52	6900		On Big Creek Bridge
			Equation: MP 89.13 BK = MP 91.01 AH
92.74	8300		0.03 mile west of John Day Road
95.16	10500		0.05 mile west of Nimitz Road
			On Leif Erickson Drive
96.17	11600		0.02 mile east of 44th Street
96.98	12800		0.02 mile east of 33rd Street
			On Marine Drive
97.10	17100		0.03 mile west of 32nd Street
97.39	18000		0.02 mile east of 27th Street
97.94	18000		0.02 mile east of 16th Street
			WESTBOUND - ONE-WAY TRAFFIC
			On Marine Drive
98.11	8700		0.02 mile east of 14th Street
98.39	10100		0.02 mile east of 8th Street
			EASTBOUND - ONE-WAY TRAFFIC
			On Commercial Street
98.08	10100		0.02 mile east of 14th Street
98.37	12100		0.02 mile east of 8th Street
			On 8th Street
98.42	11300		0.02 mile south of Bond Street
			RESUME TWO-WAY TRAFFIC
98.48	22200		0.02 mile east of 6th Street
99.31	22600		0.03 mile northeast of Oregon Coast Highway (US101)
			HISTORIC COLUMBIA RIVER HIGHWAY NO. 100
			Milepoint indicates distance from the west end of the Sandy River Bridge, east of Troutdale
0.03	1400		On Sandy River Bridge
0.18	2300		0.10 mile south of Jordan Road
			East city limits of Troutdale
2.50	1500		0.05 mile west of Baseline Road (SE Stark Street)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			HISTORIC COLUMBIA RIVER HIGHWAY NO. 100 (Continued)
2.75	3700		0.20 mile east of Baseline Road (SE Stark Street)
4.02	3500		0.05 mile west of Lucas Road at Springdale
4.22	3200		0.05 mile west of East Bell Road
4.32	2300		0.05 mile southeast of East Bell Road
4.49	1300		0.10 mile east of SE Hurlbert Road (Bull Run)
5.30	1100		0.15 mile north of Smith Road
6.72	1400		0.05 mile west of NE Evans Road (NE Corbett Hill Road) at Corbett
6.87	2500		0.13 mile east of NE Evans Road (NE Corbett Hill Road) at Corbett
7.54	1800		0.10 mile west of NE Littlepage Road
8.71	1600		0.05 mile west of Larch Mountain Road
8.81	1000		0.05 mile east of Larch Mountain Road
11.61	740		0.01 mile west of Latourell Road
12.13	780		0.02 mile west of Alex Barr Road
13.94	800	*	Bridal Veil Automatic Traffic Recorder, Sta. 26-012, 0.10 mile west of Bridal Veil Falls State Park
14.82	940		0.02 mile west of connection with Columbia River Highway (I-84)
21.60	1100		0.04 mile west of split to connections with Columbia River Highway (I-84)
30.41	3100		0.02 mile southwest of ramp to Bridge of the Gods, 0.24 mile north of Cascade Locks south city limits
30.48	3200		0.02 mile north of ramp to Bridge of the Gods
30.66	3300		0.02 mile northeast of SE Venture Street
31.26	3000		0.02 mile west of Forest Lane
48.93	8000		0.05 mile east of Columbia River Highway (I-84), 0.01 mile northwest of Country Club Road
49.19	7500		0.11 mile east of Mt. Adams Avenue
			On Cascade Avenue
49.49	7700		0.05 mile east of Rand Road (Wasco Street)
49.80	8900		0.02 mile east of 20th Street
			On Oak Street
50.07	7500		0.05 mile west of 13th Street, Hood River Highway
50.17	5400		0.05 mile east of 13th Street, Hood River Highway
50.38	5200		0.02 mile east of 9th Street
50.72	4600		0.02 mile west of 2nd Street. connection to Columbia River Highway (I-84)
50.76	2400		0.02 mile east of 2nd Street, connection to Columbia River Highway (I-84)
			On State Avenue
50.93	5200		0.05 mile east of Front Street
E4.0E	5000		0.21 mile west of Mt. Hood Highway (OR35), east city limits of Hood River
51.05	5200		0.05 mile east of Mt. Hood Highway (OR35), and connection overcrossing to Columbia River Highway
51.31	570		(I-84)
51.86	310		0.05 mile east of Riverview Drive
52.00	110		0.02 mile east of Highline Road
57.28	140		0.15 mile west of connection overcrossing to Columbia River Highway (I-84), west city limits of Mosier
			On 1st Avenue
57.61	1800		0.02 mile west of Washington Street
57.72	570		0.02 mile west of Oregon Street
57.84	550		On Mosier Creek Bridge
			East city limits of Mosier
66.14	240		0.02 mile west of Rowena Ferry Road
66.47	250		0.05 mile west of connection to Columbia River Highway (I-84)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			HISTORIC COLUMBIA RIVER HIGHWAY NO. 100 (Continued)
66.54	420		0.05 mile east of connection to Columbia River Highway (I-84)
70.32	700		0.03 mile north of Pauld Road (The Dalles Country Club entrance)
70.39	880		0.02 mile south of Pauld Road (The Dalles Country Club entrance)
70.86	1400		0.03 mile south of Taylor-Frantz Road (Discovery Drive)
72.15	1600		0.05 mile north of connection from Columbia River Highway (I-84)
72.37	6800		0.06 mile south of Division Street, west city limits of The Dalles
			NEHALEM HIGHWAY NO. 102
			Milepoint indicates distance from Oregon Coast Highway (US101), in Astoria
			On West Marine Drive
0.24	12500		0.02 mile south of Florence Avenue
0.50	12000		0.06 mile south of Antwerp Street
0.71	11000		0.02 mile southeast of Denver Street
1.40	9000		0.02 mile west of Warrenton-Astoria Highway (US101 Bus.)
			On Olney Avenue
1.59	9300		0.02 mile west of 7th Street
1.63	4800		0.02 mile east of 7th Street
2.62	3700		0.02 mile west of Williamsport Road
2.78	3800		0.10 mile north of Dybile Road
4.34	3600		0.02 mile north of Walluski Loop Road (North Jct.)
4.58	2700		On Walluski River Bridge
7.05	1700		0.10 mile north of Walluski Loop Road (South Jct.)
7.18	1500		0.03 mile south of Walluski Loop Road (South Jct.)
9.46	710		0.02 mile east of Youngs River Loop Road
12.26	410		0.02 mile west of Norlund-McCoy Road
25.43	370		On Hamilton Creek Bridge
29.07	460		0.02 mile west of Beneke Road
29.18	530		0.02 mile west of Fishhawk Falls Highway at Jewell
29.25	470		0.05 mile east of Fishhawk Falls Highway at Jewell
29.84	520		On Nehalem River Bridge
39.13	510		At Clatsop-Columbia County Line
40.79	520		0.02 mile east of Neverstill Road at Birkenfeld
46.08	1100		0.08 mile west of Mist-Clatskanie Highway (OR47)
46.19	880		0.05 mile east of Mist-Clatskanie Highway (OR47)
53.17	710		0.02 mile north of Apiary Road
53.29	1100		0.10 mile south of Apiary Road
57.09	1200		0.02 mile north of Scappoose-Vernonia Road
57.16	1500		0.05 mile south of Scappoose-Vernonia Road
59.23	1600		0.02 mile south of Stoney Point Road
60.40	1700		0.25 mile north of Knott Street
61.25	3000		0.02 mile north of Pebble Creek Road
61.29	3100		0.02 mile south of Pebble Creek Road
61.72	3800		0.01 mile west of Texas Avenue
62.11	5000		0.02 mile west of State Avenue
62.27	5300		On Rock Creek Bridge
62.51	4500		0.03 mile east of Rose Avenue

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
	Verificies	AVO	NEHALEM HIGHWAY NO. 102 (Continued)
62.58	3800		0.04 mile south of Bridge Street
62.79	3300		0.02 mile south of River Street
64.27	3100		0.10 mile east of Timber Road
64.51	2800		0.10 mile southwest of Adams Road
69.14	2800		At Columbia-Washington County Line
71.44	2800		0.02 mile north of Pebble Creek Road
76.47	3200		0.12 mile north of Strassel Road-Fisher Road
76.80	3300		0.16 mile north of Sunset Highway (US26)
81.23	3400		0.40 mile south of Sunset Highway (US26)
82.75	3500		0.10 mile north of NW Banks Road/Cedar Canyon Road
82.90	5800		0.05 mile south of NW Banks Road/Cedar Canyon Road
83.10	6000		0.02 mile north of Sunset Street
83.14	6200		0.02 mile south of Sunset Street
83.53	6700		0.19 mile north of Wilson River Highway (OR6)
83.92	7000		0.20 mile south of Wilson River Highway (OR6)
87.85	7100		0.20 mile north of Verboort Road
88.17	8600		0.12 mile south of Verboort Road
88.95	8000		0.02 mile south Sunset Drive
90.62	14100		0.02 mile north of Tualatin Valley Highway (OR8)
			FISHHAWK FALLS HIGHWAY NO. 103
			Milepoint indicates distance from Nehalem Highway (OR202), at Jewell
0.05	690		0.05 mile south of Nehalem Highway (OR202)
0.60	660		0.20 mile south of Meadow Lane
5.25	700		On Nehalem River (Vinemaple Bridge)
6.23	850		0.02 mile east of Cow Creek Road
6.90	1000		0.02 mile south of Bay Road
8.97	1100		0.05 mile north of Sunset Highway (US26)
			FORT STEVENS HIGHWAY NO. 104
			Milepoint indicates distance from west city limits of Warrenton
0.00	1200		At west city limits of Warrenton
0.12	2800		0.02 mile east of Lake Drive
0.72	3400		0.02 mile northwest of Fleet Street
0.76	3400		0.02 mile southeast of Fleet Street
1.25	4100		0.10 mile west of NW 17th Place
2.35	5200		0.02 mile north of NW 7th Place
3.11	6200		0.02 mile north of NW 1st Street
3.22	6500		0.10 mile north of Warrenton-Astoria Highway (US101 Bus.)
3.40	6900		0.01 mile south of Warrenton-Astoria Highway (US101 Bus.)
3.46	5300		0.02 mile south of SE 2nd Street
	5100		0.02 mile south of SE 9th Street
3.92			
3.92 4.36	5400		0.07 mile north of Fort Stevens Highway Spur
			0.07 mile north of Fort Stevens Highway Spur  0.02 mile south of Fort Stevens Highway Spur
4.36	5400		1

Milanaint	2017 AADT AII	ATR	Location Description
Milepoint	Vehicles	AVC	Location Description
			WARRENTON-ASTORIA HIGHWAY NO. 105
			Milepoint indicates distance from Fort Stevens Highway, in Warrenton
0.04	8300		0.04 mile east of Fort Stevens Highway
0.71	10200		0.02 mile west of SE King Avenue
0.75	10500		0.02 mile east of SE King Avenue
1.02	2300		0.08 mile south of SE 2nd Street
1.25	3900		0.02 mile north of Oregon Coast Highway (US101)
1.31	4000		0.04 mile south of Oregon Coast Highway (US101)
1.75	3600		At south city limits of Warrenton
3.63	4600		0.10 mile east of Airport Lane
5.23	5200		0.02 mile west of "G" Street
5.60	5400		0.10 mile west of Youngs River Loop Road at Miles Crossing
5.80	7400		0.10 mile north of Youngs River Loop Road at Miles Crossing
7.05	8900		0.20 mile south of OR202
			MIST-CLATSKANIE HIGHWAY NO. 110
			Milepoint indicates distance from Lower Columbia River Highway (US30), in Clatskanie
0.05	1500		0.05 mile west of Lower Columbia River Highway (US30)
0.39	1000		0.02 mile northwest of Norman Street
0.65	830		At west city limits of Clatskanie
1.48	860		0.02 mile south of Palm Hill Road
6.61	580		0.10 mile south of Clatskanie Mountain Road
11.79	610		0.10 mile north of Nehalem Highway (OR202)
			SWIFT HIGHWAY NO. 120
			Milepoint indicates distance from U.P.R.R. Overcrossing
0.40	13500		On Columbia Slough Bridge
2.51	26100		0.20 mile west of southbound I-5 on-ramp
			NORTHEAST PORTLAND HIGHWAY NO. 123
			Milepoint indicates distance from Lower Columbia River Highway (US30), at St. Johns Bridge, in Portland
			On North Philadelphia Avenue
1.25	22400		At the northeast end of the St. Johns Bridge
1.30	18300		0.01 mile south of North Ivanhoe Street
			On North Ivanhoe Street
1.44	10000		0.02 mile east of North John Avenue
			On North Richmond Avenue
1.54	9100		0.02 mile north of North Ivanhoe Street
			On North Lombard Street
1.64	9800		0.03 mile west of North Oswego Avenue
1.83	11000		0.02 mile west of North Tyler Avenue
2.74	15800		0.02 mile east of North Wall Avenue
3.92	18100		0.02 mile east of North Chautauqua Boulevard
4.48	21700		0.02 mile west of North Greeley Avenue
4.88	20200		0.04 mile west of North Denver Avenue
4.93	19900		0.01 mile east of North Denver Avenue
5.20	22200		0.06 mile west of southbound on-ramp to Pacific Highway (I-5)
5.81	24400		0.02 mile west of North Vancouver Avenue
		1	1

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			NORTHEAST PORTLAND HIGHWAY NO. 123 (Continued)
6.13	23900		0.02 mile west of Pacific Highway East (OR99E)
6.17	26300		0.02 mile east of Pacific Highway East (OR99E)
6.71	24800		0.02 mile west of NE 15th Avenue
7.81	25000		0.10 mile east of NE 33rd Avenue Undercrossing
8.59	24600		0.02 mile east of NE 47th Place
9.22	24300		0.02 mile east of NE 60th Avenue
9.66	24400		0.02 mile east of NE Cully Boulevard
			On Columbia Boulevard
9.85	32700		0.02 mile west of NE 72nd Avenue
10.31	32300		0.10 mile west of Cascade Highway North (OR213, NE 82nd Avenue)
10.51	28300		0.10 mile east of Cascade Highway North (OR213, NE 82nd Avenue)
10.97	46800		0.15 mile west of East Portland Freeway (I-205)
11.32	27700		0.03 mile west of NE 100th Avenue
			On NE Sandy Boulevard
			Equation: MP 11.32 BK = MP Z11.30 AH
11.47	23000		0.02 mile east of NE 102nd Avenue
11.97	18700		0.02 mile east of NE 112th Avenue
12.33	17400		0.10 mile west of NE 122nd Avenue Overcrossing
12.53	17400		0.10 mile east of NE 122nd Avenue Overcrossing
13.74	16600		0.02 mile west of NE 147th Avenue
13.82	13500		0.02 mile east of NE 148th Avenue
14.50	15300		0.02 mile west of NE 162nd Avenue
14.54	11000		0.02 mile east of NE 162nd Avenue
			MP 14.76 to MP 18.75 Transferred to Multnomah County
			LITTLE NESTUCCA HIGHWAY NO. 130
			Milepoint indicates distance from Oregon Coast Highway (US101), north of Oretown
-0.05	940		0.05 mile east of Oregon Coast Highway (US101)
1.55	750		0.02 mile west of Meda Loop Road
3.12	680		0.02 mile east of entrance to Little Nestucca Park
7.55	720		Little Nestucca River, Weed Bridge
9.20	730		0.01 mile west of Three Rivers Highway (OR22)
			NETARTS HIGHWAY NO. 131
			Milepoint indicates distance from Ocean Street, at Oceanside
0.05	720		0.05 mile south of Rosenburg Loop
0.26	1200		0.02 mile south of Cape Meares Loop Road
2.14	1600		0.02 mile north of Happy Camp Road
2.45	2400		0.02 mile south of 5th Street Loop (South Jct.)
2.89	2400		0.02 mile southeast of Park Avenue at Netarts
4.16	3600		0.02 mile east of Whiskey Creek Road
6.36	4000		0.05 mile west of Burton-Fraser Road
7.26	3900		0.04 mile south of Bayocean Road
7.32	4200		0.02 mile north of Bayocean Road
8.56	4600		At west city limits of Tillamook
8.70	5100		0.02 mile west of Cedar Avenue
8.81	5100		0.02 mile west of Elm Avenue

NACE OF THE PARTY	2017 AADT AII	ATR	Leastien Department
Milepoint	Vehicles	AVC	Location Description
			NETARTS HIGHWAY NO. 131 (Continued)
8.96	5600		0.02 mile west of Stillwell Avenue
9.06	5200		0.02 mile west of Oregon Coast Highway, (US101-SB) and Wilson River Highway (OR6-EB)
			NORTH UMPQUA HIGHWAY NO. 138
			Milepoint indicates distance from Stephens Street, in Roseburg
-0.89	22100		At Pacific Highway (I-5) overcrossing on Harvard Avenue
-0.70	18500		0.02 mile west of Madrone Street
			EASTBOUND - ONE-WAY TRAFFIC
			On Oak Street
-0.63	11800		0.05 mile east of Madrone Street
			WESTBOUND - ONE-WAY TRAFFIC
			On Washington Street
-0.52	13100		0.05 mile east of Madrone Street
			RESUME TWO-WAY TRAFFIC
-0.14	17900		0.02 mile north of Douglas Avenue
0.02	9000		0.02 mile east of Stephens Street
0.12	16900		0.02 mile east of Winchester Street
0.19	14900		0.02 mile east of Fowler Street
0.39	14200		0.02 mile east of Casper Street
1.07	12300		0.02 mile west of Rifle Range Road
1.61	9100		0.14 mile east of NE Patterson Street
2.77	8000		0.02 mile east of NE Douglas Avenue
3.33	5900		0.02 mile east of Sunshine Road
5.71	3600		0.02 mile northeast of Hatfield Drive
14.07	2500		0.02 mile west of Wild River Drive (Old North Umpqua Highway)
16.23	3200		0.02 mile west of Little River Road
16.35	3000		0.02 mile east of Glide Loop Drive
21.99	1200		0.02 mile west of Rock Creek Road
22.11	1000		0.10 mile east of Rock Creek Road
28.41	980	*	Glide Automatic Traffic Recorder, Sta. 10-004, 0.10 mile west of Susan Creek Road
38.86	680		0.02 mile west of Steamboat Creek Road
39.08	690		0.14 mile east of Steamboat Creek Road
72.89	620		0.02 mile west of Lemolo Falls Road
78.83	560		0.02 mile south of Diamond Lake Road (East Shore Road)
83.06	550		0.02 mile north of West Diamond Lake Highway (OR230)
85.90	1200		0.10 mile west of north entrance to Crater Lake National Park
86.24	1300		0.10 mile east of north entrance to Crater Lake National Park
100.71	1400		0.10 mile west of The Dalles-California Highway (US97)
			HILLSBORO-SILVERTON HIGHWAY NO. 140
			Milepoint indicates distance from Tualatin Valley Highway (OR8), in Hillsboro
			On South 1st Avenue
0.02	10200		0.02 mile south of Tualatin Valley Highway (OR8-WB)
0.11	8800		0.02 mile south of Tualatin Valley Highway (OR8-EB)
0.20	11700		0.02 mile south of Walnut Street
0.53	8500		0.02 mile south of Wood Street
	1	I.	1

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			HILLSBORO-SILVERTON HIGHWAY NO. 140 (Continued)
			South city limits of Hillsboro
2.53	10000		0.02 mile south of Tongue Lane
5.43	9200		0.02 mile north of Farmington Highway (OR10)
5.47	4700		0.02 mile south of Farmington Highway (OR10)
5.64	4800		0.10 mile south of Bald Peak Road
7.68	4300		0.05 mile north of East Laurel Road
8.11	4700		0.10 mile north of Midway Road
10.03	4200		0.02 mile west of Scholls Highway (OR210)
10.07	4300		0.02 mile south of Scholls Highway (OR210)
10.15	3300		0.02 mile south of Scholls-Mountain Home Road
10.90	3200		0.02 mile south of Mountain Home Road
			Washington - Yamhill County Line, MP 15.61
16.46	3000		0.02 mile south of Bald Peak Road (South Jct.)
17.94	3600		0.02 mile south of North Valley Road
18.45	4000		0.07 mile north of East Foothills Drive, north city limits of Newberg
			On College Street
19.07	7000		0.02 mile north of Melody Lane
19.35	6600		0.02 mile south of Columbia Drive
19.72	8200		0.02 mile south of Mission Drive
19.90	6200		0.02 mile south of Vermillion Street
20.13	6400		0.02 mile north of Pacific Highway West (OR99W-WB)
20.17	4700		0.02 mile north of Pacific Highway West (OR99W-EB)
20.68	8600		0.03 mile south of Pacific Highway West (OR99W)
21.15	12700		0.05 mile northwest of 2nd Street
21.55	12200		0.06 mile northwest of South Springbrook Road
22.00	13700		0.17 mile north of Wynooski Road
			Yamhill - Marion County Line, MP 23.46
25.03	4000		0.02 mile southwest of McKay Road NE
			North city limits of St. Paul
28.09	4300		0.02 mile north of Church Street
28.13	1500		0.02 mile east of Main Street
31.88	3000	*	St. Paul Automatic Traffic Recorder, Sta. 24-020, 1.85 miles south of Street Paul Highway NE
33.08	1900		0.02 mile east of Mahoney Road
35.89	4700		0.12 mile south of West Woodburn-Butteville Road and 0.13 mile north of West Butteville Road
36.20	5800		0.20 mile east of West Butteville Road, west city limits of Woodburn
36.68	15200		0.10 mile west of Pacific Highway (I-5)
36.88	22100		0.10 mile east of Pacific Highway (I-5)
37.82	19400		0.05 mile west of Settlemier Avenue
37.92	15200		0.05 mile east of Settlemier Avenue
39.24	13900		0.05 mile west of Pacific Highway East (OR99E)
39.37	7500		0.06 mile east of Pacific Highway East (OR99E)
39.66	7100		0.07 mile west of Serres Lane NE, east city limits of Woodburn
41.42	6300		0.02 mile west of Union School Road
41.61	5900		0.10 mile south of Elliott Prairie Road NE
43.13	5500		0.02 mile south of Bonney Road

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
			HILLSBORO-SILVERTON HIGHWAY NO. 140 (Continued)
45.49	6000		0.02 mile north of Industrial Way NE, 0.01 mile north of Mt. Angel City Limits
45.92	6900		0.02 mile south of Marguam Street
46.14	6000		0.02 mile south of Charles Street
46.19	5800		0.02 mile south of Church Street
			South city limits of Mt. Angel
47.97	6300		0.02 mile south of Downs Road NE
49.64	8400		0.02 mile south of Jefferson Street
50.22	8900		0.02 mile north of "C" Street
			WESTBOUND - ONE-WAY TRAFFIC
			On C Street
50.26	11800		0.02 mile west of 1st Street
50.31	11500		0.02 mile west of Front Street
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Water Street
50.37	3900		0.02 mile south of "C" Street
50.62	5200		0.02 mile north of Cascade Highway South (OR213)
50.70	4300		0.02 mile north of Silver Creek Falls Highway (OR214/Lewis Street)
			NORTHBOUND - ONE-WAY TRAFFIC
			On 1st Street
50.26	4300		0.02 mile south of "C" Street
50.40	4200		0.02 mile north of Park Street
50.48	4200		0.02 mile north of Cascade Highway South (OR213)
			EASTBOUND - ONE-WAY TRAFFIC
			On Lewis Street
50.62	5800		0.02 mile east of Silver Creek Falls Highway (OR214)
			BEAVERTON-TUALATIN HIGHWAY NO. 141
			Milepoint indicates distance from Tualatin Valley Highway (OR8), in Beaverton
2.57	25900		0.14 mile west of Beaverton-Tigard Highway (OR217)
2.82	23900		0.02 mile west of Scholls Highway (OR210), at Progress
2.86	25400		0.02 mile east of Scholls Highway (OR210), at Progress
3.33	15200		0.02 mile east of SW Oleson Road
4.07	10400		0.02 mile north of SW Locust Street
4.23	11700		0.02 mile north of SW Oak Street
4.67	12000		0.02 mile north of SW Pfaffle Road
4.95	10000		0.02 mile north of Pacific Highway West (OR99W)
4.99	11100		0.02 mile south of Pacific Highway West (OR99W)
5.29	10400		0.02 mile south of Scoffins Street
5.42	11200		0.02 mile south of SW Commercial Street
5.55	13200		0.02 mile south of SW Burnham Street
5.82	12700		0.02 mile south of SW Omara Street
6.31	15600		0.02 mile north of SW Bonita Road
6.35	12100		0.02 mile south of SW Bonita Road
			MP 7.07 to MP 7.69 Transferred to the City of Tigard
7.85	14200		At south city limits of Tigard/north city limits of Durham

		2017 AADT AII	ATR	
8.64   18400   0.02 mile south of Lover Boones Ferry Road   MP 8.91 to MP 11.92 Transferred to the City of Trailatin   MP 9.91 to MP 11.92 Transferred to Washington County   12.51   19400   0.05 mile south of Day Street   0.04 mile oast of Commercial Circle   FARIMINGTON HIGHWAY NO. 142   Milepoint indicates distance from Hillsboro - Silverton Highway (0R219), west of Farmington   MP -0.06 to MP 5.88 Transferred to Washington County   0.02 mile east of SW 188h Avenue   0.03 mile west of SW 188h Avenue   0.04 mile east of SW 188h Avenue   0.05 mile west of SW 188h Avenue   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 18	Milepoint			Location Description
8.64   18400   0.02 mile south of Lover Boones Ferry Road   MP 8.91 to MP 11.92 Transferred to the City of Trailatin   MP 9.91 to MP 11.92 Transferred to Washington County   12.51   19400   0.05 mile south of Day Street   0.04 mile oast of Commercial Circle   FARIMINGTON HIGHWAY NO. 142   Milepoint indicates distance from Hillsboro - Silverton Highway (0R219), west of Farmington   MP -0.06 to MP 5.88 Transferred to Washington County   0.02 mile east of SW 188h Avenue   0.03 mile west of SW 188h Avenue   0.04 mile east of SW 188h Avenue   0.05 mile west of SW 188h Avenue   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 188h Referred to Washington County   0.05 mile east of SW 18				BEAVERTON-TUALATIN HIGHWAY NO. 141 (Continued)
12.51   19400   0.05 mile south of Day Street   19400   0.04 mile south of Day Street   19400   0.05 mile south of Day Street   19400   0.05 mile south of Swith Avenue   0.05 mile south of Swith Stath Avenue   0.07 mile south of Swith Stath Swith Swith Stath Swith Stath Swith Stath Swith Stath Swith Swith Swith Stath Swith	8.64	18400		0.02 mile south of Lower Boones Ferry Road
12.51				MP 8.91 to MP 11.52 Transferred to the City of Tualatin
12.67   31500   0.04 mile east of Commercial Circle   FARMINGTON HIGHWAY NO. 142   Milepoint Indicates distance from Hillsboro - Silvarton Highway (OR219), west of Farmington   MP - 0.0 for 0 MP - 8.88 Transferred to Washington County   16000   0.02 mile east of SW 198th Avenue   0.10 mile west of SW 198th Avenue   0.17 mile east of Rosa Road   MP 7.38 to MP 8.68 Transferred to Washington County   SCHOLLS HIGHWAY NO. 143   Milepoint Indicates distance from Hillsboro - Silvarton Highway (OR219), at Scholls   MP 5.50 to MP 9.03 Transferred to Washington County   MP 5.50 to MP 9.03 Transferred to Washington County   0.13 mile south of Beaverton-Taglard Highway (OR217)   0.08 mile south of Beaverton-Taglard Highway (SW 2017)   0.09 mile south of Beaverton-Taglard Highway (SW 2017)   0.09 mile south of Beaverton-Taglard Highway (US20)   0.09 mile south of Sunset Highway (US20), north of Beaverton   0.50				MP 11.52 to MP 12.47 Transferred to Washington County
FARMINGTON HIGHWAY NO. 142   Milepoint Indicates distance from Hillsboro - Silverton Highway (OR219), west of Farmington   MP-0.6 to MP 5.88 Transferred to Washington County	12.51	19400		0.05 mile south of Day Street
Milepoint Indicates distance from Hillsboro - Silverton Highway (OR219), west of Farmington   MP-0.06 to MP 5.88 Transferred to Washington County	12.67	31500		0.04 mile east of Commercial Circle
MP-0.06 to MP 5.88 Transferred to Washington County				FARMINGTON HIGHWAY NO. 142
5.90				Milepoint indicates distance from Hillsboro - Silverton Highway (OR219), west of Farmington
6.64   19400				MP -0.06 to MP 5.88 Transferred to Washington County
1740	5.90	16000		0.02 mile east of SW 198th Avenue
19700   0.02 mile east of Rosa Road   MP 7.38 to MP 8.68 Transferred to Washington County   SCHOLLS HIGHWAY NO. 143   Milepoint indicates distance from Hillsboro - Silverton Highway (OR219), at Scholls   MP 5.50 to MP 9.03 Transferred to Washington County   9.07   47100   0.13 mile southwest of Beaverton-Tigard Highway (OR217)   9.52   16300   0.08 mile south of Beaverton-Tualatin Highway, east city limits of Beaverton   MP 9.61 to MP 12.40 Transferred to Washington County   BEAVERTON-TIGARD HIGHWAY NO. 144   Milepoint indicates distance from Sunset Highway (US26), north of Beaverton   0.50   100200   0.50 mile south of Sunset Highway (US26)   0.74 mile south of Sunset Highway (US26)   0.75 mile south of Swashington County   0.75 mile south of Swashington (OR10) Overcrossing   0.77 mile south of Swashington (OR10	6.64	19400		0.03 mile west of SW 185th Avenue
MP 7.38 to MP 8.68 Transferred to Washington County   SCHOLLS HIGHWAY NO. 143	6.77	17400		0.10 mile east of SW 185th Avenue
SCHOLLS HIGHWAY NO. 143   Milepoint indicates distance from Hillsboro - Silverton Highway (OR219), at Scholls   MP 5.50 to MP 9.03 Transferred to Washington County	7.13	19700		0.02 mile east of Rosa Road
Milepoint indicates distance from Hillsboro - Silverton Highway (OR219), at Scholls				MP 7.38 to MP 8.68 Transferred to Washington County
MP 5.50 to MP 9.03 Transferred to Washington County				SCHOLLS HIGHWAY NO. 143
9.07				Milepoint indicates distance from Hillsboro - Silverton Highway (OR219), at Scholls
9.52   16300   0.08 mile south of Beaverton-Tualatin Highway, east city limits of Beaverton   MP 9.61 to MP 12.40 Transferred to Washington County				MP 5.50 to MP 9.03 Transferred to Washington County
MP 9.61 to MP 12.40 Transferred to Washington County   BEAVERTON-TIGARD HIGHWAY NO. 144	9.07	47100		0.13 mile southwest of Beaverton-Tigard Highway (OR217)
BEAVERTON-TIGARD HIGHWAY NO. 144   Milepoint indicates distance from Sunset Highway (US26), north of Beaverton	9.52	16300		0.08 mile south of Beaverton-Tualatin Highway, east city limits of Beaverton
Milepoint Indicates distance from Sunset Highway (US26), north of Beaverton				MP 9.61 to MP 12.40 Transferred to Washington County
0.50         100200         0.50 mile south of Sunset Highway (US26)           1.21         106300         0.30 mile north of Tualatin Valley Highway (OR8) Overcrossing           2.16         113900         0.40 mile south of Beaverton-Hillsdale Highway (OR10) Overcrossing           2.73         111000         0.25 mile south of SW Allen Boulevard Interchange           3.32         110500         0.30 mile south of SW Denney Road Interchange           4.02         93200         0.20 mile south of Beaverton-Tualatin Highway Interchange           4.57         106300         0.30 mile south of Scholls Highway (OR210) Interchange           5.60         109600         0.30 mile northwest of Pacific Highway West (OR99W)           6.30         93400         0.40 mile southeast of Pacific Highway West (OR99W)           6.96         93200         0.10 mile northwest of southbound Pacific Highway (Interchange)           8ALEM-DAYTON HIGHWAY NO. 150         Milepoint indicates distance from Salmon River Highway (OR18), north of Dayton           0.25         4000         0.25 mile southeast of Salmon River Highway (OR18), north of Dayton           0.50         3900         0.02 mile southeast of Amity-Dayton Highway (OR233)           0.56         3700         0.02 mile southeast of Alder Street           0.87         2800         0.03 mile south of Palmer Lane, south city limits of Dayto				BEAVERTON-TIGARD HIGHWAY NO. 144
1.21         106300         0.30 mile north of Tualatin Valley Highway (OR8) Overcrossing           2.16         113900         0.40 mile south of Beaverton-Hillsdale Highway (OR10) Overcrossing           2.73         111000         0.25 mile south of SW Allen Boulevard Interchange           3.32         110500         0.30 mile south of SW Denney Road Interchange           4.02         93200         0.20 mile south of Beaverton-Tualatin Highway Interchange           4.57         106300         0.30 mile south of Scholls Highway (OR210) Interchange           5.60         109600         0.30 mile northwest of Pacific Highway West (OR99W)           6.30         93400         0.40 mile southeast of Pacific Highway West (OR99W)           6.96         93200         0.10 mile northwest of southbound Pacific Highway (Interchange)           SALEM-DAYTON HIGHWAY NO. 150           Milepoint indicates distance from Salmon River Highway (OR18), north of Dayton           0.25         4000         0.25 mile southeast of Salmon River Highway (OR18), north of Dayton           0.50         3900         0.02 mile southeast of Amity-Dayton Highway (OR233)           0.56         3700         0.02 mile southeast of Alder Street           0.87         2800         0.03 mile south of Palmer Lane, south city limits of Dayton           3.60         2500 <t< td=""><td></td><td></td><td></td><td>Milepoint indicates distance from Sunset Highway (US26), north of Beaverton</td></t<>				Milepoint indicates distance from Sunset Highway (US26), north of Beaverton
2.16         113900         0.40 mile south of Beaverton-Hillsdale Highway (OR10) Overcrossing           2.73         111000         0.25 mile south of SW Allen Boulevard Interchange           3.32         110500         0.30 mile south of SW Denney Road Interchange           4.02         93200         0.20 mile south of Beaverton-Tualatin Highway Interchange           4.57         106300         0.30 mile south of Scholls Highway (OR210) Interchange           5.60         109600         0.30 mile northwest of Pacific Highway West (OR99W)           6.30         93400         0.40 mile southeast of Pacific Highway West (OR99W)           6.96         93200         0.10 mile northwest of southbound Pacific Highway (Inches Wighway	0.50	100200		0.50 mile south of Sunset Highway (US26)
2.73         111000         0.25 mile south of SW Allen Boulevard Interchange           3.32         110500         0.30 mile south of SW Denney Road Interchange           4.02         93200         0.20 mile south of Beaverton-Tualatin Highway Interchange           4.57         106300         0.30 mile south of Scholls Highway (OR210) Interchange           5.60         109600         0.30 mile northwest of Pacific Highway West (OR99W)           6.30         93400         0.40 mile southeast of Pacific Highway West (OR99W)           6.96         93200         0.10 mile northwest of southbound Pacific Highway (I-5) ramps           SALEM-DAYTON HIGHWAY NO. 150           Milepoint indicates distance from Salmon River Highway (OR18), north of Dayton           0.25         4000         0.25 mile southeast of Salmon River Highway (OR18)           0.50         3900         0.02 mile southeast of Alder Street           0.87         2800         0.03 mile south of Palmer Lane, south city limits of Dayton           3.60         2500         0.02 mile south of Palmer Creek Road           7.15         2300         0.02 mile north of Grand Island Road           9.20         2000         0.06 mile north of Bellevue-Hopewell Highway           10.98         3200         At Yamhill-Polk County Line           13.61	1.21	106300		0.30 mile north of Tualatin Valley Highway (OR8) Overcrossing
3.32         110500         0.30 mile south of SW Denney Road Interchange           4.02         93200         0.20 mile south of Beaverton-Tualatin Highway Interchange           4.57         106300         0.30 mile south of Scholls Highway (OR210) Interchange           5.60         109600         0.30 mile northwest of Pacific Highway West (OR99W)           6.30         93400         0.40 mile southeast of Pacific Highway West (OR99W)           6.96         93200         0.10 mile northwest of southbound Pacific Highway (I-5) ramps           SALEM-DAYTON HIGHWAY NO. 150           Milepoint indicates distance from Salmon River Highway (OR18), north of Dayton           0.25         4000         0.25 mile southeast of Salmon River Highway (OR18)           0.50         3900         0.02 mile southeast of Alder Street           0.87         2800         0.02 mile south east of Alder Street           0.87         2800         0.03 mile south of Palmer Lane, south city limits of Dayton           3.60         2500         0.02 mile south of Grand Island Road           9.20         2000         0.06 mile north of Grand Island Road           9.21         3300         0.05 mile south of Bellevue-Hopewell Highway           10.98         3200         At Yamhill-Polk County Line           13.61         6600	2.16	113900		0.40 mile south of Beaverton-Hillsdale Highway (OR10) Overcrossing
4.02         93200         0.20 mile south of Beaverton-Tualatin Highway Interchange           4.57         106300         0.30 mile south of Scholls Highway (OR210) Interchange           5.60         109600         0.30 mile northwest of Pacific Highway West (OR99W)           6.30         93400         0.40 mile southeast of Pacific Highway West (OR99W)           6.96         93200         0.10 mile northwest of southbound Pacific Highway (I-5) ramps           SALEM-DAYTON HIGHWAY NO. 150           Milepoint indicates distance from Salmon River Highway (OR18), north of Dayton           0.25         4000         0.25 mile southeast of Salmon River Highway (OR18)           0.50         3900         0.02 mile southeast of Alder Street           0.87         2800         0.02 mile southeast of Alder Street           0.87         2800         0.03 mile south of Palmer Lane, south city limits of Dayton           3.60         2500         0.02 mile south of Palmer Creek Road           7.15         2300         0.02 mile north of Grand Island Road           9.20         2000         0.06 mile north of Bellevue-Hopewell Highway           9.31         3300         0.05 mile south of Bellevue-Hopewell Highway           10.98         3200         At Yamhill-Polk County Line           13.61         6600	2.73	111000		0.25 mile south of SW Allen Boulevard Interchange
4.57         106300         0.30 mile south of Scholls Highway (OR210) Interchange           5.60         109600         0.30 mile northwest of Pacific Highway West (OR99W)           6.30         93400         0.40 mile southeast of Pacific Highway West (OR99W)           6.96         93200         0.10 mile northwest of southbound Pacific Highway (I-5) ramps           SALEM-DAYTON HIGHWAY NO. 150           Milepoint indicates distance from Salmon River Highway (OR18), north of Dayton           0.25         4000         0.25 mile southeast of Salmon River Highway (OR233)           0.50         3900         0.02 mile southeast of Amity-Dayton Highway (OR233)           0.56         3700         0.02 mile southeast of Alder Street           0.87         2800         0.03 mile south of Palmer Lane, south city limits of Dayton           3.60         2500         0.02 mile south of Palmer Creek Road           7.15         2300         0.02 mile north of Grand Island Road           9.20         2000         0.06 mile north of Bellevue-Hopewell Highway           9.31         3300         0.05 mile south of Bellevue-Hopewell Highway           10.98         3200         At Yamhill-Polk County Line           13.61         6600         0.02 mile north of Oak Knoll Road           14.96         7000 <td< td=""><td>3.32</td><td>110500</td><td></td><td>0.30 mile south of SW Denney Road Interchange</td></td<>	3.32	110500		0.30 mile south of SW Denney Road Interchange
5.60         109600         0.30 mile northwest of Pacific Highway West (OR99W)           6.30         93400         0.40 mile southeast of Pacific Highway West (OR99W)           6.96         93200         0.10 mile northwest of southbound Pacific Highway (I-5) ramps           SALEM-DAYTON HIGHWAY NO. 150           Milepoint indicates distance from Salmon River Highway (OR18), north of Dayton           0.25         4000         0.25 mile southeast of Salmon River Highway (OR18)           0.50         3900         0.02 mile southeast of Amity-Dayton Highway (OR233)           0.56         3700         0.02 mile southeast of Alder Street           0.87         2800         0.03 mile south of Palmer Lane, south city limits of Dayton           3.60         2500         0.02 mile south of Palmer Creek Road           7.15         2300         0.02 mile north of Grand Island Road           9.20         2000         0.06 mile north of Bellevue-Hopewell Highway           9.31         3300         0.05 mile south of Bellevue-Hopewell Highway           10.98         3200         At Yamhill-Polk County Line           13.61         6600         0.02 mile north of Oak Knoll Road           14.96         7000         0.02 mile north of Zena Road	4.02	93200		0.20 mile south of Beaverton-Tualatin Highway Interchange
6.30         93400         0.40 mile southeast of Pacific Highway West (OR99W)           6.96         93200         0.10 mile northwest of southbound Pacific Highway (I-5) ramps           SALEM-DAYTON HIGHWAY NO. 150           Milepoint indicates distance from Salmon River Highway (OR18), north of Dayton           0.25         4000         0.25 mile southeast of Salmon River Highway (OR18)           0.50         3900         0.02 mile southeast of Amity-Dayton Highway (OR233)           0.56         3700         0.02 mile southeast of Alder Street           0.87         2800         0.03 mile south of Palmer Lane, south city limits of Dayton           3.60         2500         0.02 mile south of Palmer Creek Road           7.15         2300         0.02 mile north of Grand Island Road           9.20         2000         0.06 mile north of Bellevue-Hopewell Highway           9.31         3300         0.05 mile south of Bellevue-Hopewell Highway           10.98         3200         At Yamhill-Polk County Line           13.61         6600         0.02 mile north of Oak Knoll Road           14.96         7000         0.02 mile north of Zena Road	4.57	106300		0.30 mile south of Scholls Highway (OR210) Interchange
6.96         93200         0.10 mile northwest of southbound Pacific Highway (I-5) ramps           SALEM-DAYTON HIGHWAY NO. 150           Milepoint indicates distance from Salmon River Highway (OR18), north of Dayton           0.25         4000         0.25 mile southeast of Salmon River Highway (OR18)           0.50         3900         0.02 mile southeast of Amity-Dayton Highway (OR233)           0.56         3700         0.02 mile southeast of Alder Street           0.87         2800         0.03 mile south of Palmer Lane, south city limits of Dayton           3.60         2500         0.02 mile south of Palmer Creek Road           7.15         2300         0.02 mile north of Grand Island Road           9.20         2000         0.06 mile north of Bellevue-Hopewell Highway           9.31         3300         0.05 mile south of Bellevue-Hopewell Highway           10.98         3200         At Yamhill-Polk County Line           13.61         6600         0.02 mile north of Oak Knoll Road           14.96         7000         0.02 mile north of Zena Road	5.60	109600		0.30 mile northwest of Pacific Highway West (OR99W)
SALEM-DAYTON HIGHWAY NO. 150	6.30	93400		0.40 mile southeast of Pacific Highway West (OR99W)
Milepoint indicates distance from Salmon River Highway (OR18), north of Dayton           0.25         4000         0.25 mile southeast of Salmon River Highway (OR18)           0.50         3900         0.02 mile southeast of Amity-Dayton Highway (OR233)           0.56         3700         0.02 mile southeast of Alder Street           0.87         2800         0.03 mile south of Palmer Lane, south city limits of Dayton           3.60         2500         0.02 mile south of Palmer Creek Road           7.15         2300         0.02 mile north of Grand Island Road           9.20         2000         0.06 mile north of Bellevue-Hopewell Highway           9.31         3300         0.05 mile south of Bellevue-Hopewell Highway           10.98         3200         At Yamhill-Polk County Line           13.61         6600         0.02 mile north of Oak Knoll Road           14.96         7000         0.02 mile north of Zena Road	6.96	93200		0.10 mile northwest of southbound Pacific Highway (I-5) ramps
0.25       4000       0.25 mile southeast of Salmon River Highway (OR18)         0.50       3900       0.02 mile southeast of Amity-Dayton Highway (OR233)         0.56       3700       0.02 mile southeast of Alder Street         0.87       2800       0.03 mile south of Palmer Lane, south city limits of Dayton         3.60       2500       0.02 mile south of Palmer Creek Road         7.15       2300       0.02 mile north of Grand Island Road         9.20       2000       0.06 mile north of Bellevue-Hopewell Highway         9.31       3300       0.05 mile south of Bellevue-Hopewell Highway         10.98       3200       At Yamhill-Polk County Line         13.61       6600       0.02 mile north of Oak Knoll Road         14.96       7000       0.02 mile north of Zena Road				SALEM-DAYTON HIGHWAY NO. 150
0.50       3900       0.02 mile southeast of Amity-Dayton Highway (OR233)         0.56       3700       0.02 mile southeast of Alder Street         0.87       2800       0.03 mile south of Palmer Lane, south city limits of Dayton         3.60       2500       0.02 mile south of Palmer Creek Road         7.15       2300       0.02 mile north of Grand Island Road         9.20       2000       0.06 mile north of Bellevue-Hopewell Highway         9.31       3300       0.05 mile south of Bellevue-Hopewell Highway         10.98       3200       At Yamhill-Polk County Line         13.61       6600       0.02 mile north of Oak Knoll Road         14.96       7000       0.02 mile north of Zena Road				Milepoint indicates distance from Salmon River Highway (OR18), north of Dayton
0.56         3700         0.02 mile southeast of Alder Street           0.87         2800         0.03 mile south of Palmer Lane, south city limits of Dayton           3.60         2500         0.02 mile south of Palmer Creek Road           7.15         2300         0.02 mile north of Grand Island Road           9.20         2000         0.06 mile north of Bellevue-Hopewell Highway           9.31         3300         0.05 mile south of Bellevue-Hopewell Highway           10.98         3200         At Yamhill-Polk County Line           13.61         6600         0.02 mile north of Oak Knoll Road           14.96         7000         0.02 mile north of Zena Road	0.25	4000		0.25 mile southeast of Salmon River Highway (OR18)
0.87         2800         0.03 mile south of Palmer Lane, south city limits of Dayton           3.60         2500         0.02 mile south of Palmer Creek Road           7.15         2300         0.02 mile north of Grand Island Road           9.20         2000         0.06 mile north of Bellevue-Hopewell Highway           9.31         3300         0.05 mile south of Bellevue-Hopewell Highway           10.98         3200         At Yamhill-Polk County Line           13.61         6600         0.02 mile north of Oak Knoll Road           14.96         7000         0.02 mile north of Zena Road	0.50	3900		0.02 mile southeast of Amity-Dayton Highway (OR233)
3.60       2500       0.02 mile south of Palmer Creek Road         7.15       2300       0.02 mile north of Grand Island Road         9.20       2000       0.06 mile north of Bellevue-Hopewell Highway         9.31       3300       0.05 mile south of Bellevue-Hopewell Highway         10.98       3200       At Yamhill-Polk County Line         13.61       6600       0.02 mile north of Oak Knoll Road         14.96       7000       0.02 mile north of Zena Road	0.56	3700		0.02 mile southeast of Alder Street
7.15       2300       0.02 mile north of Grand Island Road         9.20       2000       0.06 mile north of Bellevue-Hopewell Highway         9.31       3300       0.05 mile south of Bellevue-Hopewell Highway         10.98       3200       At Yamhill-Polk County Line         13.61       6600       0.02 mile north of Oak Knoll Road         14.96       7000       0.02 mile north of Zena Road	0.87	2800		0.03 mile south of Palmer Lane, south city limits of Dayton
9.20     2000     0.06 mile north of Bellevue-Hopewell Highway       9.31     3300     0.05 mile south of Bellevue-Hopewell Highway       10.98     3200     At Yamhill-Polk County Line       13.61     6600     0.02 mile north of Oak Knoll Road       14.96     7000     0.02 mile north of Zena Road	3.60	2500		0.02 mile south of Palmer Creek Road
9.31     3300     0.05 mile south of Bellevue-Hopewell Highway       10.98     3200     At Yamhill-Polk County Line       13.61     6600     0.02 mile north of Oak Knoll Road       14.96     7000     0.02 mile north of Zena Road	7.15	2300		0.02 mile north of Grand Island Road
10.98         3200         At Yamhill-Polk County Line           13.61         6600         0.02 mile north of Oak Knoll Road           14.96         7000         0.02 mile north of Zena Road	9.20	2000		0.06 mile north of Bellevue-Hopewell Highway
13.61 6600 0.02 mile north of Oak Knoll Road 14.96 7000 0.02 mile north of Zena Road	9.31	3300		0.05 mile south of Bellevue-Hopewell Highway
14.96 7000 0.02 mile north of Zena Road	10.98	3200		At Yamhill-Polk County Line
	13.61	6600		0.02 mile north of Oak Knoll Road
15.00 9500 0.02 mile south of Zena Road	14.96	7000		0.02 mile north of Zena Road
	15.00	9500		0.02 mile south of Zena Road

Milepoint	2017 AADT AII	ATR	Location Description
willepoint	Vehicles	AVC	
			SALEM-DAYTON HIGHWAY NO. 150 (Continued)
			On Wallace Road
17.71	10500		0.05 mile north of Rogers Lane NW, north city limits of Salem
17.99	11800		0.02 mile north of NW Doaks Ferry Road
18.60	14200	*	Brush College Automatic Traffic Recorder, Sta. 27-002, 0.09 mile north of Brush College Road NW
18.71	16800		0.02 mile southeast of NW Brush College Road
19.05	19200		0.02 mile south of NW River Bend Road
20.11	23200		0.02 mile north of NW Orchard Heights Road
20.15	30900		0.02 mile south of NW Orchard Heights Road
20.41	41300		0.02 mile south of NW Glen Creek Road
20.72	41400		Salem-Dayton Highway No. 150, 0.06 mile north of NW Edgewater Street
			YAMHILL-NEWBERG HIGHWAY NO. 151
			Milepoint indicates distance from Tualatin Valley Highway (OR47), in Yamhill
0.02	2100		0.02 mile east of Tualatin Valley Highway (OR47)
0.20	1900		0.02 mile west of Hemlock Street
0.47	2100		0.02 mile west of Balm Street
1.13	2300		0.02 mile east of Yamhill Road
2.03	1800		0.02 mile east of Morelli Road
3.01	1800		0.02 mile east of Stag Hollow Road
5.49	6500		0.02 mile east of Kuehne Road
6.12	6900		0.05 mile east of Ribbon Ridge Road
7.12	6900		0.02 mile east of Dopp Road
9.86	7700		0.02 mile east of Tangen Road
10.86	8300		0.02 mile west of Chehalem Drive
11.02	8400		0.02 mile west of North Morton Street
11.17	9700		0.02 mile south of Main Street
11.37	10000		0.02 mile north of Sheridan Street
11.43	10100		0.02 mile north of Pacific Highway West (OR99W-WB)
11.48	7100		0.02 mile north of Pacific Highway West (OR99W-EB)
			BELLEVUE-HOPEWELL HIGHWAY NO. 153
			Milepoint indicates distance from Salmon River Highway (OR18), at Bellevue
0.05	960		0.05 mile east of Salmon River Highway (OR18)
3.88	780		0.10 mile west of Broadmead Road
4.08	1200		0.10 mile east of Broadmead Road
4.59	1300		0.02 mile east of Briedwell Road
6.13	1600		0.02 mile east of Stanley Street
6.32	2300		0.02 mile east of Pacific Highway West (OR99W)
6.51	2200		0.02 mile east of Jellison Avenue
6.76	1700		0.31 mile west of Old Bethel Road
7.09	1200		0.02 mile east of Old Bethel Road
10.94	940		0.02 mile west of Lafayette Highway (OR233)
10.98	4400		0.02 mile south of Lafayette Highway (OR233)
13.00	4200		0.02 mile west of Hopewell Road
14.26	1500		0.10 mile west of Salem-Dayton Highway (OR221)

BALL	2017 AADT AII	ATR	Leading Bearing and
Milepoint	Vehicles	AVC	Location Description
			LAFAYETTE HIGHWAY NO. 154
			Milepoint indicates distance from Salmon River Highway (OR18), east of McMinnville
0.10	3200		0.10 mile south of Salmon River Highway (OR18)
0.54	2000		0.02 mile south of Amity-Dayton Highway (OR233)
1.36	4500		0.20 mile south of Stringtown Road
3.29	4500		0.02 mile south of Stockhoff Road
4.09	4000		0.02 mile south of Alderman Road
6.24	4100		0.02 mile north of Bellevue-Hopewell Highway
			AMITY-DAYTON HIGHWAY NO. 155
			Milepoint indicates distance from Pacific Highway West (OR99W), north of Amity
0.15	1500		0.15 mile east of Pacific Highway West (OR99W)
2.24	1500		0.02 mile west of Whiteson Road
2.28	1700		0.02 mile east of Whiteson Road
4.30	1400		0.02 mile east of Airport Road
6.56	2000		0.10 mile south of Stringtown Road
6.76	5000		0.10 mile north of Stringtown Road
7.42	2200		0.02 mile southwest of Lafayette Highway (OR233)
7.46	1400		0.02 mile northeast of Lafayette Highway (OR233)
8.30	1600		0.02 mile east of Flower Lane
8.68	2400		0.02 mile west of 8th Street
9.03	3000		0.02 mile west of 5th Street
9.17	3400		0.02 mile west of Salem-Dayton Highway (OR221)
			WILLAMINA-SHERIDAN HIGHWAY NO. 157
			Milepoint indicates distance from Salmon River Highway (OR18), at Wallace Bridge
0.55	4600		0.06 mile north of Willamina-Salem Highway (OR22)
1.56	6100		0.08 mile south of Hill Drive, south city limits of Willamina
2.03	5900		0.02 mile south of Polk Street
2.24	7200		0.04 mile south of West Main Street
2.31	5700		0.02 mile west of "B" Street
2.40	6700		0.02 mile east of "C" Street
2.54	6000		0.02 mile east of "E" Street
2.78	4700		0.11 mile east of Oaken Hills Drive
5.59	5000		0.08 mile east of Rock Creek Road
6.53	5600		0.02 mile west of Western Street
7.11	5900		0.02 mile west of Bridge Street
7.15	5700		0.02 mile east of Bridge Street
7.26	5600		0.02 mile east of Hill Street
8.10	5600		0.50 mile west of Salmon River Highway (OR18)
			CASCADE HIGHWAY SOUTH NO. 160
			Milepoint indicates distance from East Portland Freeway (I-205), at Park Place Interchange
0.05	72000		0.02 mile north of Washington Street
0.16	51200		0.02 mile south of Washington Street
0.50	39500		0.02 mile south of Redland Road
3.00	27700		0.02 mile south of Beavercreek Road
3.69	19600		0.10 mile south of Molalla Avenue
			Equation: MP 4.00 BK = MP Z3.69 AH

2017 AADT All	ATR	Location Description
verificies	AVC	CASCADE HIGHWAY SOUTH NO. 160 (Continued)
10500		0.02 mile north of South Henrici Road
		0.02 mile north of South Leland Road
		0.02 mile south of South Carus Road
	*	
		Mulino Automatic Traffic Recorder, Sta. 03-020, 0.94 mile south of South Spangler Road  0.05 mile south of South Mulino Road at Mulino
		0.05 mile north of South Union Mills Road
		0.03 mile north of South Onion Mills Road  0.02 mile north of South Molalla Road
		0.02 mile south of South Molalla Road
		0.02 mile north of South Toliver Road
		0.02 mile north of Woodburn-Estacada Highway (OR211)
		0.02 mile south of Woodburn-Estacada Highway (OR211)
4800		0.02 mile south of South Monte Cristo Road  Marguam Automatic Traffic Recorder, Sta. 03-013, 2.05 miles northeast of Clackamas-Marion County
5100	*	Line
4900		At Clackamas-Marion County Line
4400		0.02 mile north of Abiqua Road NE
5200		0.02 mile south of Abiqua Road NE
6100		0.02 mile south of South Abiqua Road NE
		On Oak Street
5800		0.05 mile west of Meridian Road NE (Monitor Road)
7200		0.02 mile east of North 2nd Street
7400		0.02 mile east of Hillsboro-Silverton Highway (OR214-NB)
3500		0.02 mile east of Hillsboro-Silverton Highway (OR214-SB)
		WOODBURN-ESTACADA HIGHWAY NO. 161
		Milepoint indicates distance from Pacific Highway East (OR99E), in Woodburn
8800		0.15 mile east of Pacific Highway East (OR99E) and Hillsboro-Silverton Highway (OR214)
7700		1.15 miles west of South Meridian Road, Marion-Clackamas County Line
5900		0.05 mile east of Barlow Road
5900		0.10 mile east of South Canby-Marquam Road
6200		0.05 mile west of Cascade Highway South (OR213)
		0.05 mile east of Cascade Highway South (OR213)
		On Main Street
13400		0.09 mile east of LeRoy Avenue
		0.02 mile west of Stowers Lane
		0.24 mile northeast of South Mathias Road
		Molalla River (On Meadowbrook Bridge)
		0.03 mile north of Meadowbrook Road
		At Cedardale, 0.19 mile east of South Paveletz Road
		0.02 mile east of Wall Street at Colton
		0.02 mile northeast of Schieffer Road
	*	Colton Automatic Traffic Recorder, Sta. 03-014, 3.05 miles northeast of Wall Street
		0.02 mile north of South Highland Road
		0.02 mile north of Hillock Burn Road
		0.02 mile north of Day Hill Road (South Jct.)
7100		0.02 mile north of Hayden Road 0.02 mile east of Day Hill Road (North Jct.)
	19500 16200 15500 15400 15500 15500 15500 15500 13200 10500 10800 11200 5700 4800 5100 4900 4400 5200 6100  5800 7200 7400 3500  8800 7700 5900 5900 5900 6200 12500	Vehicles         AVC           19500         16200           15500         *           15500         *           15200         15500           13200         10500           10800         11200           5700         4800           5100         *           4900         4400           5200         6100           5800         7200           7400         3500           8800         7700           5900         5900           5900         5900           5800         6000           6200         12500           13400         8300           5800         6000           6200         5400           4400         2800           3000         *           2800         3000           3200         *

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			WOODBURN-ESTACADA HIGHWAY NO. 161 (Continued)
33.40	7300		0.09 mile south of Clackamas Highway (OR224), south city limits of Estacada
			NORTH SANTIAM HIGHWAY NO. 162
			Milepoint indicates distance from East State Street and Airport Road, in Salem
1.17	52000		0.25 mile west of Pacific Highway (I-5)
1.61	44900		0.30 mile west of Lancaster Drive Interchange
2.82	27700	*	North Santiam Automatic Traffic Recorder, Sta. 24-004, 0.91 mile east of Lancaster Drive Interchange
4.13	27200		0.10 mile east of Deer Park Drive Interchange
5.84	26900		0.40 mile east of Joseph Street Interchange
7.17	24500		0.50 mile east of Silver Creek Falls Highway (OR214) Interchange
10.02	21900	*	Aumsville Automatic Traffic Recorder, Sta. No. 24-005, 1.08 miles east of Shaw Highway Interchange
12.03	14400		0.50 mile east of Golf Club Road Interchange
13.63	8400		0.40 mile east of Cascade Highway
14.50	10300		0.20 mile east of Fern Ridge Road
15.78	10900		0.10 mile east of Old Mehama Road (West Jct.)
22.40	10600		0.02 mile west of Albany-Lyons Highway (OR226), at Mehama
22.44	8200		0.02 mile east of Albany-Lyons Highway (OR226), at Mehama
23.25	6800		0.02 mile east of North Fork Road
			West city limits of Mill City
30.05	6300		0.02 mile east of NW 2nd Avenue, connection to Santiam River Bridge
30.39	6200		0.02 mile east of NE 4th Avenue
32.09	5900		At west city limits of Gates
33.09	5600		0.02 mile west of Horeb Street
33.69	5300	*	Gates Automatic Traffic Recorder, Sta. No. 24-013, 0.95 mile west of Railroad Avenue SE (Entrance to Minto County Park)
43.03	4400		0.30 mile east of Detroit Dam
			West city limits of Detroit
50.12	4500		0.05 mile east of Breitenbush Road
51.30	4600	*	Detroit Automatic Traffic Recorder, Sta. 24-015, 1.20 miles east of Detroit Avenue
52.56	4600		At west city limits of Idanha
54.56	4400		0.02 mile east of Main Street
			Marion - Linn County Line, MP 60.79
65.48	4100		On Minto Creek Bridge
69.44	4000		0.02 mile west of Downing Creek Falls Road
81.51	4000		0.40 mile northwest of Santiam Highway (US20)
			SILVER CREEK FALLS HIGHWAY NO. 163
			Milepoint indicates distance from Center Street in Salem, via OR22
9.16	2100		0.15 mile east of North Santiam Highway (OR22)
10.64	1500		0.02 mile west of Howell Prairie Road at Shaw
11.08	490		0.02 mile east of Shaw Highway SE
15.49	1200		0.10 mile west of Cascade Highway SE
15.69	1100		0.10 mile east of Cascade Highway SE
17.56	870		0.10 mile east of Victor Point Road
19.45	850		0.10 mile east of Drift Creek Road
27.98	530		0.02 mile south of Hult Road
31.09	770		0.05 mile south of Drakes Road SE
31.19	1300		0.05 mile north of Drakes Road SE

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			SILVER CREEK FALLS HIGHWAY NO. 163 (Continued)
37.48	1700		0.02 mile east of Forest Ridge Road
38.96	3100		0.02 mile west of Quall Road
39.45	4800		0.02 mile east of Ike Mooney Road
			On Water Street
40.01	7700		0.02 mile southeast of Peach Street
40.34	9100		0.02 mile northwest of Central Street
40.54	10600		0.02 mile northwest of Koons Street
40.79	10100		0.02 mile southeast of Jersey Street
40.83	11500		0.01 mile southeast of Hillsboro-Silverton Highway (OR214)
			JEFFERSON HIGHWAY NO. 164
			Milepoint indicates distance from Pacific Highway (I-5), south of Salem
0.37	3200		0.02 mile southeast of Enchanted Way SE
2.05	3400		0.02 mile north of Winter Creek Road
3.65	2600		0.02 mile south of Robison Road
4.90	2900		0.02 mile north of Talbot Road
5.47	4800		0.02 mile north of North Avenue
5.51	6700		0.02 mile south of North Avenue
5.74	6900		0.02 mile south of Santiam Street
5.98	6500		0.02 mile south of Union Street
6.37	7400		0.20 mile west of Mill Street
7.30	6600		0.01 mile west of Scravel Hill Road
8.12	7200		0.02 mile west of Mason Road
			CLACKAMAS HIGHWAY NO. 171
			Milepoint indicates distance from River Road, in Milwaukie
0.04	7800		0.05 mile east of SE 17th Avenue
0.31	27000		0.20 mile east of Pacific Highway East (OR99E)
0.70	26200		0.02 mile south of Harrison Street
0.80	25400		0.02 mile south of Monroe Street
0.95	27900		0.02 mile southeast of Oak Street
1.94	22800		0.05 mile east of SE Freeman Way
2.71	22800		0.01 mile west of Rusk Road
3.30	28200		0.10 mile east of SE Lake Road
3.60	37500	*	Milwaukie Automatic Traffic Recorder, Sta. 03-018, 0.13 mile west of Johnson Road
3.94	34700		0.02 mile west of southbound ramps to Cascade Highway North (OR213)
			Equation: MP 3.96 BK = MP Z3.82 AH
			Equation: MP 5.18 BK = MP Z4.89 AH
Z 4.94	52500		0.11 mile west of SE 82nd Drive
Z 5.01	40500		0.02 mile west of SE 82nd Drive
5.58	42900		0.04 mile east of Evelyn Street
6.80	38400	*	Clackamas Automatic Traffic Recorder, Sta. 03-017, 0.14 mile west of SE 130th Avenue
7.62	35000		0.05 mile east of SE 142nd Avenue
8.11	35900		0.05 mile west of Clackamas-Boring Highway (OR212)
8.26	23800		0.10 mile south of Clackamas-Boring Highway (OR212)
9.35	9000		0.05 mile east of Springwater Road
14.56	11300		0.05 mile west of Bakers Ferry Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			CLACKAMAS HIGHWAY NO. 171 (Continued)
17.82	13000		0.10 mile north of Eagle Creek-Sandy Highway (OR211)
18.02	13500		0.10 mile south of Eagle Creek-Sandy Highway (OR211)
20.30	12200		0.05 mile north of Heiple Road
21.71	7500		0.05 mile south of River Mill Road
			North city limits of Estacada
22.88	8700		0.11 mile northwest of Wade Street
23.16	7900		0.01 mile northwest of Main Street
23.28	10700		0.01 mile east of Acacia Road
23.46	3900		0.10 mile east of Woodburn-Estacada Highway (OR211)
			Equation: MP 23.51 BK = MP 23.84 AH
24.80	3200		0.02 mile east of Faraday Road
			Equation: MP 29.18 BK = MP 30.02 AH
30.82	1100		0.10 mile northwest of Ladee Road
39.10	740		0.14 mile north of Fish Creek Road
39.34	610		0.10 mile east of Fish Creek Road
44.47	560		0.10 mile north of Pipeline Road
45.83	460		At Clackamas River (Cripple Creek Bridge)
49.93	310		0.02 mile west of Ripple Creek Road
			EAGLE CREEK-SANDY HIGHWAY NO. 172
			Milepoint indicates distance from Eagle Creek Road, at Eagle Creek
-0.13	6000		0.10 mile east of Clackamas Highway (OR224)
1.45	6100		0.10 mile southwest of Judd Road
1.65	6600		0.10 mile northeast of Judd Road
3.65	8000		0.05 mile west of 362nd Drive
3.75	5600		0.05 mile east of 362nd Drive
5.07	4500		0.10 mile west of Bornstedt Road
5.29	6900		0.10 mile south of Dubarko Road
5.50	6000		0.11 mile north of Dubarko Road
5.83	6000		0.05 mile south of Mt. Hood Highway (US26-EB)
5.92	5300		0.02 mile south of Mt. Hood Highway (US26-WB)
			TIMBERLINE HIGHWAY NO. 173
			Milepoint indicates distance from Timberline Lodge
5.45	1900	*	Timberline Automatic Traffic Recorder, Sta. 03-008, 0.04 mile north of Mt. Hood Highway No. 26 (US26)
			CLACKAMAS-BORING HIGHWAY NO. 174
			Milepoint indicates distance from Clackamas Highway (OR224), at Rock Creek Corner
0.30	23800		0.27 mile east of Clackamas Highway (OR224)
1.44	18900		0.03 mile west of SE Tong Road
2.44	18700		0.06 mile west of SE Sunnyside Road
2.59	25200		0.02 mile west of SE Foster Road
2.63	27600		0.02 mile east of SE Foster Road
3.72	23500		0.02 mile east of SE 222nd Drive
4.67	21500		0.02 mile west of SE 242nd Drive
5.71	19000		0.02 mile east of connection to SE 257th Avenue
6.88	19900		0.02 mile south of SE Wally Road
7.10	13300		0.03 mile east of SE 282nd Avenue

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			CLACKAMAS-BORING HIGHWAY NO. 174 (Continued)
8.27	13000		0.10 mile west of Mt. Hood Highway (US26), EB onramp
			EDDYVILLE-BLODGETT HIGHWAY NO. 180
			Milepoint indicates distance from Corvallis - Newport Highway (US20), near Eddyville
0.02	130		0.02 mile east of Corvallis-Newport Highway (US20)
3.86	70		0.02 mile east of Hutchcroft Road
6.10	60		0.04 mile east of Norton Peak Lookout Road
11.55	120		0.15 mile west of Logsden Road
12.53	340		At Lincoln-Benton County Line
14.16	380		0.02 mile north of Summit Street
14.36	450		0.02 mile north of Marys River Road
14.70	450		On Marys River Bridge
19.00	590		0.18 mile north of Corvallis-Newport Highway (US20)
			SILETZ HIGHWAY NO. 181
			Milepoint indicates distance from Oregon Coast Highway (US101), at Kernville
-0.11	1000		0.10 mile east of Oregon Coast Highway (US101)
1.21	970		0.21 mile east of Gorton Road
2.44	670		At National Forest Boundary
4.25	520		0.02 mile west of Siletz Street
5.69	370		0.20 mile east of Euchre Mountain Road
7.95	320		0.10 mile east of South Siletz River Drive
13.67	270		0.02 mile south of Mowery's Landing Road
17.47	500		At Chitwood Creek
20.66	650		At Siletz River, on Ojalla Bridge
21.13	710		0.02 mile south of Ojalla Road
23.48	1000		At north city limits of Siletz
23.74	2900		0.02 mile north of Metcalf Road
23.77	2400		0.01 mile south of Metcalf Road
23.80	4600		0.01 mile north of West Buford Avenue
23.83	4300		0.02 mile south of West Buford Avenue
24.10	4000		At south city limits of Siletz
27.40	4000		0.04 mile north of Little Depot Creek
31.18	4500		0.06 mile north of Corvallis-Newport Highway (US20)
			DALLAS-RICKREALL HIGHWAY NO. 189
			Milepoint indicates distance from Kings Valley Highway (OR223), in Dallas
0.05	17700		0.05 mile east of Kings Valley Highway (OR223)
0.34	13700		0.02 mile west of Polk Station Road
0.62	12600		0.02 mile east of La Creole Drive
1.05	12900		0.02 mile west of Oak Villa Road
1.57	13900		0.02 mile east of Fir Villa Road
2.66	14400		0.02 mile west of Bowersville Road
3.15	13400		0.10 mile west of Rickreall Road
3.37	10900		0.12 mile east of Rickreall Road
			KINGS VALLEY HIGHWAY NO. 191
			Milepoint indicates distance from Willamina - Salem Highway (OR22), at Polk Station
0.10	3400		0.10 mile south of Willamina-Salem Highway (OR22)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			KINGS VALLEY HIGHWAY NO. 191 (Continued)
0.60	3600		0.10 mile south of Fir Villa Road
1.91	3500		0.22 mile northeast of Polk Station Road, north city limits of Dallas
2.15	3500		0.02 mile southwest of Polk Station Road
2.58	9100		0.05 mile north of Dallas-Rickreall Highway (OR223)
2.70	15800		0.07 mile south of Dallas-Rickreall Highway (OR223)
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Main Street
3.07	8200		0.02 mile north of Academy Street
3.11	8300		0.02 mile south of Academy Street
3.24	7900		0.02 mile north of Mill Street
3.31	7000		0.02 mile north of Court Street
3.35	6600		0.02 mile south of Court Street
			NORTHBOUND - ONE-WAY TRAFFIC
			On Jefferson Street
3.05	9500		0.02 mile north of Academy Street
3.09	8700		0.02 mile south of Academy Street
3.21	8100		0.02 mile north of Mill Street
3.28	5900		0.02 mile north of Court Street
3.36	5900		0.02 mile north of Washington Street
			On Washington Street
3.42	10500		0.02 mile west of Main Street
			RESUME TWO-WAY TRAFFIC
3.43	11900		0.02 mile east of Main Street
3.54	9700		0.02 mile east of Levens Street
3.58	10700		0.02 mile west of Levens Street
3.75	9700		0.02 mile east of Fairview Avenue
			On Fairview Avenue
3.88	9000		0.02 mile south of Clay Street
4.13	7100		0.02 mile south of Birch Street
4.56	4100		At south city limits of Dallas
5.44	3900		0.02 mile south of Liberty Road
7.32	3900		0.02 mile north of Cooper Hollow Road
8.40	3000		0.02 mile north of Strong Road
8.93	2900		0.05 mile north of Falls City Road
9.03	2000		0.05 mile south of Falls City Road
9.90	1900		0.05 mile north of Monmouth Highway
10.00	1500		0.05 mile south of Monmouth Highway
10.96	710		0.02 mile south of Gardner Road
12.63	660		0.02 mile south of McTimmonds Road
14.68	590		0.02 mile south of Fir Grove Road
16.81	720		0.02 mile south of Maple Grove Road
17.55	670		0.11 mile south of Pedee
21.57	530		At Polk-Benton County Line
23.54	630		0.02 mile north of Maxfield Creek Road
23.58	860		0.02 mile south of Maxfield Creek Road

Milepoint	2017 AADT AII	ATR	Location Description
Willepolite	Vehicles	AVC	
			KINGS VALLEY HIGHWAY NO. 191 (Continued)
26.43	1200	*	Kings Valley Automatic Traffic Recorder, Sta. 02-005, 1.41 miles south of Hoskins-Summit Road
30.70	1500		0.02 mile south of Priest Road
31.35	1800		0.05 mile north of Corvallis-Newport Highway (US20)
			INDEPENDENCE HIGHWAY NO. 193
			Milepoint indicates distance from Willamina - Salem Highway (OR22), near Brunks Corner
0.06	7500		0.06 mile south of Willamina-Salem Highway (OR22)
3.13	7900		0.02 mile south of Greenwood Road
5.20	7300		0.02 mile south of Hanna Road
5.91	7500		0.02 mile north of North Grand Street
6.33	8100		0.01 mile north of Monmouth-Independence Highway (OR51)
			MONMOUTH HIGHWAY NO. 194
			Milepoint indicates distance from Kings Valley Highway (OR223), near Bridgeport
0.02	890		0.02 mile east of Kings Valley Highway (OR223)
1.28	800		0.30 mile east of Smith Road
2.43	1100		0.02 mile east of Cooper Hollow Road
4.73	1300		0.02 mile east of Fishback Hill Road
6.44	1300		At south city limits of Monmouth
7.00	1600		0.02 mile south of Main Street
			On Main Street
7.04	2700		0.02 mile east of Whitman Street
7.15	3300		0.02 mile west of Monmouth Avenue
7.19	5800		0.02 mile east of Monmouth Avenue
7.34	360		0.02 mile east of Knox Street
7.54	8800		0.02 mile west of Pacific Highway West (OR99W)
			TERRITORIAL HIGHWAY NO. 200
			Milepoint indicates distance from Pacific Highway West (OR99W), in Monroe
0.04	2200		0.07 mile south of Pacific Highway West (OR99W)
0.23	1700		At south city limits of Monroe
2.03	1600		At Benton-Lane County Line
4.41	1600		0.02 mile south of Ferguson Road
8.60	2200		0.02 mile north of Mapleton-Junction City Highway (OR36)
10.28	620		0.20 mile south of Mapleton-Junction City Highway (OR36)
13.54	1900	*	Fern Ridge Automatic Traffic Recorder, Sta. 20-023, 3.46 miles south of Mapleton-Junction City Highway No. 229 (OR36)
14.19	1600		0.02 mile south of Krugur Park Road
14.74	4100		0.02 mile south of Lawrence Road
16.42	4100		0.02 mile south of Arnold Lane
18.45	5400		0.02 mile north of Warthen Road
18.68	7800		0.02 mile north of Suttle Road
19.51	9700		0.02 mile south of Florence-Eugene Highway (OR126)
19.72	8800		0.02 mile south of Broadway Avenue
19.89	7300		0.02 mile south of Hunter Road
20.10	7100		0.02 mile north of West Bolton Hill Road
20.14	6300		0.02 mile south of West Bolton Hill Road
20.70	2300		0.02 mile south of Perkins Road
24.11	1300		0.02 mile north of Vaughn Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
<u>-</u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		TERRITORIAL HIGHWAY NO. 200 (Continued)
24.15	1700		0.02 mile south of Vaughn Road
25.15	1700		0.10 mile south of Crow Road
25.49	1200		On Coyote Creek Bridge
27.37	980		0.02 mile south of Doane Road
28.74	940		0.02 mile south of Briggs Hill Road
30.49	910		0.02 mile south of Powell Road
32.02	980		0.04 mile west of Lorane Highway at Gillespie Corners
32.08	1700		0.02 mile south of Lorane Highway at Gillespie Corners
37.75	1300		0.02 mile north of Cottage Grove-Lorane Road
37.79	1200		0.02 mile south of Cottage Grove-Lorane Road
37.89	870		0.02 mile south of Siuslaw River Road
40.43	540		0.02 mile south of Gowdyville Road
42.08	510		At Lane-Douglas County Line
			ALSEA-DEADWOOD HIGHWAY NO. 201
			Milepoint indicates distance from Alsea Highway (OR34), at Alsea
0.02	620		0.02 mile south of Alsea Highway (OR34)
0.93	560		0.02 mile north of South Fork Road
1.11	480		On south end of Alsea River Bridge
1.33	350		0.02 mile south of Overman Road
2.55	250		0.02 mile south of Fudge Road
3.73	180		0.02 mile south of Van Horn Road
6.31	160		At Little Lobster Summit
9.41	140		0.02 mile north of Hazel Glen Road
			CORVALLIS-LEBANON HIGHWAY NO. 210
			Milepoint indicates distance from Albany - Corvallis Highway (US20), in Corvallis
			EASTBOUND - ONE-WAY TRAFFIC
			On Van Buren Street
-0.08	9800		0.02 mile east of Pacific Highway West (OR99W-SB)
-0.03	11500		0.02 mile east of Pacific Highway West (OR99W-NB)
0.02	10100		0.02 mile east of Albany-Corvallis Highway (US20)
0.13	10800		On Willamette River Bridge, east city limits of Corvallis
0.33	25500		0.03 mile east of the end the Corvallis-Newport Highway couplet
			WESTBOUND - ONE-WAY TRAFFIC
			On Harrison Street
-0.08	12800		0.02 mile east of Pacific Highway West (OR99W-SB)
-0.04	11100		0.01 mile east of Pacific Highway West (OR99W-NB)
0.13	10000		On Willamette River Bridge, east city limits of Corvallis
			RESUME TWO-WAY TRAFFIC
0.36	34000		0.02 mile east of Corvallis-Newport Highway No. 33 (OR34)
1.09	34000		0.10 mile west of Peoria Road
1.29	30900		0.10 mile east of Peoria Road
3.92	32400	*	Riverside Drive Automatic Traffic Recorder, Sta. 22-020, 0.89 mile east of Riverside Drive
5.38	26100		0.02 mile east of Oakville Road
7.15	25000		0.50 mile west of Albany-Junction City Highway (OR99E)
7.85	23100		0.20 mile east of Albany-Junction City Highway (OR99E)

-	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			CORVALLIS-LEBANON HIGHWAY NO. 210 (Continued)
9.74	18800		0.30 mile west of Pacific Highway (I-5)
10.24	17400		0.20 mile east of Pacific Highway (I-5)
10.79	18300		0.02 mile east of Seven Mile Lane
13.99	19400		0.02 mile west of Red Bridge Road
14.03	18800		0.02 mile east of Red Bridge Road
15.90	6000		0.02 mile east of Langmack Road
			West city limits of Lebanon
17.28	6400		0.02 mile east of 12th Street
17.44	6400		0.04 mile east of 10th Street
17.62	6800		0.02 mile west of 7th Street
17.78	7000		0.02 mile west of 5th Street
17.93	7100		0.02 mile west of South 2nd Street
18.11	5200		0.02 mile west of Santiam Highway (US20)
			ALBANY-LYONS HIGHWAY NO. 211
			Milepoint indicates distance from Santiam Highway (US20), at Crabtree Corner
0.43	5600	*	Crabtree Automatic Traffic Recorder, Sta. 22-010, 0.43 mile east of Santiam Highway No. 16 (US20)
4.01	4600		0.02 mile east of Brewster Road
4.79	3200		0.10 mile north of Fish Hatchery Drive
			Equation: MP 4.31 BK = MP 4.70 AH
9.57	3600		0.02 mile north of SW 6th Avenue
9.67	3700		0.02 mile north of SW 4th Avenue
9.78	4700		0.02 mile south of SE 1st Avenue
9.82	2000		0.02 mile east of Main Street
9.88	2000		0.02 mile west of Birch Street
9.98	1900		0.08 mile east of SE Cedar Street, east city limits of Scio
11.99	1600		0.02 mile west of Richardson Gap Road
16.49	1400		0.02 mile east of Camp Morrison Drive
18.68	1500		0.10 mile east of Kingston-Jordan Road
23.63	1300		0.02 mile west of road to North McCully Mountain Road
			South city limits of Lyons
24.39	1700		0.02 mile south of Main Street
24.43	3800		0.02 mile west of 6th Street
25.45	4400		At the North Santiam River Bridge
25.69	3800		0.02 mile south of North Santiam Highway (OR22)
			HALSEY-SWEET HOME HIGHWAY NO. 212
			Milepoint indicates distance from Albany - Junction City Highway (OR99E), in Halsey
0.02	4200		0.02 mile east of Albany-Junction City Highway (OR99E)
1.45	4200		0.02 mile west of Bond Road
2.30	5800		0.10 mile west of Pacific Highway (I-5)
2.50	7500		0.10 mile east of Pacific Highway (I-5)
4.71	4400		0.02 mile east of Fisher Road
			West city limits of Brownsville
6.14	4700		0.02 mile west of Washburn Street
6.21	5400		0.02 mile west of Main Street
6.24	4100		0.01 mile east of Main Street

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			HALSEY-SWEET HOME HIGHWAY NO. 212 (Continued)
6.56	3400		0.07 mile east of Moyer Street
6.60	3400		0.02 mile east of Hume Street
8.30	2900		0.02 mile east of Courtney Creek Road
13.57	3400		0.02 mile east of Brush Creek Road
16.64	3300		0.10 mile west of Upper Calapooia Drive
16.76	3600		0.02 mile east of Upper Calapooia Drive
18.86	3900		0.02 mile north of Greenville Road
			West city limits of Sweet Home
20.61	4900		0.02 mile east of Fern Ridge Road
21.02	5400		0.02 mile west of 1st Avenue
21.16	4400		0.02 mile east of 3rd Avenue
21.36	4400		0.02 mile west of Long Street
21.39	5500		0.01 mile southwest of Santiam Highway (US20)
			CLEAR LAKE-BELKNAP SPRINGS HIGHWAY NO. 215
			Milepoint indicates distance from Santiam Highway (US20), west of Santiam Junction
0.10	1600		0.10 mile south of Santiam Highway (US20)
			Linn - Lane County Line, MP 13.02
19.71	1700		0.10 mile north of McKenzie Highway (OR126)
			SPRINGFIELD-CRESWELL HIGHWAY NO. 222
			Milepoint indicates distance from McKenzie Highway (OR126 Bus.), in Springfield
5.20	5100		On Middle Fork Willamette River (Jasper Bridge)
7.98	3700		0.02 mile north of Willamette Highway (OR58)
11.65	2900		0.08 mile north of North Rodgers Road
12.84	2900		0.02 mile west of Bear Creek Road
13.88	4000		0.02 mile west of Dale Kuni Road
14.39	7900		0.20 mile east of Pacific Highway (I-5)
14.83	12500		0.05 mile east of Goshen-Divide Highway (OR99)
			MCVAY HIGHWAY NO. 225
			Milepoint indicates distance from McKenzie Highway (OR126 Bus.), west of Springfield
1.01	10500		At McVay Overcrossing (SPRR)
1.75	10000		0.20 mile south of Pacific Highway (I-5) Overcrossing
2.17	10000		0.02 mile north of 30th Avenue
			GOSHEN-DIVIDE HIGHWAY NO. 226
			Milepoint indicates distance from Willamette Highway (OR58), at Goshen
0.18	5000		0.02 mile west of 1st Street on Goshen Avenue
0.25	6200		0.02 mile south of Goshen Avenue
0.41	6200		0.02 mile south of "B" Street
0.57	6000		0.02 mile south of "D" Street
2.08	4300		0.05 mile north of connection to Pacific Highway (I-5) Frontage Road
2.27	4000		0.02 mile south of Dillard Road
5.39	2800		0.24 mile south of West Martin Road
5.69	5200		0.05 mile north of Springfield-Creswell Highway
5.76	14900		0.02 mile west of Springfield-Creswell Highway
5.80	5000		0.02 mile south of Oregon Avenue
5.85	3600		0.01 mile south of "C" Avenue

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			GOSHEN-DIVIDE HIGHWAY NO. 226 (Continued)
6.53	4400		0.02 mile north of Market Road
6.57	3700		0.02 mile south of Market Road
8.69	2700		0.02 mile north of Tate Road
8.73	2900		0.02 mile south of Tate Road
10.38	2700		0.02 mile south of Lynx Hollow Road
10.70	3000		0.02 mile south of Davison Road at Walker
11.99	3300		0.02 mile north of Saginaw East Road
12.03	3300		0.02 mile south of Saginaw East Road
13.79	3100		On Coast Fork Willamette River Bridge
14.05	4500		0.02 mile north of connection to Pacific Highway (I-5)
14.11	10800		0.04 mile south of connection to Pacific Highway (I-5)
14.40	7700		0.02 mile north of Thayer Avenue
14.68	7700		0.02 mile north of Whiteaker Avenue
14.77	8500		0.02 mile north of Main Street
14.81	8900		0.02 mile south of Main Street
14.86	7300		0.02 mile south of Washington Street
15.09	6600		0.02 mile south of 6th Street
15.32	6000		0.04 mile north of Harrison Avenue, south city limits of Cottage Grove
15.46	4900		0.10 mile south of Harrison Avenue
16.02	3400		0.20 mile south of South River Road
16.82	3400		0.02 mile south of Dugan Lane
17.32	3000		0.02 mile south of Latham Road
19.55	1700		0.39 mile north of Pacific Highway (I-5)
			EUGENE-SPRINGFIELD HIGHWAY NO. 227
			Milepoint indicates distance from Pacific Highway West (OR99/OR126 Bus.), in Eugene
0.31	57700		0.10 mile north of connection from West 6th Avenue (OR99/OR126 BusWB)
1.29	59900		0.40 mile east of Delta Highway Interchange
2.82	65100	*	Willakenzie Automatic Traffic Recorder, Sta. 20-008, 0.66 mile west of Pacific Highway No. 1 (I-5) in Eugene
4.08	71300		0.60 mile east of Pacific Highway (I-5) Interchange
5.17	61100		0.50 mile east of Springfield Highway Interchange (OR528)
6.59	47100		0.50 mile east of Mohawk Boulevard Interchange
8.66	33200	*	East Springfield Automatic Traffic Recorder, Sta. 20-027, 0.39 mile north of 52nd Street
9.76	22700		0.20 mile north of McKenzie Highway (OR126 Bus.)
			SPRINGFIELD HIGHWAY NO. 228
			Milepoint indicates distance from Eugene - Springfield Highway (OR126), in Springfield
0.50	19400		0.50 mile south of Eugene-Springfield Highway (OR126)
0.74	14000		0.10 mile south of Centennial Boulevard
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Pioneer Parkway West
1.15	6000		0.02 mile south of "D" Street
1.35	5100		0.02 mile north of McKenzie Highway (OR126 BusWB)
1.39	3600		0.01 mile north of McKenzie Highway (OR126 BusEB)
			NORTHBOUND - ONE-WAY TRAFFIC
			On Pioneer Parkway East
1.15	5900		0.02 mile south of "D" Street

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			SPRINGFIELD HIGHWAY NO. 228 (Continued)
1.35	5300		0.02 mile north of McKenzie Highway (OR126 BusWB)
1.39	3500		0.01 mile north of McKenzie Highway (OR126 BusEB)
			MAPLETON-JUNCTION CITY HIGHWAY NO. 229
			Milepoint indicates distance from Florence - Eugene Highway (OR126), at Mapleton
0.05	1000		0.06 mile north of Florence-Eugene Highway (OR126)
3.35	870		0.02 mile northeast of North Fork Road
4.70	800		0.02 mile east of Thompson Creek Road
6.93	720		0.29 mile west of Village Loop Road
7.24	680		0.02 mile east of Village Loop Road
7.95	670		0.05 mile east of First Street at Swisshome
8.37	560		0.02 mile west of Stagecoach Road
8.44	520		0.05 mile east of Stagecoach Road
10.60	430		0.02 mile east of Indian Creek Road
13.23	400		0.02 mile west of Lower Deadwood Creek Road
16.41	310		On Chappell Creek Bridge
18.33	300		On Wheeler Creek Bridge
19.77	340		0.02 mile east of road to Windy Peak Lookout
22.74	430		0.02 mile east of State Forest Road
26.09	490		0.02 mile west of Little Lake Road
26.13	520		0.02 mile north of Little Lake Road
28.41	690		0.02 mile north of Rust Road
29.38	840		0.02 mile east of Jay Road
30.50	950		At Blachly
31.40	990		0.02 mile east of Horton Road
33.99	1000		0.02 mile west of entrance to Blachly Forest Wayside
38.08	1200		0.02 mile west of Alderwood Drive (Hall Road)
41.04	2000	*	Goldson Automatic Traffic Recorder, Sta. 20-004, 2.36 miles southwest of Goldson Road
45.93	1800		0.02 mile west of Territorial Highway
46.10	2300		0.02 mile east of Allen and Bales Road (Valley View Drive)
47.43	3200		0.02 mile east of Territorial Highway
47.81	3800		On Long Tom River Bridge
49.66	4000		0.02 mile east of Alvadore Road
51.49	4000		0.10 mile west of Pacific Highway West (OR99)
			ELKTON-SUTHERLIN HIGHWAY NO. 231
			Milepoint indicates distance from Umpqua Highway (OR38), in Elkton
0.02	2200		0.02 mile south of Umpqua Highway (OR38)
0.11	2000		0.02 mile south of Azalea Drive, south city limits of Elkton
0.21	1800		0.02 mile south of Mehl Creek Road
1.68	1600		0.01 mile south of Wells Road
3.82	1600		On Smith Bridge (Umpqua River)
6.20	1600		0.02 mile north of Bullock Road
6.32	1600		On Kellogg Bridge (Umpqua River)
6.48	1600		0.02 mile south of Madison Road
13.27	1700		0.02 mile north of Bullock Bridge Road
13.31	2000		0.02 mile south of Bullock Bridge Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			ELKTON-SUTHERLIN HIGHWAY NO. 231 (Continued)
13.73	1900		0.04 mile southeast of Tyee Road
16.79	2000		0.02 mile southeast of Green Valley Road
21.47	2400		0.02 mile north of Rolling Ridge Road
22.10	3100		On Rochester Bridge (Calapooya Creek)
22.81	3400		0.02 mile southeast of Stearns Lane
23.53	3400		0.36 mile northwest of Fort McKay Road
23.91	7900		0.02 mile east of Fort McKay Road
24.11	11300		0.10 mile west of Pacific Highway (I-5)
24.39	11100		0.18 mile east of Pacific Highway (I-5)
			WEST DIAMOND LAKE HIGHWAY NO. 233
			Milepoint indicates distance from Crater Lake Highway (OR62), north of Union Creek
0.02	730		0.02 mile northeast of Crater Lake Highway (OR62)
5.86	590		0.15 mile south of County Line Road
23.78	740		0.02 mile west of North Umpqua Highway (OR138)
			CAPE ARAGO HIGHWAY NO. 240
			Milepoint indicates distance from Oregon Coast Highway (US101) in North Bend
			On Virginia Avenue
-0.03	5500		0.02 mile west of Sheridan Avenue, Oregon Coast Highway (US101-NB)
0.02	10000		0.02 mile west of Sherman Avenue, Oregon Coast Highway (US101-SB)
0.09	11800		0.02 mile east of McPherson Avenue
0.18	14800		0.02 mile west of Meade Avenue
0.42	14400		On Pony Creek Bridge
			On Broadway Street
0.75	12400		0.06 mile west of Everett
0.79	9400		0.02 mile south of Virginia Avenue
1.29	11400		0.02 mile north of 16th Street
			On Newmark Avenue
1.33	12400		0.02 mile south of 16th Street
2.10	16400		0.02 mile east of South Oak Street
2.22	16800		0.02 mile east of Fir Street
			MP 2.24 to MP 4.49 Transferred to the City of Coos Bay
4.49	8200		At south city limits of Coos Bay
5.09	8100		0.02 mile south of Spaw Lane
5.95	6900		0.02 mile south of Tarheel Lane
7.03	5900		0.02 mile north of Henderson Lane
7.52	6300		0.02 mile north of Wilshire Boulevard
8.11	5500		0.02 mile west of Libby Lane
8.47	5500		0.02 mile east of Boat Basin Road at Charleston
8.76	2500		0.02 mile west of Shore Edge Drive
8.99	2600		0.02 mile west of Walker Road
9.78	2300		0.50 mile west of Coos Head Road
			COOS RIVER HIGHWAY NO. 241
			Milepoint indicates distance from Oregon Coast Highway (US101), at Bunker Hill
0.10	8700		0.02 mile west of Edwards Road

Milepoint	2017 AADT AII	ATR	Location Description
Milepoliti	Vehicles	AVC	
			COOS RIVER HIGHWAY NO. 241 (Continued)
0.51	8900		On Isthmus Slough Bridge
			MP 0.72 to MP 2.23 Transferred to the City of Coos Bay
2.31	3000		0.02 mile west of Catching Slough Road
3.37	2400		0.02 mile west of South Fork Coos River Road
3.73	1700		On Coos River (Chandler Bridge)
3.91	940		0.02 mile east of East Bay Drive
7.33	690		On Mart Davis Creek Bridge
14.07	680		On Millicoma River (Allegany Bridge)
14.21	340		0.05 mile east of West Fork Millicoma Road at Allegany
15.10	370		0.20 mile east of Marlow Creek
19.13	420		0.02 mile west of East Fork Millicoma Road
			POWERS HIGHWAY NO. 242
			Milepoint indicates distance from Coos Bay - Roseburg Highway (OR42), south of Myrtle Point
0.30	1900		0.30 mile south of Coos Bay-Roseburg Highway (OR42)
2.43	1400		0.02 mile north of Dement Creek Road
2.47	1200		0.02 mile south of Dement Creek Road
3.54	1200		On Robbins Creek Bridge
9.73	960		0.02 mile south of Gaylord Road
10.73	900		0.12 mile south of Yellow Creek Road
17.14	840		On South Fork Coquille River (White Bridge)
17.86	1200		0.02 mile south of Alder Street
18.22	1800		On Coquille River (Powers Bridge)
18.38	1500		0.02 mile south of Spruce Street
18.56	1000		0.02 mile west of 2nd Avenue
18.70	950		0.02 mile west of 4th Avenue
18.74	870		0.02 mile south of Poplar Street on 4th Avenue
18.89	760		0.10 mile south of Hemlock Street
			COQUILLE-BANDON HIGHWAY NO. 244
			Milepoint indicates distance from Oregon Coast Highway (US101), in Bandon
0.04	5300		0.03 mile east of Oregon Coast Highway (US101)
0.19	3100		0.02 mile east of Ohio Street, east city limits of Bandon
1.57	2100		0.02 mile west of Prosper Junction Road
1.61	1500		0.02 mile east of Prosper Junction Road
3.12	1100		0.02 mile east of Parkersburg Road
7.24	890		0.02 mile east of Myrtle Point-Lampa Road
10.80	920		0.05 mile south of Riverton Road
11.14	1000		0.02 mile north of Main Street at Riverton
11.23	1100		0.02 mile north of Myrtle Street
14.69	1300		0.02 mile west of Fat Elk Road
14.73	1600		0.02 mile east of Fat Elk Road
16.50	1600		0.10 mile west of Fishtrap Road
16.78	2500		On Coquille River Bridge, south city limits of Coquille
16.89	3100		0.01 mile west of Coos Bay-Roseburg Highway (OR42)

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			CAPE BLANCO HIGHWAY NO. 250
			Milepoint indicates distance from Cape Blanco Lighthouse Parking Area
5.28	530		0.15 mile west of Dewey Road
5.55	530		0.02 mile west of Oregon Coast Highway (US101)
			PORT ORFORD HIGHWAY NO. 251
			Milepoint indicates distance from Coast Guard Station Gate
0.02	140		0.02 mile east of Coast Guard Station
0.31	240		0.02 mile west of Spy Glass Hill Road
0.60	270		0.02 mile south of 9th Street
0.64	380		0.02 mile east of Arizona Street
0.74	400		0.02 mile west of Oregon Coast Highway (US101)
			CARPENTERVILLE HIGHWAY NO. 255
			Milepoint indicates distance from Washington - Oregon State Line
334.91	90		0.04 mile east of Oregon Coast Highway, (US101) at the entrance to Cape Sebastian State Park
339.55	170		0.02 mile south of Pistol River Loop
341.24	210		0.02 mile east of Oregon Coast Highway (US101)
343.44	60		0.02 mile east of Mack Arch Road (US101 connection)
349.16	60		0.10 mile south of South Fork Pistol River Road at Carpenterville
356.90	160		0.02 mile south of Cape Ferrelo Road
361.98	890		0.02 mile north of Rainbow Rock Road
362.17	2200		0.10 mile northeast of Oregon Coast Highway (US101)
			ROGUE RIVER LOOP HIGHWAY NO. 260
			Milepoint indicates distance from Redwood Highway, 6th Street, in Grants Pass
1.32	4000		0.02 mile south of Upper River Road
1.68	5200		0.02 mile south of SW Bridge Street
1.86	3400		0.07 mile west of Lincoln Road
2.10	2600		0.02 mile west of Roguelea Lane
2.41	2000		0.02 mile west of Summer Lane
4.52	1000		0.01 mile east of Sycamore Drive
5.73	770		0.02 mile east of Upper River Road
5.85	2100		0.10 mile west of Upper River Road
8.42	940		0.02 mile north of Gunnell Road
17.74	1300		0.10 mile south of Limpy Creek Road
20.11	1800		0.02 mile northwest of Marcy Loop Road
22.19	2400		0.05 mile north of Redwood Highway (US199)
			LAKE OF THE WOODS HIGHWAY NO. 270
			Milepoint indicates distance from Crater Lake Highway (OR62), south of White City
-7.97	7700		0.10 mile northwest of Dean Creek Frontage Road
-6.88	5600		0.05 mile north of Blackwell Road
-5.23	6800		0.05 mile east of High Banks Road
-3.60	5000		0.05 mile east of West Antelope Road
-2.67	4400		0.05 mile west of Pacific Avenue
			MP -2.71 to MP -2.55 Under Jurisdiction of Jackson County
-2.50	4600		0.12 mile east of south leg of Pacific Avenue
-1.90	4400		0.05 mile east of 5th Street
-1.59	3200		0.05 mile east of 8th Street

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
			LAKE OF THE WOODS HIGHWAY NO. 270 (Continued)
-1.21	4400		0.05 mile west of Agate Road
-0.55	3400		0.05 mile north of Antelope Road
-0.25	5000		0.05 mile north of Leigh Way
-0.05	3500		0.05 mile west of Crater Lake Highway No. 22 (OR62)
0.12	6700		0.12 mile east of Crater Lake Highway (OR62)
2.31	6600		0.02 mile east of Kershaw Road
3.69	4200		0.10 mile east of Riley Road
7.96	3400		0.02 mile southwest of Brownsboro-Eagle Point Road
12.46	3300		0.10 mile west of Lake Creek Loop (West Jct.)
14.74	3000		0.02 mile west of Lake Creek Loop (East Jct.)
16.03	3200	*	Lake of the Woods Automatic Traffic Recorder, Sta. 15-020, 1.27 miles east of Lake Creek Loop (East Jct.)
30.42	3100		0.01 mile west of road to Fish Lake Resort
			Jackson - Klamath County Line, MP 32.25
37.60	2600		0.10 mile west of Dead Indian Memorial Road
44.42	2900		0.10 mile east of Rocky Point Road
50.39	2800		0.02 mile east of road to Aspen Creek Trail
61.58	3000		0.10 mile west of Running Y Road
68.74	3800		0.02 mile north of Green Springs Highway (OR66)
			SAMS VALLEY HIGHWAY NO. 271
			Milepoint indicates distance from Rogue River Highway (OR99), at Rock Point Interchange
-0.20	2900		0.10 mile east of Rogue River Highway (OR99)
0.09	2700		On Rogue River (Rock Point Bridge)
0.19	3500		0.02 mile east of North River Road
0.80	3200		On Sardine Creek Bridge
			On 2nd Avenue
1.55	3900		0.03 mile east of Kenneth Way
2.14	4600		0.02 mile west of Gustaf Street
2.34	5200		0.02 mile west of Dardanelles Street and Gold Hill Spur (OR99)
			On 4th Street
2.38	3400		0.02 mile north of 2nd Avenue and Gold Hill Spur (OR99)
			On 4th Avenue
2.46	2800		0.02 mile east of Dardanelles Street
2.60	2800		0.02 mile east of Beeman Street
			North city limits of Gold Hill
4.76	2400		0.05 mile west of road to Gold Nugget Wayside
7.24	2300		0.02 mile southwest of Ramsey Road
7.28	2100		0.02 mile east of Ramsey Road
10.58	3000		0.10 mile west of Table Rock Road
10.83	2900		0.15 mile east of Table Rock Road
17.38	3400		0.10 mile west of Crater Lake Highway (OR62)
			JACKSONVILLE HIGHWAY NO. 272
			Milepoint indicates distance from Redwood Highway (US199), in Grants Pass
0.20	26800		At south city limits of Grants Pass
0.24	16900		0.02 mile south of Union Avenue
0.85	16500	<u> </u>	0.05 mile north of West Harbeck Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			JACKSONVILLE HIGHWAY NO. 272 (Continued)
1.51	16200		0.02 mile north of New Hope Road
1.55	10600		0.02 mile south of New Hope Road
2.86	9200		0.02 mile south of Espey Road
5.20	8600		0.02 mile south of Cloverlawn Drive
6.08	6500		0.02 mile south of North Applegate Road
7.20	5000		0.02 mile west of Grays Creek Road
9.76	4300		At Johnson Creek, 0.07 mile east of Crystal Drive
11.93	2000		0.10 mile east of Water Gap Road
			Josephine - Jackson County Line, MP 13.79
13.88	2500		0.10 mile east of Williams Highway
18.02	2800		0.02 mile east of Thompson Creek Road
24.10	3200		0.02 mile west of Hamilton Road
24.94	3600	*	Ruch Automatic Traffic Recorder, Sta. 15-011, 0.68 mile west of Applegate Road at Ruch
25.64	5800		0.02 mile east of Applegate Road
30.50	5900		0.02 mile east of Cady Road
32.41	6400		0.03 mile west of Mary Ann Drive, west city limits of Jacksonville
33.21	7200		0.02 mile west of Oregon Street
33.25	7600		0.02 mile east of Oregon Street
33.36	9300		0.02 mile west of 5th Street
33.40	7000		0.02 mile north of California Street
33.60	9100		0.02 mile north of "F" Street
			North city limits of Jacksonville
34.82	10800		0.05 mile south of West Main Street
34.97	8300		0.10 mile north of West Main Street
36.22	7900		0.02 mile east of Hanley Street
37.76	18100		0.04 mile east of Ross Lane North, west Medford city limits
38.13	18900		0.05 mile east of Sage Road
38.44	15100		0.02 mile east of Central Avenue
			SISKIYOU HIGHWAY NO. 273
			Milepoint indicates distance from Green Springs Highway (OR66), southeast of Ashland
0.02	600		0.02 mile south of Green Springs Highway (OR66)
3.51	260		0.02 mile north of Steinman Drive
3.55	160		0.02 mile south of Steinman Drive
7.00	550		0.49 mile north of Mt. Ashland Ski Road
12.00	40		0.16 mile northeast of Pacific Highway (I-5)
			HOOD RIVER HIGHWAY NO. 281
			Milepoint indicates distance from Historic Columbia River Highway (US30), in Hood River
			On 13th Street
0.02	13300		0.02 mile south of Historic Columbia River Highway (US30)
0.31	12800		0.02 mile north of May Street
			SOUTHBOUND - ONE-WAY TRAFFIC
			On 13th Street
0.35	9700		0.02 mile south of May Street
0.64	10400		0.02 mile north of Belmont Road

Milonoint	2017 AADT AII	ATR	Location Description
Milepoint	Vehicles	AVC	Location Description
			HOOD RIVER HIGHWAY NO. 281 (Continued)
			NORTHBOUND - ONE-WAY TRAFFIC
			On May Street
0.35	9300		0.02 mile east of 13th Street
			On 12th Street
0.42	9600		0.02 mile south of May Street
0.70	10500		0.02 mile north of Belmont Road
			RESUME TWO-WAY TRAFFIC
0.81	22200		0.02 mile north of Nix Drive
1.19	10600		0.02 mile south of Brookside Drive, south city limits of Hood River
2.33	7300		0.02 mile north of Orchard Road
3.18	8800		0.05 mile south of Barrett Drive
4.16	8800		0.02 mile south of Portland Drive
5.11	8300		0.02 mile west of Odell Highway
7.38	2700		0.05 mile west of Summit Drive
11.42	2600		0.02 mile north of Lost Lake Road
14.23	1800		0.02 mile north of Alexander Drive
15.65	1400		0.02 mile north of Bassler Drive
16.75	2300		0.02 mile west of Clear Creek Road at Parkdale
16.81	2500		0.02 mile east of 2nd Street
17.18	2500		0.02 mile east of Allen Road
19.02	2000		0.05 mile west of Mt. Hood Highway (OR35)
			ODELL HIGHWAY NO. 282
			Milepoint indicates distance from Hood River Highway, north of Odell
0.02	6200		0.02 mile south of Hood River Highway
0.72	5200		0.02 mile south of Wyeast Road
1.78	5800		0.04 mile north of Summit Drive
1.84	5200		0.02 mile south of Summit Drive
2.25	3800		0.02 mile east of "A.G.A." Road
2.67	3500		0.05 mile north of Davis Road
2.74	4300		0.02 mile east of Davis Road
3.34	4900		0.11 mile west of Mt. Hood Highway No. 26 (OR35)
			SHERARS BRIDGE HIGHWAY NO. 290
			Milepoint indicates distance from The Dalles - California Highway (US197), at Tygh Valley
0.05	230		0.10 mile east of The Dalles-California Highway (US197)
4.72	90		0.02 mile east of Conroy Road
6.97	90		Railroad Undercrossing at Sherar Station
8.30	80		At Wasco-Sherman County Line
16.06	70		0.02 mile west of Payne Road (East Jct.)
18.61	80		0.07 mile north of Finnegan Road (Ball Lane/South Jct.)
21.33	70		0.02 mile north of Davis Lane
24.76	100		0.02 mile east of Stradley Road
25.81	120		0.02 mile east of Finnegan Road
	<del> </del>		†
28.23	140		0.02 mile south of South Street

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			SHANIKO-FOSSIL HIGHWAY NO. 291
			Milepoint indicates distance from Sherman Highway (US97), in Shaniko
0.03	110		0.03 mile south of Sherman Highway (US97)
0.56	70		0.46 mile south of 3rd Street, south city limits of Shaniko
4.39	70		At the Summit, 0.66 mile south of Rooper Road
7.79	80		0.02 mile northwest of Union Street
7.95	100		0.01 mile north of Antelope Highway
			Equation: MP 8.04 BK = MP 8.11 AH
8.24	160		At east city limits of Antelope
11.81	110		0.02 mile east of Cold Camp Road
			Equation: MP 17.11 BK = MP 17.21 AH
23.07	150		At Wasco-Wheeler County Line
			Equation: MP 24.93 BK = MP 25.30 AH
33.83	100		0.01 mile west of Pine Creek Road
39.24	110		0.01 mile south of Cottonwood Creek Road
			Equation: MP 39.25 BK = MP 39.31 AH
			Equation: MP 40.61 BK = MP 40.91 AH
42.61	170		0.02 mile south of road to cemetery
42.74	200		At south city limits of Fossil
42.97	240		0.02 mile south of John Day Highway (OR19)
			MOSIER-THE DALLES HIGHWAY NO. 292
			Milepoint indicates distance from Columbia River Highway (I-84), in Mosier
18.99	5800		0.25 mile east of connection to Columbia River Highway (I-84)
20.14	5800		0.10 mile west of The Dalles-California Highway (US197)
			ANTELOPE HIGHWAY NO. 293
			Milepoint indicates distance from The Dalles - California Highway (US97), at Willowdale
0.10	190		0.10 mile east of The Dalles-California Highway (US97)
0.89	210		0.10 mile east of connection to The Dalles-California Highway (US97)
8.28	190		0.02 mile west of Tub Springs Road
			Equation: MP 8.95 BK = MP Z8.86 AH
13.41	170		0.11 mile west of Shaniko-Fossil Highway (OR218)
			WASCO-HEPPNER HIGHWAY NO. 300
			Milepoint indicates distance from Old Sherman Highway, in Wasco
-1.67	450		0.30 mile east of Sherman Highway (US97)
-0.28	450		0.02 mile west of Clark Street
-0.11	960		0.02 mile north of Celilo-Wasco Highway (OR206)
-0.07	1300		0.02 mile south of Celilo-Wasco Highway (OR206)
0.02	620		0.02 mile east of Clark Street
0.58	490		At east city limits of Wasco
0.88	360		0.02 mile southeast of Klondike Road
6.63	400		At Hay Canyon Bridge
9.40	280		0.02 mile west of Fairview Road
9.44	290		0.02 mile east of Fairview Road
14.95	270		At Sherman-Gilliam County Line
24.37	260		0.02 mile east of Ajax Road
35.67	330		0.02 mile north of Ferry Canyon Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			WASCO-HEPPNER HIGHWAY NO. 300 (Continued)
36.08	370		0.15 mile northwest of Richmond Road
36.25	430		0.02 mile southeast of Richmond Road
40.15	500		At west city limits of Condon
40.51	710		0.02 mile west of Lincoln Street
40.61	830		0.02 mile west of Oregon Street
40.66	810		0.02 mile west of John Day Highway (OR19)
40.92	410		0.04 mile east of John Day Highway (OR19)
41.00	330		Wasco-Heppner Highway, 0.02 mile east of Ward Street
41.19	220		0.02 mile east of Jefferson Street
41.74	190	*	Condon Automatic Traffic Recorder, Sta. 11-004, 0.86 mile east of John Day Highway No. 5 (OR19)
45.58	160		0.02 mile west of Lonerock Highway
54.84	50		At Gilliam-Morrow County Line
61.74	60		0.02 mile east of lone-Gooseberry Road
73.31	100		0.02 mile west of Heppner-Spray Highway (OR207)
73.35	290		0.02 mile east of Heppner-Spray Highway (OR207)
78.25	250		0.02 mile southwest of Clarks Canyon Road
78.29	260		0.02 mile northeast of Clarks Canyon Road
82.38	410		0.02 mile north of Shobe Canyon Road
83.58	980		At south city limits of Heppner
84.08	1200		0.04 mile south of Heppner Highway (OR74)
			CELILO-WASCO HIGHWAY NO. 301
			Milepoint indicates distance from Columbia River Highway (I-84), at Celilo
0.30	670		0.30 mile east of Columbia River Highway (I-84)
			Wasco - Sherman County Line, MP 2.92
4.78	690		0.02 mile southwest of Celilo-Wasco Highway Spur and Fulton Canyon Road
4.82	550		0.02 mile southeast of Celilo-Wasco Highway Spur and Biggs-Rufus Highway
12.45	570		0.02 mile west of Van Gilder Road
14.53	310		0.20 mile west of Sherman Highway (US97)
15.07	470		0.26 mile west of Church Street, west city limits of Wasco
15.55	510		0.02 mile west of Wasco-Heppner Highway (OR206)
			LEXINGTON-ECHO HIGHWAY NO. 320
			Milepoint indicates distance from Heppner Highway (OR74), in Lexington
0.02	990		0.02 mile northeast of Heppner Highway (OR74)
0.08	870		0.02 mile northeast of East Street
0.25	910		At north city limits of Lexington
2.35	840		0.02 mile south of Lexington Grange Road
2.48	790		0.11 mile east of Lexington Grange Road
3.89	780		0.02 mile north of Turner Lane
10.15	730		0.02 mile northeast of Kilkenney Road
13.62	790		0.10 mile southwest of Grieb Lane
19.48	850		On Butter Creek Bridge
19.89	910		0.13 mile west of Gordon Creek Road
27.19	1000		0.05 mile south of Hermiston Highway (OR207)
27.29	380		0.05 mile east of Hermiston Highway (OR207)
34.40	390		0.02 mile west of Echo Meadows Road

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
	Verificies	AVC	LEXINGTON-ECHO HIGHWAY NO. 320 (Continued)
34.44	520		0.02 mile east of Echo Meadows Road
35.49	600		0.02 mile east of Front Street
35.68	790		0.02 mile west of Thielson Street
35.72	960		0.02 mile north of Main Street
36.23	1800		0.90 mile south of Umatilla-Stanfield Highway (US395)
50.25	7000		HEPPNER-SPRAY HIGHWAY NO. 321
			Milepoint indicates distance from Wasco - Heppner Highway (OR206), at Ruggs
0.02	250		0.02 mile south of Wasco-Heppner Highway (OR206)
2.85	220		0.02 mile north of Porcupine Road
2.89	180		0.02 mile south of Porcupine Road
8.65	230		0.02 mile north of Tall Rock Road
11.46	200		0.02 mile south of Deadman Hill Road
14.80	150		0.02 mile south of Sunflower Flat Road
16.07	150		At Chapin Creek
19.45	120		0.01 mile south of Deadman Hill Road
24.65	80		At Morrow-Wheeler County Line
36.87	80		·
	110		0.68 mile south of Haystack Creek 0.10 mile north of John Day Highway (OR19)
40.86	110		WESTON-ELGIN HIGHWAY NO. 330
			Milepoint indicates distance from Winn Road, northeast of Weston
-0.63	1400		
	710		0.69 mile south of Oregon-Washington Highway (OR11), at Hay Creek
-0.05	710		0.05 mile west of Winn Road at Hay Creek  Weston Automatic Traffic Recorder, Sta. 30-012, 1.44 miles east of Oregon-Washington Highway No. 8
0.12	1100	*	(OR11)
			Equation: MP 6.69 BK = MP 7.00 AH
14.45	700		0.02 mile west of McDougall Camp Road
19.87	600		0.02 mile west of Kendall Skyline Road
20.01	580		0.12 mile east of Kendall Skyline Road
			Umatilla - Union County Line, MP 21.19
26.54	550		0.16 mile south of Skyline Road
37.49	720		0.02 mile east of Summerville Road
39.54	760		0.01 mile west of Valley View Road
40.27	1800		0.02 mile east of South 19th Street, west city limits of Elgin
40.40	2000		0.02 mile east of South 17th Street
40.51	2800		0.02 mile east of 14th Avenue
40.82	3200		0.02 mile west of Wallowa Lake Highway (OR82)
			UMATILLA-MISSION HIGHWAY NO. 331
			Milepoint indicates distance from Oregon Washington Highway (OR11), northeast of Pendleton
0.02	1600		0.02 mile south of Oregon-Washington Highway (OR11)
1.84	1600		0.02 mile south of Kirkpatrick Road
2.50	2000		0.02 mile north of Mission Road
2.54	3300		0.02 mile south of Mission Road
4.39	7700		0.05 mile north of Old Oregon Trail (I-84) westbound ramps
			SUNNYSIDE-UMAPINE HIGHWAY NO. 332
			Milepoint indicates distance from Oregon - Washington State Line
0.02	370		0.02 mile south of State Line Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			SUNNYSIDE-UMAPINE HIGHWAY NO. 332 (Continued)
1.68	350		0.02 mile north of Umapine Road
2.19	900		0.02 mile west of Grabner Road
3.49	940		0.02 mile east of Edwards Road
5.62	1000		0.12 mile north of Pleasant View Road
5.76	1600		0.02 mile east of Pleasant View Road
7.16	2000		0.02 mile west of Freewater Highway
7.40	1900		0.22 mile east of Freewater Highway
7.91	1900		0.02 mile west of Oregon-Washington Highway (OR11)
			HERMISTON HIGHWAY NO. 333
			Milepoint indicates distance from Columbia River Highway (US395/US730), near Cold Springs
0.08	2300		0.08 mile south of Columbia River Highway (US395/US730)
1.56	2500		0.10 mile southwest of Spearman Road
2.19	2900		0.02 mile southwest of Walls Road
3.48	3300		0.10 mile northeast of Punkin Center Road
3.78	4000		0.10 mile southwest of Canal Road
4.95	6400		0.02 mile northeast of Ott Road
5.55	7100		0.02 mile northeast of Hooker Road
			On Elm Street
5.59	5900		0.02 mile southwest of Hooker Road
6.07	7000		0.02 mile west of 10th Street
7.03	11000		0.02 mile east of Umatilla-Stanfield Highway (US395)
7.07	13100		0.02 mile west of Umatilla-Stanfield Highway (US395)
7.44	13100		0.02 mile west of Umatilla River Road
			On 11th Avenue
8.09	12100		0.02 mile south of NW 11th Street
			Equation: MP 8.68 BK = MP Z8.28 AH
Z 8.33	15000		0.01 mile south of Hermiston Avenue
Z 8.44	13600		0.02 mile south of SW Orchard Avenue
9.17	5700		At south city limits of Hermiston
9.69	4700		0.02 mile south of Minnehaha Road
10.84	5400		0.02 mile south of Feedville Road
11.86	4700		At Umatilla River Bridge
12.42	7300		0.08 mile north of Old Oregon Trail (I-84)
12.60	1500		0.10 mile south of Old Oregon Trail (I-84)
17.71	1400		0.10 mile north of Lexington-Echo Highway
			ATHENA-HOLDMAN HIGHWAY NO. 334
			Milepoint indicates distance from Pendleton - Cold Springs Highway (OR37), north of Pendleton
0.10	260		0.10 mile east of Pendleton-Cold Springs Highway (OR37)
2.95	110		0.02 mile east of Campbell Road
8.34	120		0.10 mile west of Havana-Helix Highway
9.62	220		0.05 mile east of Havana-Helix Highway
14.75	420		0.75 mile west of Mansfield Road
16.59	830		0.02 mile west of Grandview Avenue
17.17	1200		0.03 mile west of 1st Street
17.32	1400		0.02 mile west of 3rd Street

Milepoint	2017 AADT All Vehicles	ATR	Location Description
шороше	venicles	AVC	
47.00	1000		ATHENA-HOLDMAN HIGHWAY NO. 334 (Continued)
17.36	1800		0.02 mile east of 3rd Street
17.57	1800		0.08 mile east of 5th Street, east city limits of Athena
18.10	1500		0.02 mile west of Oregon-Washington Highway (OR11)
			HAVANA-HELIX HIGHWAY NO. 335
			Milepoint indicates distance from Columbia and Main Streets, in Helix
0.10	430		0.10 mile south of Helix Road (Helix Cemetery Road)
2.42	500		0.05 mile south of Athena Jct.
3.57	340		0.04 mile south of Athena-Holdman Highway (South Jct.)
7.55	440		0.02 mile north of Schaeffer Road
9.77	400		0.02 mile north of Oregon-Washington Highway (OR11)
			FREEWATER HIGHWAY NO. 339
			Milepoint indicates distance from Oregon - Washington State Line
0.02	1100		0.02 mile south of State Line Road
2.65	1300		0.02 mile north of Sunnyside-Umapine Highway
2.69	1700		0.02 mile south of Sunnyside-Umapine Highway
3.16	1800		0.02 mile north of Cobb Road
			MP 3.43 to MP 5.25 Transferred to the City of Milton - Freewater
			MEDICAL SPRINGS HIGHWAY NO. 340
			Milepoint indicates distance from La Grande - Baker Highway (OR237), in Union
0.02	630		0.02 mile east of La Grande-Baker Highway (OR237)
0.12	520		0.02 mile east of Bellwood Avenue
0.55	460		At east city limits of Union
8.00	160		0.31 mile west of entrance to Catherine Creek State Park (Day Use Area)
8.91	140		0.60 mile east of entrance to Catherine Creek State Park (Day Use Area)
11.38	100		0.02 mile northwest of Catherine Creek Lane
22.90	120		At Union-Baker County Line
36.86	230	*	Medical Springs Automatic Traffic Recorder, Sta. 01-007, 2.08 miles east of Old Oregon Trail Highway No. 6 (I-84)
38.45	240		0.02 mile east of West Airport Road
38.49	330		0.11 mile east of Old Oregon Trail (I-84)
			UKIAH-HILGARD HIGHWAY NO. 341
			Milepoint indicates distance from Pendleton - John Day Highway (US395), west of Ukiah
0.20	430		0.20 mile east of Pendleton-John Day Highway (US395)
1.26	470		0.02 mile east of Camas Street
1.31	440		0.02 mile east of Albee Street
1.45	210		0.05 mile east of Mill Street, east city limits of Ukiah
2.25	190		0.02 mile east of Camas Creek Road
6.21	190		0.02 mile east of Cable Creek Road
14.54	190		0.02 mile east of Pearson Road
23.54	170		At Umatilla-Union County Line
30.90	260		0.10 mile west of Starkey Road
31.10	230		0.10 mile northeast of Starkey Road
33.47	280		0.10 mile northeast of McIntyre Road
	360		0.60 mile west of Rankin Road
43.56	300		0.00 Time West of Rankin Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			COVE HIGHWAY NO. 342
			Milepoint indicates distance from Wallowa Lake Highway (OR82), in Island City
0.02	3200		0.02 mile east of Wallowa Lake Highway (OR82)
0.14	2700		0.02 mile east of South Sterling Street
4.18	2100		0.02 mile west of Peach Lane
9.44	1900		At Catherine Creek Bridge
12.19	1300		0.16 mile west of Lower Cove Road
			North city limits of Cove
13.50	1400		0.02 mile east of French Street
13.63	1100		0.02 mile east of Orchard Street
13.85	800		0.11 mile east of High Valley Road, west city limits of Cove
15.98	590		0.02 mile west of Phys Point Road
20.31	610		0.02 mile east of Hutchinson Lane
			North city limits of Union
21.81	730		0.02 mile north of Bryan Avenue
21.85	890		0.02 mile west of Cove Street
22.05	990		0.02 mile east of La Grande-Baker Highway (OR203)
			LITTLE SHEEP CREEK HIGHWAY NO. 350
			Milepoint indicates distance from Wallowa Lake Highway (OR82), in Joseph
0.02	1500		0.02 mile east of Wallowa Lake Highway (OR82) and Joseph-Wallowa Lake Highway
0.26	1000		0.06 mile east of North East Street, east city limits of Joseph
1.99	820		0.10 mile west of Dobbin Road
4.41	580		0.02 mile west of Tenderfoot Valley Road
6.39	330		At Sheep Creek Hill Summit
8.09	180		0.02 mile northeast of Wallowa Mountain Loop
23.28	170		0.02 mile southwest of Bear Gulch Road
29.34	170		0.02 mile southwest of Upper Imnaha Road
			JOSEPH-WALLOWA LAKE HIGHWAY NO. 351
			Milepoint indicates distance from Wallowa Lake Highway (OR82), in Joseph
0.02	4600		0.02 mile south of Wallowa Lake Highway (OR82) and Little Sheep Creek Highway
0.15	3600		0.02 mile south of McCully Avenue
0.29	2900		0.02 mile south of 2nd Street
0.67	1500		0.02 mile west of 8th Street
0.80	1300		0.03 mile east of South College Street, south city limits of Joseph
2.05	950		0.42 mile south of boat ramp access to Wallowa Lake
6.06	720		0.15 mile south of entrance to Wallowa Lake State Park
6.70	190		0.24 mile north of Power House at end of highway
			MADRAS-PRINEVILLE HIGHWAY NO. 360
			Milepoint indicates distance from The Dalles - California Highway (US97), south of Madras
0.11	2300		0.02 mile southeast of The Dalles-California Highway (US97)
1.17	2300		0.02 mile south of SW Dover Lane
1.57	2400		0.02 mile south of Adams Drive
9.88	2300		0.02 mile north of Ramms Road
9.92	2400		0.02 mile south of Ramms Road
16.30	2100		At Jefferson-Crook County Line
19.40	2200		0.10 mile northwest of Gerke Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			MADRAS-PRINEVILLE HIGHWAY NO. 360 (Continued)
19.60	2100		0.10 mile southeast of Gerke Road
21.95	2400		0.02 mile northwest of Elliot Lane
22.07	3000		0.10 mile southeast of Elliot Lane
23.75	3000		0.02 mile southeast of Gumpert Road
26.00	6500		0.02 mile northwest of NW Richland Lane
			CULVER HIGHWAY NO. 361
			Milepoint indicates distance from The Dalles - California Highway, (US26/US97), in Madras
0.02	3900		0.02 mile west of The Dalles-California Highway (US26/US97-NB)
0.07	4900		0.02 mile west of The Dalles-California Highway (US26/US97-SB)
0.35	4500		0.02 mile southwest of Madison Street
0.90	5100		0.02 mile south of SW Belmont Lane
2.25	4000		0.02 mile northeast of SW Colfax Lane
2.89	4100		0.02 mile north of SW Bear Drive
2.93	4000		0.02 mile southwest of SW Bear Drive
3.82	3600		0.02 mile south of SW Dover Lane
4.33	3300		0.02 mile north of 7th Street
4.38	3200		0.03 mile south of 7th Street
4.61	3200		0.02 mile south of 9th Street, south city limits of Metolius
5.08	2700		0.02 mile southwest of SW Eureka Lane
7.01	2600		0.02 mile northeast of SW Ford Lane
7.05	2900		0.02 mile south of SW Ford Lane
8.81	2500		0.02 mile north of "A" Street
8.85	2300		0.02 mile south of "A" Street
9.30	2200		0.02 mile north of SW Iris Drive, south city limits of Culver
9.44	1900		0.12 mile south of SW Iris Drive
11.58	1900		0.04 mile west of The Dalles-California Highway (US97)
			O'NEIL HIGHWAY NO. 370
			Milepoint indicates distance from The Dalles - California Highway (US97), north of Redmond
0.02	1300		0.02 mile east of The Dalles-California Highway No. 4 (US97)
0.19	3000		0.05 mile east of Canal Boulevard
0.84	2700		0.02 mile south of NE 5th Street
1.52	2100		0.11 mile west of NE 17th Street
2.51	2900		0.10 mile west of NE 33rd Street
3.84	2400		At Deschutes-Crook County Line
5.01	1500		0.02 mile east of Lone Pine Road at O'Neil
13.65	1400		0.02 mile east of Elliot Lane
16.70	2000		0.02 mile west of Westview Road
17.65	2200		0.02 mile west of Ochoco Highway (OR126)
			CENTURY DRIVE HIGHWAY NO. 372
			Milepoint indicates distance from The Dalles - California Highway (US97), in Bend
7.01	3300		0.12 mile north of road to Inn at 7th Mountain
7.25	3500		0.12 mile south of road to Inn at 7th Mountain
7.61	1600		0.02 mile south of road to Conklin Road
11.96	1500		0.20 mile west of Kiwa Butte Road
19.28	1500		0.50 mile west of Edison Ice Cave Road

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			CENTURY DRIVE HIGHWAY NO. 372 (Continued)
21.96	1000		0.02 mile south of Cascade Lakes Highway
			PAULINA HIGHWAY NO. 380
			Milepoint indicates distance from Ochoco Highway (US26), in Prineville
0.02	6800		0.02 mile south of Ochoco Highway (US26)
0.53	6300		0.02 mile north of Melrose Drive
0.62	7400		0.02 mile south of Lynn Boulevard
0.81	6800		0.05 mile south of SE Carey Foster Road
1.30	7400		0.05 mile northwest of Juniper Canyon Road
1.40	1100		0.05 mile southeast of Juniper Canyon Road
7.03	460		0.02 mile west of road to rock quarry
16.46	460		0.02 mile north of Crooked River Road
26.05	340		0.02 mile west of Newsome Creek Road (Shotgun Road)
26.09	290		0.02 mile east of Newsome Creek Road (Shotgun Road)
41.12	230		0.02 mile east of road to Maury Ranger Station
43.39	210		0.02 mile east of Camp Creek Road
55.53	160		0.10 mile west of Paulina Valley Road at Paulina
55.89	210		0.02 mile west of Paulina-Suplee Road
			SERVICE CREEK-MITCHELL HIGHWAY NO. 390
			Milepoint indicates distance from John Day Highway (OR19), at Service Creek
0.05	140		0.05 mile south of John Day Highway (OR19)
5.62	130		0.10 mile south of Richmond Road
			Equation: MP 8.95 BK = MP 9.48 AH
14.60	140		0.02 mile east of Twickenham Road
21.70	180		0.05 mile north of Hudspeth Logging Road
24.30	180		0.02 mile north of Ochoco Highway (US26)
			KIMBERLY-LONG CREEK HIGHWAY NO. 402
			Milepoint indicates distance from John Day Highway (OR19), at Kimberly
0.02	160		0.02 mile northeast of John Day Highway (OR19)
5.30	140		0.15 mile east of Rudio Road
9.60	160		0.02 mile west of Cupper Creek Road
12.78	240		0.02 mile west of Monument Line Road (Top Road)
12.82	240		0.02 mile east of Monument Line Road (Top Road)
13.17	310		0.02 mile west of Wall Creek Road
13.62	260		0.02 mile northwest of John Day Street
13.96	210		At east city limits of Monument
14.40	220		0.02 mile north of Deer Creek Road
17.07	100		0.02 mile east of West Cottonwood Creek Road
23.38	120		0.20 mile west of Hamilton Road
26.91	160		0.02 mile east of Fox-Round Basin Road
34.34	210		0.02 mile west of Bennett Street
34.72	200		0.02 mile west of Eagle Street
34.86	250		0.02 mile west of Pendleton-John Day Highway (US395)
			SUMPTER HIGHWAY NO. 410
			Milepoint indicates distance from west city limits of Sumpter
0.00	110		At west city limits of Sumpter

Milepoint	2017 AADT AII	ATR	Location Description
Milepoliti	Vehicles	AVC	
			SUMPTER HIGHWAY NO. 410 (Continued)
0.59	380		0.02 mile north of East Auburn Street
0.75	380		0.02 mile north of Austin Street
3.56	380		0.15 mile northwest of Whitney Highway (OR7)
			HALFWAY-CORNUCOPIA HIGHWAY NO. 413
			Milepoint indicates distance from Cornucopia
0.37	20		0.04 mile north of Pine Creek
6.09	90		0.02 mile north of West Carson Lane
8.44	200		0.02 mile north of East Pine Creek Lane
11.02	720		0.02 mile northwest of Fish Lake Road
11.06	1000		0.02 mile southeast of Fish Lake Road
11.27	1000		0.02 mile north of Kellogg Street
11.43	1400		0.02 mile north of Pine Creek Highway and Halfway Spur
			PINE CREEK HIGHWAY NO. 414
			Milepoint indicates distance from Halfway - Cornucopia Highway (OR413) and Baker - Copperfield Spur (OR86S)
0.05	490		0.05 mile east of Halfway-Cornucopia Highway and Baker-Copperfield Spur
0.71	300		0.20 mile west of Baker-Copperfield Highway (OR86)
			DOOLEY MOUNTAIN HIGHWAY NO. 415
			Milepoint indicates distance from John Day Highway (US26), north of Unity
0.30	210		0.30 mile north of John Day Highway (US26)
3.42	210		On Burnt River Bridge
10.22	210		0.02 mile west of Hereford Loop Road
10.55	210		0.02 mile east of Water Gulch Road
28.91	190		0.05 mile south of Ebell Creek Road
36.39	420		0.23 mile south of Whitney Highway (OR7)
			MIDLAND HIGHWAY NO. 420
			Milepoint indicates distance from Klamath Falls - Lakeview Highway (OR39/OR140), in Klamath Falls
			MP 0.00 to MP 1.33 Transferred to the City of Klamath Falls
1.35	3100		0.02 mile west of Washburn Way
2.09	560		0.05 mile north of South Klamath Falls Highway (OR140)
2.19	790		0.05 mile south of South Klamath Falls Highway (OR140)
3.09	330		0.02 mile north of Griffith Lane
3.73	320		0.02 mile north of Joe Wright Road
3.77	1800		0.02 mile south of Joe Wright Road
4.37	1600		0.02 mile north of Tingley Lane
5.60	1000		0.05 mile east of The Dalles-California Highway (US97)
			CHILOQUIN HIGHWAY NO. 422
			Milepoint indicates distance from Modoc Point Road
0.05	310		0.05 mile east of Modoc Point Road
0.21	680		0.05 mile east of Crater Lake Highway (OR62)
3.00	700		0.20 mile west of The Dalles-California Highway (US97)
4.15	860		0.13 mile west of North Applegate Street, west city limits of Chiloquin
4.33	910		0.02 mile northwest of Chocktoot Street, Chiloquin Spur
4.45	2700		0.10 mile southwest of Chocktoot Street, Chiloquin Spur
5.27	2600		0.02 mile east of The Dalles-California Highway (US97)
J	2000	1	1

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			SOUTH KLAMATH FALLS HIGHWAY NO. 424
			Milepoint indicates distance from The Dalles - California Highway (US97), south of Klamath Falls
0.12	10100		0.12 mile east of Green Springs Interchange
1.47	10600		0.10 mile northwest of Midland Highway
1.67	10900		0.10 mile southeast of Midland Highway
3.27	10400		0.47 mile east of Washburn Way
3.85	9800		0.02 mile west of Summers Lane
3.89	9600		0.02 mile east of Summers Lane
4.83	5900		0.20 mile east Homedale Road
5.95	5800		0.02 mile west of Klamath Falls-Malin Highway (OR39)
			HATFIELD HIGHWAY NO. 426
			Milepoint indicates distance from Klamath Falls - Lakeview Highway (OR140), in Klamath Falls
17.00	2700		0.49 mile south of Klamath Falls-Malin Highway No. 50
18.70	2700		0.23 mile north of State Line Road
			CRESCENT LAKE HIGHWAY NO. 429
			Milepoint indicates distance from Klamath Falls - Lakeview Highway (OR140), in Klamath Falls
0.02	290		0.02 mile south of Willamette Highway (OR58)
2.37	120		0.02 mile north of Lava Odell Road
			WARNER HIGHWAY NO. 431
			Milepoint indicates distance from Fremont Highway (US395), north of Lakeview
0.10	480		0.10 mile east of Fremont Highway (US395)
8.07	370		0.02 mile west of Summit Prairie Road
			Equation: MP 9.33 BK = MP 9.55 AH
15.81	270		0.02 mile east of Plush Cutoff Road
28.04	290		0.10 mile west of Twenty Mile Road
28.24	240		0.10 mile east of Twenty Mile Road
65.24	130		Oregon-Nevada State Line
			FRENCHGLEN HIGHWAY NO. 440
			Milepoint indicates distance from Steens Highway (OR78), east of Burns
0.01	460	*	Frenchglen Automatic Traffic Recorder, Sta. 13-005, 0.01 mile south of Steens Highway No. 442 (OR78
2.05	480		0.02 mile south of Hotchkiss Lane
6.09	410		0.02 mile north of Island Ranch Road
6.13	450		0.01 mile south of Island Ranch Road
23.90	260		0.03 mile north of Narrows-Princeton Road
23.96	190		0.03 mile south of Princeton-Narrows Road
40.63	190		0.02 mile northwest of Diamond Grain Camp Road (South Diamond Lane)
40.67	200		0.02 mile southeast of Diamond Grain Camp Road (South Diamond Lane)
58.24	220		0.05 mile north of Steens Mountain Loop Lane at Frenchglen
58.35	140		0.06 mile west of Steens Mountain Loop Lane at Frenchglen
			Equation: MP 63.32 BK = MP 63.72 AH
73.33	120		0.02 mile north of Catlow Valley Road
. 5.55	,20		STEENS HIGHWAY NO. 442
			Milepoint indicates distance from Central Oregon Highway (US20), in Burns
0.02	3200		0.02 mile east of Central Oregon Highway (US20)
0.02	2400		0.02 mile east of Central Oregon Highway (US20)
0.07	2400		0.02 mile east of Alder Avenue  0.02 mile east of Cedar Avenue

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			STEENS HIGHWAY NO. 442 (Continued)
0.26	2100		0.01 mile west of South Elm Avenue
0.50	1700		0.02 mile west of Crane Boulevard
0.68	1400		0.02 mile west of KOA Avenue
1.70	1600	*	Steens Automatic Traffic Recorder, Sta. 13-007, 0.03 mile west of Frenchglen Highway No. 440 (OR205)
1.75	1200		0.02 mile east of Frenchglen Highway (OR205)
3.68	770		0.02 mile southeast of Airport Road
6.59	750		0.02 mile southeast of Faye Lane
16.73	570		0.02 mile east of Lawen Lane
27.98	560		0.10 mile northwest of Crane-Venator Road
28.18	550		0.10 mile south of Crane-Venator Road
37.77	380		0.02 mile north of Lava Beds Road
37.81	230		0.02 mile southeast of Lava Beds Road
51.81	160		0.02 mile west of Malheur Cave Road
60.88	170		At Harney-Malheur County Line
65.20	160		0.02 mile southeast of Folly Farm Road
91.00	160		0.60 mile northwest of I.O.N. Highway (US95)
			HUNTINGTON HIGHWAY NO. 449
			Milepoint indicates distance from Old Oregon Trail (I-84), north of Lime
0.61	60		0.61 mile southeast of Old Oregon Trail (I-84)
3.21	170		0.05 mile north of connection to eastbound Old Oregon Trail Highway (I-84)
3.28	260		0.02 mile south of connection to eastbound Old Oregon Trail Highway (I-84)
5.84	880		0.02 mile south of East 1st Street
6.47	910		0.36 mile south of East Madison
9.98	920		1.11 miles north of Old Oregon Trail (I-84), Baker-Malheur County Line
			SUCCOR CREEK HIGHWAY NO. 450
			Milepoint indicates distance from Central Oregon Highway (US20/US26), in Nyssa
0.04	2800		0.02 mile south of Central Oregon Highway (US20/US26)
0.39	2000		0.02 mile northeast of King Avenue, west city limits of Nyssa
0.43	2200		0.02 mile west of King Avenue
0.68	1500		0.02 mile west of Stringer Road
1.59	2000		0.02 mile north of Cloverdale Avenue
1.63	1900		0.02 mile south of Cloverdale Avenue
3.09	1900		0.02 mile east of Enterprise Avenue
3.26	1300		0.15 mile south of Enterprise Avenue
4.18	1200		0.02 mile south of Grand Avenue
6.54	1100		0.02 mile south of Klamath Avenue
7.94	1100		0.02 mile north of Owyhee Avenue
8.02	1300		0.06 mile south of Owyhee Avenue
10.13	1200		0.02 mile north of Overstreet Road
10.17	1100		0.02 mile south of Overstreet Road
11.72	1300		At north city limits of Adrian
11.96	1300		0.02 mile north of Main Street
12.12	1200		0.02 mile south of Washington Street
12.23	1200		At south city limits of Adrian
12.50	1200		0.01 mile north of Parma Spur

	2017 AADT AII	ATR	
Milepoint	Vehicles	AVC	Location Description
			SUCCOR CREEK HIGHWAY NO. 450 (Continued)
12.53	480		0.02 mile south of Parma Spur
16.97	440		0.02 mile south of Napton Road
20.09	430		0.02 mile west of Homedale Spur
			VALE-WEST HIGHWAY NO. 451
			Milepoint indicates distance from Central Oregon Highway (US20), west of Vale
0.13	340		0.10 mile north of Central Oregon Highway (US20)
0.50	310		0.02 mile north of Loop Road
2.21	50		0.10 mile south of Whitney Road
3.59	80		0.02 mile south of Reed Loop Road
4.64	120		0.02 mile west of Hope Road
4.90	170		0.02 mile west of Bully Creek Road
4.94	260		0.02 mile east of Bully Creek Road
6.63	320		0.02 mile west of Greenfield Road
6.67	560		0.02 mile east of Greenfield Road
7.68	700		0.02 mile east of Cedar Road
9.63	940		0.02 mile west of Alder Road
9.89	1200		0.02 mile east of Stage Road
10.32	1700		0.07 mile west of Central Oregon Highway (US20)
			ADRIAN-ARENA VALLEY HIGHWAY NO. 453
			Milepoint indicates distance from Adrian - Caldwell Highway (OR454)
0.05	320		0.05 mile east of Adrian-Caldwell Highway
0.97	280		0.02 mile west of Primrose Road
1.01	270		0.02 mile south of Primrose Road
2.19	240		0.05 mile north of Adrian-Caldwell Highway
2.29	70		0.05 mile east of Adrian-Caldwell Highway
3.14	80		0.05 mile west of State Line Road
			ADRIAN-CALDWELL HIGHWAY NO. 454
			Milepoint indicates distance from Succor Creek Highway (Parma Spur)
0.05	450		0.05 mile south of Parma Spur
0.31	180		0.06 mile south of Adrian-Arena Valley Highway (Russett Road)
1.63	70		0.20 mile east of Big Bend Road
2.46	70		0.02 mile west of Adrian-Arena Valley Highway
2.50	230		0.02 mile south of Adrian-Arena Valley Highway
3.55	280		0.02 mile east of Redtop Road
4.41	210		0.02 mile south of State Line Road
			OLDS FERRY-ONTARIO HIGHWAY NO. 455
			Milepoint indicates distance from Old Oregon Trail (I-84), near Olds Ferry
0.71	330		1.00 mile east of Old Oregon Trail Highway (I-84)
9.48	370		0.10 mile west of Nectarine Road
11.55	410		0.10 mile west of Weiser Spur (US95 Spur)
11.75	2900		0.10 mile east of Weiser Spur (US95 Spur)
16.61	2600		0.10 mile south of Ivy Road
19.55	3100		0.10 mile north of Payette Spur (OR52)
19.75	2600		0.10 mile south of Payette Spur (OR52)
21.71	5000		0.10 mile south of Boat Landing Road

2017 AADT AII	ATR	
Vehicles	AVC	Location Description
		OLDS FERRY-ONTARIO HIGHWAY NO. 455 (Continued)
6000		0.30 mile north of Old Oregon Trail Highway (I-84)
11700		0.20 mile south of Old Oregon Trail Highway (I-84)
		Equation: MP 25.50 BK = MP 25.75 AH
5900		0.02 mile north of Verde Drive
4200		0.02 mile north of SW 4th Avenue
		Equation: MP 27.90 BK = MP 29.44 AH
5400		0.02 mile south of Airport Way
8800		0.20 mile north of Central Oregon Highway (US20/US26)
		I.O.N. HIGHWAY NO. 456
		Milepoint indicates distance from Idaho - Oregon State Line
1800		Idaho-Oregon State Line
1700		0.02 mile south of Succor Creek Road
1700		0.02 mile south of Silver City Cutoff
1800		0.20 mile south of Pharmacy Hill Road
2000		0.02 mile north of California Avenue
2000		0.02 mile south of California Avenue
2000		0.02 mile north of Main Street
2000		0.02 mile west of Bassett Street
1700		At west city limits of Jordan Valley
1700		0.02 mile west of Dinwitty Road
1600		0.02 mile west of Danner Loop Road
1600		0.02 mile west of Three Forks Road
1500		0.02 mile east of Arock Road
1500		0.02 mile west of Arock Road
1500		At Owyhee River Bridge
1500		0.06 mile east of Skull Creek Road
1500		0.50 mile east of Steens Highway (OR78)
1600	*	Basque Automatic Vehicle Classifier, Sta. 23-012, 6.74 miles north of Blue Mountain Pass Summit
1600		At Blue Mountain Pass Summit
1500		0.02 mile south of Oregon Canyon Road
1600		0.02 mile south of Wilkinson Road
1600		Oregon-Nevada State Line at McDermitt
		SNAKE RIVER CORRECTIONAL INSTITUTION HIGHWAY NO. 457
		Milepoint indicates distance from Snake River Correctional Institute
910		On Stanton Boulevard, 0.11 mile west of I-84 southbound ramps
		BAKER-COPPERFIELD SPUR HIGHWAY NO. 481
		Milepoint indicates distance from La Grande - Baker Highway (US30), in Baker City
590		0.10 mile northwest of Baker-Copperfield Highway (OR86)
670		0.02 mile northwest of Dawson Street
1300		0.02 mile south of Pine Creek Highway
		REDWOOD SPUR HIGHWAY NO. 482
		Milepoint indicates distance from Rogue River Highway (OR99), at Redwood Jct. in Grants Pass
19500		0.02 mile west of Parkdale Drive
26500		0.02 mile east of Parkdale Drive
	<b>-</b>	
	Section   Sect	Vehicles         AVC           6000         11700           5900         4200           5400         8800           1800         1700           1700         1700           1800         2000           2000         2000           2000         2000           1700         1700           1600         1500           1500         1500           1500         1500           1600         *           1600         1500           1600         1500           1500         1600           1500         1300           19500         19500

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
	Vernoies	AVO	REDWOOD SPUR HIGHWAY NO. 482 (Continued)
1.02	28100		0.02 mile east of Beacon Drive
1.02	18300		0.02 mile east of Beacon Drive  0.04 mile east of Terry Lane
			1
1.54	22100		0.05 mile east of Agness Avenue  MCMINNVILLE SPUR HIGHWAY NO. 483
			<del> </del>
40.00	17500		Milepoint indicates distance from Oregon Coast Highway (US101), near Otis Jct.
46.60	17500		0.02 mile south of Mountain View Lane
46.75	16200		0.13 mile north of Mountain View Lane, east city limits of McMinnville
			ESPLANADE SPUR HIGHWAY NO. 484  Milepoint indicates distance from Klamath Falls - Lakeview Highway (OR39/OR140), in Klamath
			Falls
5.02	5300		0.05 mile southwest of Klamath Falls-Malin Highway (OR39), on Esplanade Street
			FORT STEVENS SPUR HIGHWAY NO. 485
			Milepoint indicates distance from the west city limits of Warrenton
4.53	4000		0.10 mile east of Fort Stevens Highway
5.37	1500		0.02 mile west of Oregon Coast Highway (US101)
			GOLD HILL SPUR HIGHWAY NO. 486
			Milepoint indicates distance from Rogue River Highway (OR99), at Rock Point Interchange
2.38	6300		0.02 mile east of Dardanelles Street, Sams Valley Highway (OR234)
2.95	5600		0.12 mile north of Pacific Highway (I-5), at Kane Creek Interchange
			CELILO-WASCO SPUR HIGHWAY NO. 487
			Milepoint indicates distance from Columbia River Highway (I-84), at Celilo
4.82	410		0.02 mile northeast of Celilo-Wasco Highway (OR206) and Fulton Canyon Road
7.60	4200		0.02 mile west of Sherman Highway (US97)
			CHILOQUIN SPUR HIGHWAY NO. 488
			Milepoint indicates distance from Modoc Point Road, near Klamath Agency
4.45	3300		0.06 mile east of Chiloquin Highway
4.56	5400		At Williamson River Bridge
			PARMA SPUR HIGHWAY NO. 489
			Milepoint indicates distance from Central Oregon Highway (US20/US26), in Nyssa
12.61	830		0.10 mile east of Succor Creek Highway (OR201)
13.09	400		0.02 mile north of Adrian-Caldwell Highway
13.83	420		0.02 mile east of Miller Road
15.21	430		0.05 mile west of State Line Road
			HOMEDALE SPUR HIGHWAY NO. 490
			Milepoint indicates distance from Central Oregon Highway (US20/US26), in Nyssa
20.13	360		0.02 mile east of Succor Creek Highway (OR201)
21.71	390		0.05 mile west of Napton Road
22.24	530		Oregon-Idaho State Line
			WEISER SPUR HIGHWAY NO. 491
			Milepoint indicates distance from Old Oregon Trail (I-84), near Olds Ferry
11.85	3100		0.20 mile north of Olds Ferry-Ontario Highway (OR201)
13.40	3000		0.02 mile south of Bass Street
13.66	3300		Oregon-Idaho State Line
10.00	3300		PAYETTE SPUR HIGHWAY NO. 492
			Milepoint indicates distance from Old Oregon Trail (I-84), near Olds Ferry
21.30	3300		Oregon-Idaho State Line

Milepoint	2017 AADT All Vehicles	ATR AVC	Location Description
			ONTARIO SPUR HIGHWAY NO. 493
			Milepoint indicates distance from Old Oregon Trail (I-84), near Olds Ferry
27.52	21800		0.20 mile west of Old Oregon Trail (I-84)
27.92	21500		0.20 mile east of Old Oregon Trail Highway (I-84)
28.39	21000		Oregon-Idaho State Line


#### **SECTION III**


# INTRODUCTION TO THE INTERCHANGE TRAFFIC VOLUME DIAGRAMS

These diagrams show the annual average daily traffic volumes entering or leaving the freeway at each interchange ramp.

In addition, the freeway or expressway directional traffic volumes are given between each interchange.

#### Legend







### PACIFIC HIGHWAY NO. 1 (I-5)

Interchange Ramp Diagrams with Annual Average Daily Traffic Volumes.


















Speaker Road - Exit 78

Glendale - Exit 80








Barton Road - Exit 83

Quines Creek Road - Exit 86

Azalea - Exit 88








Canyon Creek - Exit 95

Canyonville - Exit 98




154




North Canyonville - Exit 99

Riddle Road - Exit 101

Gazley Road - Exit 102







Tri City - Exit 103


Weaver Road - Exit 106

Myrtle Creek - Exit 108












Boomer Hill Road - Exit 110

South Umpqua Rest Area - Exit 111B









### INTERCHANGES AND REST AREAS


Clarks Branch - Exit 113

Coos Bay - Roseburg Hwy. - Exit 119

Oakland - Shady Hwy. - Exit 120









McLain Ave. - Exit 121

Fairgrounds - Exit 123


Harvard - Exit 124






Garden Valley - Exit 125


North Roseburg - Exit 127





# 5


### INTERCHANGES AND REST AREAS





Elk Creek / Cox Road - Exit 159

Salt Springs Road - Exit 160

Buck Creek - Exit 161













### INTERCHANGES AND REST AREAS

22-016



























# INTERSTATE (3)






### INTERCHANGES AND REST AREAS






East Portland Freeway - Exit 288



Nyberg Road - Exit 289




Lower Boones Ferry Road - Exit 290

Carmen Drive / King City - Exit 291


South Tigard - Exit 292


**≺** 55500

55190 >











Haines Road - Exit 293




North Tigard - Exit 294




#### Capitol Highway - Exit 295A


**~** 62830

57690 >










### INTERCHANGES AND REST AREAS

Going Street - Exit 303


Minnesota Avenue - Exit 304A



26-019 Minnesota ATR MP 304.66


**≺** 66850 **►** 64270 **►** 

Rosa Parks Way - Exit 304B




N.E. Portland - Exit 305A

Columbia Blvd. - Exit 305B




Delta Park - Exit 306

Swift-Union - Exit 307



Jantzen Beach - Exit 308





# COLUMBIA RIVER HIGHWAY NO. 2 (I-84)

#### **AND**

#### **OLD OREGON TRAIL NO. 6 (I-84)**

Interchange Ramp Diagrams with Annual Average Daily Traffic Volumes.






North Banfield – Exit 6A


NE 102nd Ave. – Exit 6B

31410
29640
60690


1780

NE 122nd Ave. - Exit 10





NE 181st Ave. - Exit 13







**~** 25450

26740 >


NE 207th Ave. - Exit 14



NE 238th Ave. - Exit 16A




NE Marine Drive - Exit 17




Troutdale - Exit 17


173




Jordan - Exit 18




Corbett - Exit 22




Rooster Rock - Exit 25




Bridal Veil - Exit 28




Multnomah Falls - Exit 31




Historic Col. River Hwy. - Exit 35A




Warrendale O'Xing - Exit 37




Bonneville Dam - Exit 40




West Cascade Locks - Exit 44A




East Cascade Locks - Exit 44B




Herman Creek - Exit 47



Wyeth - Exit 50




Starvation Creek State Park - Exit 54




Viento State Park - Exit 56

Mitchell Point Overlook - Exit 58

Service Road









West Hood River - Exit 62


175

2nd Street - Exit 63

East Hood River - Exit 64










Mosier - Exit 69




Rowena – Exit 76








33-001




### INTERCHANGES AND REST AREAS






West The Dalles - Exit 83




Brewery Grade - Exit 85



The Dalles Bridge - Exit 87

The Dalles Dam - Exit 88

Celilo-Wasco Hwy. - Exit 97







28-002 Rufus ATR

**≺** 6410


6050 >









Biggs Jct. - Exit 104



Rufus - Exit 109



West John Day - Exit 114




## INTERSTATE 84


## INTERCHANGES AND REST AREAS

Philippi Canyon - Exit 123


Blalock - Exit 129

Woelpern - Exit 131











Arlington - Exit 137


177

Heppner Jct. - Exit 147

Threemile Canyon - Exit 151










Tower Road - Exit 159

Boardman Rest Area - Exit 160












## INTERSTATE (




Mission Jct. - Exit 216



Emigrant Hill - Exit 224




Deadman's Pass - Exit 228





West Emigrant Park - Exit 233

East Emigrant Park - Exit 235

Meacham - Exit 238








Kamela - Exit 243

Glover - Exit 248




180



Ukiah-Hilgard - Exit 252


Upper Perry - Exit 256

Lower Perry - Exit 257












North LaGrande - Exit 259



Wallowa Lake - Exit 261




South LaGrande - Exit 264




Foothill Road - Exit 268A

Ladd Canyon Rest Area - Exit 268B









## INTERSTATE 84

#### INTERCHANGES AND REST AREAS


Ladd Canyon - Exit 273



Clover Creek - Exit 278




North Powder - Exit 285




Baker Valley Rest Area - Exit 294

Campbell Street - Exit 304




Chandler Lane - Exit 298


Wolf Creek - Exit 283



Richland - Exit 302









## INTERSTATE 82

## INTERCHANGES AND REST AREAS


**≺** 5730

5860 **>** 







Benson - Exit 352




Olds Ferry - Exit 356




Moore's Hollow - Exit 362




Stanton Blvd. - Exit 371



North Ontario - Exit 374




Idaho Avenue – Exit 376



23-014 Snake River ATR MP 376.98




Ontario Rest Area - Exit 377




# THE DALLES-CALIFORNIA HIGHWAY NO. 4 (US97)

Interchange Ramp Diagrams of the Bend Parkway section in Bend with Annual Average Daily Traffic Volumes.







Empire Blvd. - Exit 135B




Butler Market Rd. - Exit 136




US20 - 3rd St




Revere Ave. - Exit 137




Lafayette Ave.



Hawthorne Ave.




Colorado Ave. - Exit 138



**~** 20840


20810 >


Truman Ave.



## US 97 INTERCHANGES


Reed Market Rd. - Exit 139





Badger Rd.

188




#### SUNSET HIGHWAY NO. 47 (US26)


Interchange Ramp Diagrams from Wilson River Highway No. 37 (OR6) east to Stadium Freeway Highway No. 61 (I-405) in Portland with Annual Average Daily Traffic Volumes.

## US (26) INTERCHANGES


Dersham Road - Exit 55




North Plains - Exit 57




Jackson School Road - Exit 58




Helvetia Road - Exit 61



Cornelius Pass Rd. - Exit 62




185th Ave. - Exit 64B




Cornell Road - Exit 65


Murray Blvd. - Exit 67



## US (26) INTERCHANGES





#### STADIUM FREEWAY HIGHWAY NO. 61 (I-405)




<b>EAST PORTL</b>	AND	FREEWAY	VHICHWA	VNO	64 (T-205)
CASI PURIL	AND	FREEWA	Ι ΠΙΙΤΠ W A	LI INU.	04 (1-205)

## INTERSTATE 205 IN







201




## **BELTLINE HIGHWAY NO. 69 (OR569)**





## MCNARY HIGHWAY NO. 70 (I-82)



Power Line Road - Exit 5








## **BEAVERTON – TIGARD HIGHWAY NO. 144 (OR217)**


## OR 217 INTERCHANGES





### NORTH SANTIAM HIGHWAY NO. 162 (OR22)

Interchange Ramp Diagrams from I-5 to Stayton with Annual Average Daily Traffic Volumes.

#### **INTERCHANGES** OR








EUGENE – SPRINGFIELD HIGHWAY NO. 227 (I-105 & Interchange Ramp Diagrams with Annual Average Daily Traffic Vo	
increasing Family France vo	

#### INTERSTATE **INTERCHANGES** (126)



#### **SECTION IV**

# INTRODUCTION TO TRENDS AT AUTOMATIC TRAFFIC RECORDER STATIONS

Section IV contains traffic data at 180 Automatic Traffic Recorder Stations and Automatic Vehicle Classification Stations.

Historical data by year consists of the Annual Average Daily Traffic (AADT), Maximum Day, Maximum Hour, 10th, 20th, and 30th Highest Hours. Please note the Maximum Day, Maximum Hour, 10th, 20th, and 30th Highest Hours are expressed in percent of the AADT. The bar graph shows the traffic volume pattern for the last 10 years or since the station was placed in service. Asterisks (\*\*\*), indicate recorder was inoperative during these periods.

For earlier Historical Data at Stations, see earlier Transportation Volume Tables.

The current year's data consists of both the Average Weekday Traffic and Average Daily Traffic by month and is shown as a percent AADT.


ODOT has the classification data located online for the entire State Highway network. If you are using the data in preparation for a project, please use the web address below to find the proper data required for your project.


http://highway.odot.state.or.us/cf/highwayreports/traffic parms.cfm


or

The Excel Traffic Volume Tables for State Highways at

https://www.oregon.gov/ODOT/Data/Pages/Traffic-Counting.aspx#TVT-Complete








Location:	US30; MP 37.70; LA GRANDE-BAKER HIGHWAY NO. 66; 4.84 miles south of Union-	Site Name:	North Powder (01-001)
	Baker County Line	Installed:	October, 1957

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	723	177	22.7	14.2	12.6	11.9	
2009	758	297	80.1	13.1	12.3	12.0	
2010	778	194	34.4	14.9	13.1	11.8	
2011	837	162	14.5	12.7	12.1	11.9	
2012	786	175	16.2	13.7	12.9	12.2	
2013	804	406	63.9	14.6	13.3	12.7	
2014	802	172	17.0	14.1	13.0	12.6	
2015	843	184	40.6	15.1	12.8	12.1	
2016	855	201	46.0	17.2	14.2	13.5	
2017	851	514	88.5	22.0	15.9	13.5	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	596	70	556	65
February	749	88	708	83
March	844	99	797	94
April	915	108	864	102
May	993	117	937	110
June	996	117	950	112
July	1004	118	954	112
August	1204	141	1070	126
September	962	113	897	105
October	992	117	908	107
November	970	114	844	99
December	790	93	732	86

For Vehicle Classification data near your project, please go to the following web page:


<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR203; MP 36.86; MEDICAL SPRINGS HIGHWAY NO. 340; 2.08 miles east of Old	Site Name:	Medical Springs (01-007)
	Oregon Trail Highway No. 6 (I-84)	Installed:	October, 1957

#### HISTORICAL TRAFFIC DATA

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	220	***	***	***	***	***	
2009	214	***	***	***	***	***	
2010	206	208	36.5	18.5	16.0	15.1	
2011	203	177	35.5	17.3	16.3	14.8	
2012	209	180	28.8	17.3	16.3	15.8	
2013	201	190	40.8	16.9	15.4	14.4	
2014	211	182	30.3	19.9	17.1	16.1	
2015	229	196	31.4	17.9	15.3	14.8	
2016	238	190	28.6	18.5	16.8	16.0	
2017	232	393	65.1	23.7	15.5	14.7	






#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	159	69	150	65
February	183	79	175	75
March	198	85	191	82
April	214	92	210	91
May	246	106	247	106
June	289	125	288	124
July	284	122	288	124
August	319	138	298	128
September	256	110	252	109
October	263	113	255	110
November	231	100	217	94
December	221	95	211	91

Location:	OR86; MP 37.55; BAKER-COPPERFIELD HIGHWAY NO. 12; 2.21 miles northwest of	Site Name:	Richland (01-010)
	Dry Gulch Road	Installed:	October, 1957

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	559	235	26.1	21.3	18.2	16.6	
2009	602	***	***	***	***	***	
2010	595	335	42.0	21.8	18.3	16.8	
2011	552	367	48.2	23.9	17.4	16.5	
2012	556	261	37.1	19.3	17.1	15.8	
2013	557	284	34.5	20.5	18.1	15.8	
2014	563	235	25.0	21.1	17.1	15.6	
2015	595	215	28.1	18.8	16.1	14.6	
2016	609	234	28.6	19.2	16.7	15.4	
2017	587	211	21.3	18.9	16.7	15.7	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	346	59	328	56
February	420	72	401	68
March	508	87	483	82
April	558	95	550	94
May	708	121	723	123
June	764	130	745	127
July	778	133	799	136
August	777	132	742	126
September	732	125	730	124
October	629	107	590	101
November	564	96	513	87
December	478	81	439	75


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	I-84; MP 286.65; OLD OREGON TRAIL NO. 6; 0.45 mile south of Union-Baker County	Site Name:	Baker Valley (01-011)
	Line	Installed:	January, 1973

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	8750	158	16.4	13.4	11.8	11.4
2009	8881	161	16.8	13.6	12.6	12.2
2010	9070	166	14.4	13.5	12.7	12.3
2011	8714	148	15.6	12.9	12.2	11.9
2012	8939	151	16.5	13.0	12.4	11.9
2013	9099	169	16.9	14.0	12.7	12.3
2014	9223	164	16.8	14.7	12.6	11.8
2015	10144	***	***	***	***	***
2016	10310	181	16.3	13.4	12.6	12.3
2017	10510	191	16.2	13.8	13.3	12.7




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5918	56	5927	56
February	7746	74	7632	73
March	9691	92	9997	95
April	10455	99	10921	104
May	11328	108	11468	109
June	12513	119	12941	123
July	12981	124	13664	130
August	12075	115	12649	120
September	11218	107	11482	109
October	11000	105	11203	107
November	9664	92	9951	95
December	8572	82	8287	79

For Vehicle Classification data near your project, please go to the following web page:

Location:	OR7; MP 48.40; WHITNEY HIGHWAY NO. 71; 0.20 mile south of Griffin Gulch Lane	Site Name:	Whitney (01-012)
		Installed:	December 1981

					п	121 OKIC
	Percent of AADT					
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	1327	***	***	***	***	***
2009	1359	367	37.5	26.5	23.8	21.6
2010	1413	300	29.3	24.6	22.6	21.0
2011	1346	275	28.5	23.7	22.4	20.9
2012	1308	310	29.3	26.2	22.9	21.6
2013	1302	343	33.4	25.7	22.1	20.4
2014	1298	333	33.0	26.6	21.9	19.9
2015	1373	293	29.1	25.1	23.2	19.7
2016	1457	321	34.1	24.8	21.3	19.5
2017	1498	357	57.0	27.8	24.3	21.4



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	950	63	900	60
February	1000	67	1000	67
March	1039	69	1047	70
April	1263	84	1287	86
May	1765	118	1987	133
June	1907	127	1929	129
July	1901	127	2046	137
August	2035	136	2095	140
September	1737	116	1877	125
October	1506	101	1513	101
November	1400	93	1300	87
December	1200	80	1000	67


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	I-84; MP 309.02; OLD OREGON TRAIL NO. 6; 4.27 miles north of Encina Interchange	Site Name:	South Baker (01-013)
		Installed:	May, 2010

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	8304	179	15.5	12.9	12.3	12.0
2012	8328	***	***	***	***	***
2013	8498	172	16.3	14.5	12.8	12.3
2014	8755	170	17.3	14.6	12.7	12.3
2015	9387	153	16.3	13.1	12.4	11.9
2016	9855	174	16.1	13.3	12.8	12.2
2017	10018	173	15.8	13.7	12.9	12.4




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5574	56	5624	56
February	7236	72	7147	71
March	9164	91	9454	94
April	9734	97	10272	103
May	10475	105	10755	107
June	11692	117	12155	121
July	12256	122	12961	129
August	12644	126	13104	131
September	10480	105	10825	108
October	10309	103	10552	105
November	9182	92	9513	95
December	8076	81	7857	78

For Vehicle Classification data near your project, please go to the following web page:

Location:	I-84; MP 336.29; OLD OREGON TRAIL NO. 6; 0.53 mile south of Weatherby	Site Name:	Weatherby (01-014)
	Interchange	Installed:	July, 2011

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	***	***	***	***	***	***	
2009	***	***	***	***	***	***	
2010	***	***	***	***	***	***	
2011	***	***	***	***	***	***	
2012	8336	157	16.8	12.7	11.9	11.6	
2013	8479	172	15.9	14.2	12.5	12.0	
2014	8790	169	16.0	14.0	12.5	12.0	
2015	9400	***	***	***	***	***	
2016	9898	173	15.3	12.8	12.4	12.0	
2017	10035	174	19.3	13.6	12.8	12.4	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5429	54	5527	55
February	7246	72	7211	72
March	9140	91	9431	94
April	9600	96	10000	100
Мау	10612	106	10877	108
June	11859	118	12318	123
July	12343	123	13073	130
August	12667	126	13157	131
September	10657	106	11007	110
October	9500	95	10400	104
November	9190	92	9516	95
December	8161	81	7902	79

2017 -Use Seasonal Factors with caution - many volumes were estimated


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	OR34; MP 53.89; ALSEA HIGHWAY NO. 27; 4.67 miles southwest of Corvallis-	Site Name:	Alsea (02-003)
	Newport Highway No. 33 (US20/OR34)	Installed:	July, 1957

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	1932	156	14.7	12.5	12.2	12.0
2009	1981	150	16.8	13.7	13.0	12.4
2010	2075	169	15.8	13.9	13.0	12.7
2011	2007	158	15.2	13.5	13.0	12.4
2012	2029	169	16.7	13.7	12.7	12.4
2013	2027	146	20.4	13.1	12.3	12.0
2014	2079	151	16.4	13.2	12.4	12.0
2015	2123	150	16.8	13.2	12.5	12.3
2016	2217	170	15.8	12.9	12.5	12.2
2017	2091	150	14.6	12.8	12.2	12.0




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1779	85	1689	81
February	1936	93	1850	88
March	1939	93	1915	92
April	1975	94	1961	94
May	2155	103	2218	106
June	2232	107	2284	109
July	2290	110	2357	113
August	2518	120	2535	121
September	2276	109	2328	111
October	2217	106	2250	108
November	1954	93	1928	92
December	1829	87	1782	85

For Vehicle Classification data near your project, please go to the following web page:

Location:	OR223; MP 26.43; KINGS VALLEY HIGHWAY NO. 191; 1.41 miles south of Hoskins-	Site Name:	Kings Valley (02-005)
	Summit Road	Installed:	October, 1957

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	1052	313	35.1	24.8	15.6	12.5
2009	1026	285	32.4	22.9	15.3	12.7
2010	1042	287	32.9	26.0	16.2	12.6
2011	1028	239	26.9	19.8	13.9	12.6
2012	1015	236	23.4	19.0	14.4	12.6
2013	1027	259	27.2	19.1	13.8	12.8
2014	1037	223	23.0	18.3	12.9	12.1
2015	1113	232	25.5	20.1	13.7	12.6
2016	1141	250	31.2	21.7	15.2	12.7
2017	1187	***	***	***	***	***



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	915	77	857	72
February	1153	97	1049	88
March	1092	92	1061	89
April	1177	99	1161	98
May	1207	102	1198	101
June	1246	105	1270	107
July	1359	114	1389	117
August	1463	123	1458	123
September	1297	109	1408	119
October	1224	103	1228	103
November	1201	101	1157	97
December	1088	92	1005	85


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location: OR99W; MP 94.90; PACIFIC HIGHWAY WEST NO. 91; 5.47 miles north of Monroe Site	e Name:	Monroe (02-007)
Cemetery Road In:	nstalled:	April, 1953

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	4763	139	14.9	12.1	11.5	11.0
2009	4962	***	***	***	***	***
2010	5066	137	16.5	11.7	11.2	11.0
2011	5144	138	15.9	11.8	11.2	10.9
2012	5086	145	16.8	11.5	11.4	11.1
2013	4986	142	13.3	11.3	11.0	10.7
2014	5151	141	13.4	11.5	11.2	10.9
2015	5329	143	12.9	11.3	11.0	10.7
2016	5354	139	12.3	11.1	10.8	10.5
2017	5366	222	20.3	12.6	11.0	10.5




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4506	84	4298	80
February	5098	95	4970	93
March	5224	97	5125	96
April	5376	100	5318	99
May	5641	105	5648	105
June	5864	109	5803	108
July	5935	111	5868	109
August	6454	120	6160	115
September	5703	106	5697	106
October	5594	104	5460	102
November	5269	98	5168	96
December	5158	96	4878	91

For Vehicle Classification data near your project, please go to the following web page:

Location:	US26; MP 46.38; MT. HOOD HIGHWAY NO. 26; 0.30 mile east of Camp Creek Rd	Site Name:	Rhododendron (03-006)
	(USFS 28)	Installed:	August, 1995

			Pe	rcent of A	ADT	
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	8162	233	22.9	20.1	19.1	18.2
2009	8737	197	22.3	19.6	18.4	17.8
2010	8714	207	21.6	19.8	18.9	18.5
2011	8330	214	24.7	20.0	18.6	18.1
2012	8480	227	24.0	21.0	20.2	19.4
2013	8527	213	23.4	21.1	20.3	19.1
2014	8652	216	23.2	21.1	20.3	19.2
2015	8861	242	21.4	20.3	19.4	18.7
2016	10071	208	22.9	19.6	18.8	17.9
2017	10223	200	19.9	19.1	18.1	17.5



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6744	66	9080	89
February	6533	64	9496	93
March	6763	66	9337	91
April	6166	60	8675	85
May	7675	75	9598	94
June	8568	84	10695	105
July	11291	110	13874	136
August	11738	115	13623	133
September	11300	111	12734	125
October	6589	64	8087	79
November	5493	54	7313	72
December	8753	86	10161	99


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR35; MP 57.79; MT. HOOD HIGHWAY NO. 26; 0.02 mile east of Warm Springs	Site Name:	Mt. Hood Meadows (03-007)
	Highway No. 53 (US26)	Installed:	September, 1995

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	1854	398	56.8	44.2	39.9	36.1
2009	2130	***	***	***	***	***
2010	2145	374	49.2	39.5	34.8	33.2
2011	1976	476	79.2	49.1	45.0	39.1
2012	2023	452	65.4	43.4	40.3	37.7
2013	1868	427	68.1	48.7	42.0	37.1
2014	1908	400	60.0	41.9	37.4	33.6
2015	1931	393	50.4	38.6	34.4	32.6
2016	2455	366	55.9	38.3	33.1	31.2
2017	2565	340	52.1	37.7	32.5	31.3




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2449	95	3616	141
February	1978	77	3362	131
March	1781	69	2833	110
April	1116	44	2050	80
May	1202	47	1609	63
June	1794	70	2070	81
July	2405	94	2837	111
August	2302	90	2614	102
September	3956	154	3993	156
October	1387	54	1614	63
November	768	30	1156	45
December	2499	97	2966	116

Location:	OR173; MP 5.45; TIMBERLINE HIGHWAY NO. 173; 0.04 mile north of Mt. Hood	Site Name:	Timberline (03-008)
	Highway No. 26 (US26)	Installed:	September, 1995

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	1497	316	33.4	28.3	27.3	25.0	
2009	1619	247	34.3	28.1	25.3	23.9	
2010	1707	254	28.1	26.4	24.4	23.7	
2011	1565	325	37.9	27.9	25.7	24.9	
2012	1593	273	30.7	27.5	25.6	24.4	
2013	1704	268	33.7	28.0	25.2	23.9	
2014	1670	278	38.2	29.4	27.4	26.5	
2015	1734	254	34.7	29.2	26.8	25.3	
2016	1938	283	35.9	25.0	23.2	22.5	
2017	1932	***	***	***	***	***	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1172	61	1633	85
February	1133	59	1683	87
March	1141	59	1633	85
April	1103	57	1593	82
May	1509	78	1979	102
June	2000	104	2300	119
July	2500	129	2800	145
August	2100	109	2600	135
September	1301	67	1602	83
October	949	49	1339	69
November	894	46	1650	85
December	2039	106	2376	123

2017 -Use Seasonal Factors with caution - many volumes were estimated


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	US26; MP 57.77; WARM SPRINGS HIGHWAY NO. 53; 0.32 mile south of Mt. Hood	Site Name:	Warm Springs Jct. (03-009)
	Highway No. 26 (OR35)	Installed:	August, 1995

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	4715	238	27.5	24.4	23.3	22.3
2009	4925	267	28.9	25.7	23.7	22.3
2010	5068	250	27.2	24.6	23.5	22.3
2011	4944	249	27.2	25.4	24.2	22.6
2012	5008	249	27.4	25.5	23.7	21.6
2013	5205	247	28.1	25.3	24.3	23.1
2014	5440	256	28.4	25.9	23.9	22.9
2015	5625	249	25.7	23.6	22.6	21.4
2016	6151	241	26.4	23.4	22.5	21.3
2017	6341	275	24.9	22.9	21.9	21.2




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2858	45	3174	50
February	3843	61	4811	76
March	3947	62	4775	75
April	4305	68	5463	86
May	5756	91	7083	112
June	6430	101	7962	126
July	8070	127	9785	154
August	9091	143	10099	159
September	6400	101	8000	126
October	4840	76	5788	91
November	3957	62	4612	73
December	4205	66	4536	72

For Vehicle Classification data near your project, please go to the following web page:

Location:	I-5; MP 281.20; PACIFIC HIGHWAY NO. 1; 1.38 miles south of Wilsonville-Hubbard	Site Name:	Wilsonville (03-011)
	Highway No. 51 Interchange (OR551)	Installed:	August, 1973

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	83161	134	10.7	9.3	9.2	9.1	
2009	85731	127	9.4	9.1	9.0	8.9	
2010	86646	128	9.8	9.1	9.0	8.9	
2011	85451	128	9.4	9.0	8.9	8.8	
2012	84342	130	10.3	9.1	9.0	8.9	
2013	86419	132	9.7	9.0	8.9	8.8	
2014	87206	127	9.3	8.9	8.7	8.6	
2015	92319	126	9.0	8.6	8.5	8.3	
2016	95295	123	8.7	8.4	8.2	8.2	
2017	95980	***	***	***	***	***	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	77659	81	75651	79
February	89540	93	88925	93
March	93978	98	94184	98
April	96325	100	97607	102
May	97848	102	98983	103
June	104084	108	104395	109
July	103403	108	104399	109
August	105000	109	105000	109
September	98000	102	101000	105
October	93000	97	95000	99
November	94000	98	95500	99
December	93225	97	91111	95

2017 -Use Seasonal Factors with caution - many volumes were estimated


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	OR213; MP 22.15; CASCADE HIGHWAY SOUTH NO. 160; 2.05 miles northeast of	Site Name:	Marquam (03-013)
	Clackamas-Marion County Line	Installed:	October, 1957

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	3678	148	14.1	12.2	11.6	11.4
2009	3910	158	29.3	12.3	11.6	11.3
2010	3985	141	17.0	11.7	11.3	11.1
2011	4008	139	14.2	11.7	11.3	11.1
2012	3742	160	14.9	12.3	12.0	11.8
2013	4012	148	25.5	11.8	11.2	10.9
2014	4234	153	25.4	12.4	11.9	11.5
2015	4581	155	15.0	12.4	11.5	11.2
2016	4927	148	14.9	12.2	11.7	11.4
2017	5138	***	***	***	***	***



#### 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4000	78	3850	75
February	4600	90	4400	86
March	4700	91	4600	90
April	5000	97	4900	95
May	5200	101	5200	101
June	5400	105	5500	107
July	5500	107	5600	109
August	6000	117	6100	119
September	5836	114	5958	116
October	5594	109	5508	107
November	5293	103	5131	100
December	5009	97	4913	96

2017 -Use Seasonal Factors with caution - many volumes were estimated

For Vehicle Classification data near your project, please go to the following web page:

Location:	OR211; MP 24.23; WOODBURN-ESTACADA HIGHWAY NO. 161; 3.05 miles	Site Name:	Colton (03-014)
	northeast of Wall Street	Installed:	October, 1957

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	2313	134	13.3	12.1	11.5	11.4	
2009	2322	133	13.0	11.8	11.4	11.2	
2010	2318	135	13.1	12.0	11.6	11.3	
2011	2268	137	13.4	12.1	11.9	11.6	
2012	2276	140	13.8	12.3	11.8	11.5	
2013	2278	134	13.3	11.7	11.4	11.2	
2014	2408	135	13.2	12.0	11.7	11.5	
2015	2681	135	13.2	12.2	11.8	11.5	
2016	2867	139	14.4	12.5	12.0	11.8	
2017	3044	***	***	***	***	***	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2197	72	2089	69
February	2772	91	2624	86
March	2832	93	2755	91
April	3057	100	2996	98
May	3247	107	3215	106
June	3374	111	3376	111
July	3411	112	3520	116
August	3799	125	3735	123
September	3491	115	3445	113
October	3278	108	3162	104
November	3056	100	2884	95
December	2804	92	2723	89


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	I-205; MP 1.99; EAST PORTLAND FREEWAY NO. 64; 1.99 miles east of Pacific Hwy	Site Name:	Stafford (03-016)
	No. 1 (I-5)	Installed:	January, 1971

#### HISTORICAL TRAFFIC DATA

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	78070	121	11.0	8.5	8.4	8.4	
2009	79618	118	8.7	8.4	8.3	8.3	
2010	78932	118	8.7	8.4	8.4	8.3	
2011	79712	***	***	***	***	***	
2012	80698	122	8.7	8.5	8.5	8.4	
2013	80622	125	8.9	8.7	8.6	8.6	
2014	81184	124	8.7	8.5	8.4	8.4	
2015	88110	117	8.0	7.9	7.8	7.8	
2016	88774	115	8.0	7.8	7.7	7.7	
2017	88696	***	***	***	***	***	



#### 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	85651	97	78306	88
February	89510	101	85422	96
March	90706	102	87481	99
April	93969	106	91506	103
May	94815	107	92929	105
June	98818	111	95205	107
July	96000	108	93000	105
August	98000	110	94500	107
September	94000	106	91000	103
October	92000	104	88000	99
November	90000	101	86000	97
December	84000	95	81000	91

2017 -Use Seasonal Factors with caution - many volumes were estimated

For Vehicle Classification data near your project, please go to the following web page:

Location:	OR212/OR224 MP 6.80; CLACKAMAS HIGHWAY NO. 171; 0.14 mile west of S.E.	Site Name:	Clackamas (03-017)
	130th Avenue	Installed:	June, 2005

		Percent of AADT						
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour		
2008	32178	122	9.2	8.9	8.8	8.8		
2009	32094	124	9.1	8.7	8.6	8.6		
2010	32404	122	8.9	8.7	8.6	8.6		
2011	32240	122	9.0	8.8	8.7	8.6		
2012	32857	122	9.8	9.0	8.8	8.7		
2013	33849	122	9.2	8.8	8.7	8.7		
2014	33657	119	9.1	8.8	8.7	8.6		
2015	34157	118	8.7	8.5	8.4	8.4		
2016	34798	124	9.1	8.7	8.7	8.6		
2017	38448	120	8.7	8.4	8.3	8.2		



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	34782	90	32715	85
February	39172	102	36712	95
March	39234	102	37066	96
April	40634	106	38345	100
May	41525	108	39627	103
June	43119	112	41268	107
July	42418	110	41193	107
August	42344	110	40631	106
September	41535	108	39698	103
October	41563	108	39142	102
November	40503	105	37552	98
December	39487	103	37423	97


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR224; MP 3.60; CLACKAMAS HIGHWAY NO. 171; 0.13 mile west of Johnson Road	Site Name:	Milwaukie (03-018)
		Installed:	July, 2007

#### HISTORICAL TRAFFIC DATA

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	35285	125	10.3	10.0	10.0	9.9	
2009	35434	123	13.7	10.0	9.8	9.7	
2010	35149	121	9.8	9.4	9.3	9.3	
2011	35163	120	9.5	9.4	9.2	9.2	
2012	35368	123	9.4	9.2	9.1	9.1	
2013	34995	123	9.7	9.4	9.4	9.3	
2014	35212	121	9.5	9.4	9.3	9.3	
2015	35645	121	9.5	9.3	9.3	9.2	
2016	35480	125	9.8	9.5	9.4	9.4	
2017	37454	123	9.6	9.4	9.3	9.2	




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	35967	96	32121	86
February	41904	112	37134	99
March	42098	112	37845	101
April	43277	116	38558	103
May	42947	115	39003	104
June	44370	118	39928	107
July	41744	111	37782	101
August	42345	113	37718	101
September	41855	112	37719	101
October	43423	116	38964	104
November	41838	112	36855	98
December	39647	106	35819	96

For Vehicle Classification data near your project, please go to the following web page:

Location:	OR213; MP 8.90; CASCADE HIGHWAY SOUTH NO. 160; 0.94 mile south of S.	Site Name:	Mulino (03-020)
	Spangler Road	Installed:	April, 2009

			Pe	rcent of AA	ent of AADT	
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	13007	119	10.1	9.6	9.6	9.5
2011	12962	124	10.2	9.7	9.6	9.5
2012	12721	122	10.1	9.8	9.6	9.5
2013	13132	122	9.9	9.6	9.5	9.5
2014	13552	126	10.0	9.7	9.5	9.4
2015	14402	122	9.9	9.4	9.2	9.2
2016	15132	125	9.9	9.4	9.3	9.2
2017	15430	137	9.8	9.5	9.3	9.2



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	13136	85	12270	80
February	15537	101	14427	93
March	15712	102	14858	96
April	16286	106	15624	101
May	16585	107	15950	103
June	17198	111	16511	107
July	17531	114	17015	110
August	17488	113	16734	108
September	16506	107	15942	103
October	16804	109	15940	103
November	16415	106	15249	99
December	15370	100	14643	95


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR224; MP 5.46; SUNRISE EXPRESSWAY HIGHWAY NO. 75; 0.80 mile north of	Site Name:	Sunrise (03-021)
	Clackamas Highway (OR212)	Installed:	August 2016

#### HISTORICAL TRAFFIC DATA

			Percent of AADT				
Year	AADT	Max	Max	10TH	20TH Hour	30TH	
rear	AADI	Day	Hour	Hour	Hour	Hour	
2008	***	***	***	***	***	***	
2009	***	***	***	***	***	***	
2010	***	***	***	***	***	***	
2011	***	***	***	***	***	***	
2012	***	***	***	***	***	***	
2013	***	***	***	***	***	***	
2014	***	***	***	***	***	***	
2015	***	***	***	***	***	***	
2016	***	***	***	***	***	***	
2017	17933	125	10.0	9.7	9.5	9.4	




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	16185	90	14496	81
February	18774	105	16578	92
March	18797	105	16784	94
April	19938	111	17707	99
Мау	20462	114	18400	103
June	21480	120	19351	108
July	20615	115	18935	106
August	20880	116	18760	105
September	20915	117	18914	105
October	21412	119	19142	107
November	19000	106	17000	95
December	20009	112	18133	101

2017 -Use Seasonal Factors with caution - many volumes were estimated

Location:	US101; MP 15.90; OREGON COAST HIGHWAY NO. 9; 2.09 miles north of Dellmoor		Gearhart (04-001)
	Loop Road	Installed:	October, 1956

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	13486	153	14.3	12.2	11.8	11.7	
2009	13797	146	12.8	12.4	12.1	12.0	
2010	13635	149	12.7	12.4	12.1	12.0	
2011	13182	149	14.2	12.5	12.4	12.2	
2012	13158	157	13.6	12.9	12.5	12.4	
2013	13409	150	13.5	12.7	12.4	12.2	
2014	13825	150	13.1	12.7	12.5	12.2	
2015	14702	142	12.2	11.7	11.5	11.4	
2016	15243	144	12.0	11.7	11.6	11.4	
2017	15717	142	12.2	11.6	11.3	11.2	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12411	79	12121	77
February	13228	84	13360	85
March	14256	91	14298	91
April	15928	101	15843	101
May	16111	103	16452	105
June	17482	111	17531	112
July	19500	124	19459	124
August	19906	127	19848	126
September	17599	112	17842	114
October	15308	97	15210	97
November	13576	86	13582	86
December	13485	86	13060	83


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US101; MP 3.79; OREGON COAST HIGHWAY NO. 9; 0.01 mile north of Lower	Site Name:	Astoria Bridge (04-004)
	Columbia River Highway No. 92 (US30)	Installed:	September, 1995

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	6761	175	17.3	15.8	15.0	14.3
2009	7207	191	17.2	15.9	15.0	14.6
2010	***	***	***	***	***	***
2011	6912	174	18.9	16.0	15.5	15.0
2012	6878	168	16.8	15.2	14.7	14.5
2013	7171	180	16.7	15.4	14.4	14.1
2014	7488	169	17.3	14.9	14.5	14.0
2015	8158	178	24.0	15.3	14.5	13.9
2016	8506	164	22.9	15.4	14.5	13.7
2017	8534	162	19.7	14.8	14.2	13.9




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6236	73	6127	72
February	6925	81	7156	84
March	7133	84	7363	86
April	7929	93	8521	100
May	8312	97	8837	104
June	9053	106	9382	110
July	10445	122	10830	127
August	11103	130	11601	136
September	10400	122	10500	123
October	7500	88	7800	91
November	7110	83	7286	85
December	7046	83	7000	82

2017 –Use Seasonal Factors with caution - many volumes were estimated

Location:	US30; MP 53.33; LOWER COLUMBIA RIVER HIGHWAY NO. 92; 1.03 miles west of	Site Name:	Rainier (05-006)
	Rainier Road	Installed:	September, 1954

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	10143	148	12.6	12.1	11.7	11.6	
2009	10282	156	14.3	12.7	12.4	12.0	
2010	10195	149	13.8	12.4	12.2	11.9	
2011	9997	150	13.5	12.4	12.1	11.9	
2012	9905	157	13.4	12.6	12.1	11.8	
2013	10029	149	12.8	12.3	11.9	11.7	
2014	10372	152	13.3	12.6	12.3	11.9	
2015	10792	161	13.4	12.2	11.6	11.4	
2016	11025	147	12.1	11.4	11.2	11.0	
2017	11326	147	12.7	12.0	11.9	11.6	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8521	75	8359	74
February	9515	84	9634	85
March	10035	89	10225	90
April	10939	97	11393	101
May	11496	102	11930	105
June	11986	106	12471	110
July	13241	117	13614	120
August	13781	122	14368	127
September	12333	109	12858	114
October	10948	97	11093	98
November	10150	90	10179	90
December	9834	87	9790	86


For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data

https://www.oregon.gov/ODOT/Data /Documents/TVT\_2017.xlsx

Location:	US101; MP 221.67; OREGON COAST HIGHWAY NO. 9; 1.09 miles south of Douglas-	Site Name:	Lakeside (06-001)
	Coos County Line	Installed:	January, 1992

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	7322	155	15.4	12.9	12.6	12.3
2009	7601	161	16.0	13.6	13.5	12.9
2010	7586	156	14.2	13.3	12.9	12.7
2011	7319	163	14.0	13.1	12.7	12.5
2012	7181	169	14.7	13.7	13.3	12.9
2013	7181	163	14.5	13.5	13.3	12.7
2014	7367	168	14.7	14.1	13.5	13.1
2015	7963	164	14.4	13.6	12.9	12.8
2016	8192	158	13.8	13.2	12.8	12.5
2017	8273	158	14.8	13.2	12.9	12.6




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6015	73	5977	72
February	6585	80	6636	80
March	7229	87	7318	88
April	7294	88	7478	90
May	8286	100	8478	102
June	9298	112	9609	116
July	10702	129	10891	132
August	10815	131	11038	133
September	9420	114	9656	117
October	8001	97	7933	96
November	7119	86	7167	87
December	7176	87	7099	86

For Vehicle Classification data near your project, please go to the following web page:

Location:	US101; MP 275.87; OREGON COAST HIGHWAY NO. 9; 1.02 miles south of 18th S.W.	Site Name:	Bandon (06-004)
	Street	Installed:	September, 1954

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	6090	145	13.2	12.3	11.7	11.6	
2009	6233	***	***	***	***	***	
2010	6303	143	13.3	12.5	12.4	12.3	
2011	6051	142	13.3	12.6	12.2	12.1	
2012	5971	143	13.2	12.6	12.3	12.2	
2013	6078	147	13.5	12.7	12.5	12.2	
2014	6180	171	15.2	13.4	12.9	12.6	
2015	6494	185	16.6	15.1	13.6	12.9	
2016	6653	180	17.2	14.7	13.1	12.3	
2017	6755	146	13.6	12.6	12.4	12.3	



#### 2017 TRAFFIC DATA

	Average Weekday	Percent of	Average Daily	Percent of
	Traffic	AADT	Traffic	AADT
January	5744	85	5379	80
February	5918	88	5611	83
March	6342	94	6015	89
April	6621	98	6336	94
May	7118	105	6831	101
June	8025	119	7632	113
July	8908	132	8629	128
August	8959	133	8657	128
September	7785	115	7569	112
October	7214	107	6769	100
November	6234	92	5867	87
December	6085	90	5770	85


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	us 101; MP 244.02; OREGON COAST HIGHWAY NO. 9; Coos Bay Automatic Traffic		Coos Bay (06-009)
	Recorder; 0.01 mile South of Southport Lane	Installed:	September, 1999

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	13702	136	11.2	10.7	10.4	10.3
2009	13666	***	***	***	***	***
2010	13632	137	11.7	10.8	10.6	10.5
2011	13487	135	11.2	10.6	10.3	10.2
2012	13044	140	11.2	10.7	10.5	10.4
2013	13044	139	11.4	10.9	10.6	10.5
2014	13358	138	11.7	10.9	10.7	10.5
2015	14059	133	11.3	10.6	10.4	10.4
2016	14496	141	11.8	11.1	10.7	10.6
2017	14890	137	11.3	10.8	10.6	10.5




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	13324	89	12428	83
February	14456	97	13416	90
March	14931	100	13902	93
April	15365	103	14451	97
May	16110	108	15120	102
June	16937	114	16027	108
July	18145	122	17224	116
August	18359	123	17400	117
September	16871	113	16061	108
October	16365	110	15056	101
November	15078	101	13823	93
December	14696	99	13766	92

For Vehicle Classification data near your project, please go to the following web page:

Location:	US26; MP 22.85; OCHOCO HIGHWAY NO. 41; 2.03 miles west of Ochoco Dam	Site Name:	Ochoco (07-001)
		Installed:	October, 1954

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	2616	178	17.5	14.4	13.9	13.5
2009	2714	192	19.1	15.4	14.5	13.7
2010	2612	170	18.3	14.8	13.9	13.6
2011	2492	183	16.6	15.0	14.6	14.1
2012	2381	177	18.4	14.9	14.3	14.0
2013	2405	180	19.0	15.5	14.6	14.2
2014	2495	187	18.1	16.2	14.8	14.2
2015	2675	179	20.6	15.1	14.4	13.5
2016	2783	194	22.3	16.6	15.6	14.9
2017	2954	***	***	***	***	***



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1516	51	1497	51
February	1868	63	1871	63
March	2225	75	2278	77
April	2433	82	2592	88
May	3113	105	3375	114
June	3430	116	3632	123
July	3675	124	3916	133
August	5678	192	5262	178
September	3426	116	3643	123
October	2893	98	2968	100
November	2333	79	2366	80
December	2022	68	2051	69


For Vehicle Classification data near your project, please go to the following web page: <a href="https://www.oregon.gov/ODOT/Data">https://www.oregon.gov/ODOT/Data</a>

https://www.oregon.gov/ODOT/Data
/Documents/TVT\_2017.xlsx

Location:	OR126; MP 3.23; OCHOCO HIGHWAY NO. 41; .35 mile west of Deschutes-Crook	Site Name:	Powell Butte (07-002)
	County Line	Installed:	July, 2007

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	7215	134	11.2	10.8	10.6	10.5
2009	6972	137	11.3	10.6	10.4	10.3
2010	7099	138	11.7	10.9	10.7	10.6
2011	7020	137	16.4	10.8	10.6	10.4
2012	6962	133	11.9	11.0	10.8	10.6
2013	7453	131	11.1	10.7	10.5	10.3
2014	7720	135	11.4	10.8	10.6	10.5
2015	8534	129	11.0	10.4	10.3	10.2
2016	9466	133	11.9	11.3	11.0	10.9
2017	9553	137	11.2	10.7	10.5	10.3




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7748	81	7270	76
February	9042	95	8408	88
March	9990	105	9432	99
April	10532	110	9885	103
May	10600	111	10100	106
June	11093	116	10595	111
July	11118	116	10569	111
August	11463	120	10643	111
September	10704	112	10173	106
October	10470	110	9728	102
November	9722	102	9029	95
December	9321	98	8799	92

For Vehicle Classification data near your project, please go to the following web page:

Location:	US101; MP 362.00; OREGON COAST HIGHWAY NO. 9; 1.11 miles north of Oregon-	Site Name:	Winchuck (08-005)
	California State Line	Installed:	November, 1956

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	8623	146	12.3	11.6	11.2	10.8	
2009	8707	145	13.5	12.0	11.5	11.2	
2010	8615	146	13.2	12.0	11.6	11.3	
2011	8315	143	12.9	11.6	11.3	11.2	
2012	8404	139	12.1	11.7	11.4	11.3	
2013	8682	142	12.6	12.0	11.5	11.4	
2014	8741	146	12.8	11.8	11.5	11.3	
2015	9305	149	13.5	12.2	11.8	11.6	
2016	9510	145	13.0	12.2	11.9	11.6	
2017	9682	141	12.7	12.0	11.8	11.6	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8079	83	7846	81
February	8233	85	8236	85
March	8945	92	8788	91
April	8932	92	9055	94
May	9762	101	9767	101
June	10909	113	10796	112
July	11973	124	11985	124
August	11937	123	11857	122
September	10885	112	10788	111
October	9668	100	9379	97
November	8932	92	8780	91
December	8937	92	8911	92


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US101; MP 301.45; OREGON COAST HIGHWAY NO. 9; 0.11 mile southeast of	Site Name:	Port Orford (08-009)
	Jefferson Street (Battle Rock Wayside)	Installed:	July, 2000

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	2539	173	17.1	15.2	14.6	14.3
2009	2656	171	17.4	15.9	15.5	15.2
2010	2680	167	17.5	15.2	15.0	14.8
2011	2555	164	15.5	15.0	14.6	14.3
2012	2516	179	17.4	15.9	15.5	15.3
2013	2537	173	17.7	16.0	15.4	15.1
2014	2637	206	19.3	17.3	16.0	15.7
2015	2815	215	20.9	17.5	16.5	15.6
2016	2924	204	19.0	17.1	15.5	15.1
2017	2919	186	17.3	15.7	15.3	15



#### 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2274	78	2136	73
February	2223	76	2153	74
March	2510	86	2405	82
April	2583	88	2522	86
May	2971	102	2913	100
June	3664	126	3548	122
July	4476	153	4402	151
August	4451	152	4389	150
September	3416	117	3385	116
October	2854	98	2718	93
November	2365	81	2252	77
December	2343	80	2208	76

Location:	US97; MP 142.41; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.17 mile south of	Site Name:	Lava Butte (09-003)
	China Hat Road	Installed:	January, 1951

HISTORICAL TRAFFIC DATA

2015 - Construction Nearby altered volume

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	20472	145	12.0	11.5	11.1	10.9	
2009	20395	145	12.3	11.5	11.2	11.0	
2010	20347	147	12.4	11.8	11.4	11.2	
2011	19800	153	12.5	11.8	11.4	11.3	
2012	19816	154	13.1	12.0	11.7	11.5	
2013	20735	151	13.0	11.8	11.7	11.5	
2014	20708	153	12.4	11.8	11.4	11.3	
2015	24300	154	12.8	11.9	11.7	11.6	
2016	25097	148	12.3	11.5	11.0	10.9	
2017	25777	149	11.9	11.5	11.3	11.1	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	18032	70	17497	68
February	21041	82	20367	79
March	23452	91	22603	88
April	25525	99	24703	96
May	27801	108	27431	106
June	31086	121	30585	119
July	33519	130	33222	129
August	33534	130	32903	128
September	28535	111	27929	108
October	27037	105	25936	101
November	24082	93	23146	90
December	23614	92	23001	89


For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data

/Documents/TVT\_2017.xlsx

Location:	US20; MP 6.28; CENTRAL OREGON HIGHWAY NO. 7; 1.49 miles east of Powell	Site Name:	Pilot Butte (09-005)
	Butte Road	Installed:	October, 1951

#### HISTORICAL TRAFFIC DATA

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	2457	158	15.9	14.7	14.0	13.2	
2009	2486	***	***	***	***	***	
2010	2524	159	14.7	12.9	12.4	12.1	
2011	2358	157	15.2	13.4	12.6	12.1	
2012	2389	161	15.8	13.1	12.4	12.1	
2013	2460	157	14.3	13.0	12.5	12.0	
2014	2524	162	14.0	12.8	12.3	12.1	
2015	2703	156	14.6	12.6	12.2	12.0	
2016	2961	164	17.5	13.1	12.7	12.4	
2017	2897	167	16.8	13.0	12.5	12.1	




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1722	59	1675	58
February	2054	71	2112	73
March	2564	89	2700	93
April	2797	97	2976	103
May	3131	108	3233	112
June	3390	117	3460	119
July	3490	120	3582	124
August	3436	119	3427	118
September	3460	119	3509	121
October	3035	105	3132	108
November	2631	91	2661	92
December	2289	79	2298	79

For Vehicle Classification data near your project, please go to the following web page:

Location:	US97; MP 135.95; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.49 mile south of	Site Name:	Bend-Empire (09-007)
	Empire Avenue	Installed:	June, 1998

		Percent of AADT						
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour		
2008	43354	130	10.8	10.5	10.4	10.3		
2009	42205	***	***	***	***	***		
2010	41291	***	***	***	***	***		
2011	41870	***	***	***	***	***		
2012	42691	128	10.9	10.4	10.2	10.2		
2013	44744	130	11.1	10.4	10.3	10.2		
2014	46107	131	10.8	10.4	10.3	10.2		
2015	48885	128	10.5	10.1	10.0	9.9		
2016	52144	127	10.1	10.0	9.9	9.9		
2017	53959	130	10.2	9.9	9.8	9.8		



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	43640	81	41144	76
February	51277	95	48220	89
March	55252	102	52102	97
April	58848	109	55083	102
May	60449	112	57341	106
June	63903	118	60442	112
July	63314	117	60437	112
August	61752	114	58624	109
September	58742	109	55362	103
October	59142	110	55532	103
November	55288	102	51735	96
December	54245	101	51485	95


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US97; MP 137.36; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.23 mile south of	Site Name:	Bend-Revere (09-009)
	Revere Avenue Interchange	Installed:	June, 1998

#### HISTORICAL TRAFFIC DATA

	Percent of AADT					
	Max	Max	10TH	20TH	30TH	
AADT	Day	Hour	Hour	Hour	Hour	
39229	128	10.8	10.5	10.4	10.3	
38140	***	***	***	***	***	
38467	133	10.7	10.4	10.3	10.2	
38506	130	10.9	10.4	10.3	10.2	
39052	129	10.8	10.4	10.3	10.2	
41556	132	10.9	10.5	10.3	10.2	
43191	135	11.1	10.7	10.5	10.4	
46158	131	10.8	10.5	10.3	10.3	
49523	131	10.7	10.4	10.3	10.2	
52823	133	10.7	10.3	10.2	10.1	
	39229 38140 38467 38506 39052 41556 43191 46158 49523	AADT         Day           39229         128           38140         ***           38467         133           38506         130           39052         129           41556         132           43191         135           46158         131           49523         131	Max AADT         Max Day         Max Hour           39229         128         10.8           38140         ***         ***           38506         133         10.7           38506         130         10.9           39052         129         10.8           41556         132         10.9           43191         135         11.1           46158         131         10.8           49523         131         10.7	Max ADT         Max Day         Max Hour Hour           39229         128         10.8         10.5           38140         ****         ****         ****           38506         133         10.7         10.4           38506         130         10.9         10.4           39052         129         10.8         10.4           41556         132         10.9         10.5           43191         135         11.1         10.7           46158         131         10.8         10.5           49523         131         10.7         10.4	Max ADT         Max Day         Max Hour         10TH Hour         20TH Hour           39229         128         10.8         10.5         10.4           38140         ***         ***         ***         ***           38506         133         10.7         10.4         10.3           38506         130         10.9         10.4         10.3           39052         129         10.8         10.4         10.3           41556         132         10.9         10.5         10.3           43191         135         11.1         10.7         10.5           46158         131         10.8         10.5         10.3           49523         131         10.7         10.4         10.3	




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	42347	80	39859	75
February	49984	95	46819	89
March	54041	102	50499	96
April	57582	109	53387	101
May	59430	113	55981	106
June	63082	119	59146	112
July	63538	120	60256	114
August	62622	119	58927	112
September	58527	111	54627	103
October	57931	110	53771	102
November	53999	102	50038	95
December	53513	101	50567	96

Location:	US20/OR126 MP 93.12; SANTIAM HIGHWAY NO. 16; 0.31 mile south of Black Butte	Site Name:	Sisters (09-014)
	Ranch Road	Installed:	October, 1957

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	7305	208	22.0	20.2	19.4	18.3	
2009	7621	***	***	***	***	***	
2010	7670	210	22.2	19.8	19.2	18.5	
2011	7489	211	22.2	20.1	19.4	18.8	
2012	7490	***	***	***	***	***	
2013	7856	211	21.9	20.0	19.1	18.4	
2014	8024	213	22.2	20.3	19.7	18.9	
2015	8827	222	21.8	19.7	18.9	18.2	
2016	9124	201	20.8	19.2	18.4	17.6	
2017	8803	209	22.6	20.0	18.9	18.2	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4018	46	4685	53
February	4654	53	5645	64
March	5907	67	7090	81
April	6320	72	7925	90
May	8462	96	10233	116
June	10053	114	11685	133
July	12032	137	13792	157
August	11129	126	12484	142
September	9016	102	10338	117
October	7472	85	8815	100
November	5682	65	6741	77
December	5620	64	6204	70


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US20; MP 9.25; MCKENZIE-BEND HIGHWAY NO. 17; 0.47 mile northwest of Innes	Site Name:	Three Sisters Viewpoint
	Market Road		(09-015)
		Installed:	January, 2003

#### HISTORICAL TRAFFIC DATA

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	8813	156	13.6	12.9	12.7	12.6	
2009	8888	157	14.0	13.1	12.7	12.6	
2010	8851	159	14.4	13.7	13.2	13.0	
2011	8663	160	15.2	13.7	13.2	13.0	
2012	8678	162	14.8	13.8	13.5	13.3	
2013	9051	156	14.3	13.6	13.0	12.8	
2014	9408	160	15.8	13.8	13.5	13.2	
2015	10224	171	14.3	13.6	13.0	12.8	
2016	10755	157	13.9	13.1	12.8	12.5	
2017	10892	163	14.0	12.9	12.6	12.4	




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6827	63	6885	63
February	8114	74	8291	76
March	9259	85	9480	87
April	10038	92	10428	96
May	11459	105	11914	109
June	12736	117	13254	122
July	13654	125	14220	131
August	13300	122	13900	128
September	12000	110	12900	118
October	10821	99	11065	102
November	9317	86	9352	86
December	9077	83	9018	83

For Vehicle Classification data near your project, please go to the following web page:

Location:	US97; MP 124.39; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.79 mile south of	Site Name:	Redmond (09-020)
	Yew Avenue	Installed:	February, 1994

		rcent of A	ADT			
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	28041	145	11.7	10.6	10.3	10.1
2009	27242	152	11.8	10.4	10.1	10.0
2010	27361	146	12.1	10.7	10.3	10.2
2011	26517	148	12.2	10.9	10.3	10.0
2012	26314	140	12.3	10.4	10.3	10.3
2013	27490	145	12.3	10.7	10.3	10.2
2014	28187	146	11.9	10.9	10.6	10.4
2015	30800	140	11.0	10.4	10.3	10.2
2016	33693	141	10.9	10.2	10.0	10.0
2017	34831	138	10.5	10.2	9.9	9.8



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	28576	82	26440	76
February	33718	97	31161	89
March	36215	104	34009	98
April	38257	110	35496	102
May	38820	111	36436	105
June	40756	117	38202	110
July	40356	116	38303	110
August	41706	120	39159	112
September	38904	112	36325	104
October	39120	112	36496	105
November	36317	104	33479	96
December	34573	99	32464	93


For Vehicle Classification data near your project, please go to the following web page: <a href="https://www.oregon.gov/ODOT/Data">https://www.oregon.gov/ODOT/Data</a>

https://www.oregon.gov/ODOT/Data
/Documents/TVT\_2017.xlsx

Location:	OR126; MP 108.27; MCKENZIE HIGHWAY NO. 15; 1.38 miles west of S.W.	Site Name:	Cline Falls (09-021)
	Helmholtz Way (S.W. 43rd Street)	Installed:	June, 2005

#### HISTORICAL TRAFFIC DATA

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	8248	***	***	***	***	***	
2009	7934	***	***	***	***	***	
2010	8230	168	16.0	12.1	11.6	11.3	
2011	8111	146	12.8	11.7	11.4	11.2	
2012	8124	146	12.4	11.5	11.3	11.2	
2013	8432	146	12.4	11.5	11.2	11.1	
2014	8773	143	12.3	11.3	11.0	10.9	
2015	9535	143	11.8	11.0	10.9	10.7	
2016	10038	140	12.0	11.3	11.0	10.9	
2017	10210	143	11.7	11.1	10.8	10.7	




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6769	66	6711	66
February	8120	80	7985	78
March	9374	92	9440	92
April	10076	99	10157	99
May	11195	110	11355	111
June	12095	118	12166	119
July	12598	123	12773	125
August	12413	122	12255	120
September	11037	108	11044	108
October	10623	104	10501	103
November	9356	92	9184	90
December	9102	89	8944	88

For Vehicle Classification data near your project, please go to the following web page:

Location:	US97; MP 120.92; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.04 mile north of	Site Name:	Redmond-Hemlock (09-022)
	S.W. Antler Avenue	Installed:	July, 2008

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	17032	***	***	***	***	***
2010	18493	138	11.1	10.6	10.3	10.1
2011	18201	142	11.5	10.6	10.3	10.2
2012	18538	140	11.9	10.6	10.4	10.2
2013	20262	138	11.2	10.5	10.3	10.1
2014	20807	141	11.2	10.6	10.4	10.3
2015	22111	134	10.6	10.2	10.0	9.8
2016	23609	135	10.4	10.0	9.8	9.7
2017	24051	136	10.4	9.8	9.7	9.6



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	18257	76	17309	72
February	21404	89	20459	85
March	23535	98	22714	94
April	25536	106	24738	103
May	26702	111	26012	108
June	27729	115	27042	112
July	28033	117	27660	115
August	28437	118	27587	115
September	26185	109	25362	105
October	25679	107	25181	105
November	23777	99	22661	94
December	22959	95	21892	91


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US97; MP 119.09; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.57 mile south of	Site Name:	North Redmond (09-023)
	O'Neil Highway No. 370	Installed:	August, 2008

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	18311	145	12.7	10.7	10.4	10.3
2010	18408	138	11.4	11.0	10.6	10.4
2011	17996	145	11.7	10.9	10.6	10.4
2012	18186	140	12.1	10.8	10.6	10.5
2013	18968	139	11.2	10.7	10.5	10.3
2014	19725	142	11.3	10.9	10.6	10.5
2015	21090	135	11.0	10.4	10.3	10.1
2016	22411	140	11.0	10.5	10.4	10.2
2017	22809	138	11.2	10.3	10.1	10.1




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	16512	72	15916	70
February	19810	87	19277	85
March	22225	97	21857	96
April	23549	103	23385	103
May	24774	109	24696	108
June	25877	113	25808	113
July	26328	115	26551	116
August	26636	117	26326	115
September	24516	107	24245	106
October	23891	105	24006	105
November	21826	96	21207	93
December	21096	92	20428	90

For Vehicle Classification data near your project, please go to the following web page: <a href="https://www.oregon.gov/ODOT/Data">https://www.oregon.gov/ODOT/Data</a>

Location:	US20; MP 63.45; CENTRAL OREGON HIGHWAY NO. 7; 5.80 miles northwest of	Site Name:	Hampton (09-024)
	Deschutes-Lake County Line	Installed:	January, 2008

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	1090	215	28.2	19.3	18.1	16.8
2009	1184	198	20.6	18.0	17.0	16.3
2010	1200	200	21.0	18.2	17.2	16.7
2011	1183	185	20.1	16.7	16.1	15.5
2012	1234	180	22.3	18.1	16.9	16.4
2013	1268	197	21.5	18.7	17.2	16.6
2014	1359	188	20.5	18.0	16.7	16.3
2015	1511	201	20.3	17.3	16.7	16.1
2016	1638	220	28.2	18.0	17.0	16.2
2017	1699	183	27.6	17.8	17.0	16.3



### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	812	48	786	46
February	964	57	968	57
March	1283	76	1369	81
April	1453	86	1558	92
May	1788	105	1856	109
June	2068	122	2200	129
July	2209	130	2360	139
August	2326	137	2361	139
September	2349	138	2439	144
October	1771	104	1854	109
November	1403	83	1483	87
December	1150	68	1150	68


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US97; MP 140.45; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.07 mile north of	Site Name:	Bend-Pinebrook (09-025)
	Pinebrook Boulevard	Installed:	January, 2010

# HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	17458	143	11.7	11.2	10.8	10.7
2011	16828	***	***	***	***	***
2012	17765	***	***	***	***	***
2013	17989	140	11.4	10.7	10.6	10.5
2014	18319	139	10.3	9.8	9.8	9.6
2015	19059	***	***	***	***	***
2016	19966	147	21.6	9.9	9.3	9.1
2017	21198	148	11.4	11.2	10.9	10.8




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	14920	70	14347	68
February	17598	83	16813	79
March	19603	92	18679	88
April	21507	101	20564	97
May	23281	110	22686	107
June	25862	122	25192	119
July	27597	130	27169	128
August	27642	130	27006	127
September	23444	111	22738	107
October	22436	106	21314	101
November	19973	94	18970	89
December	19658	93	18889	89

Location:	OR38; MP 23.65; UMPQUA HIGHWAY NO. 45; 7.08 miles east of Scottsburg West	Site Name:	Scottsburg (10-003)
	Road	Installed:	December, 1956

		Percent of AADT				
Year	AADT	Max Dav	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	3097	201	22.0	18.6	17.0	16.6
2009	3316	215	26.2	19.7	17.2	16.6
2010	3322	198	23.4	19.1	17.0	16.3
2011	3214	200	22.2	17.6	16.6	15.9
2012	3139	211	22.9	19.2	17.9	17.0
2013	3165	220	24.8	19.7	17.9	16.7
2014	3126	216	22.8	19.7	18.1	17.5
2015	3531	205	22.4	18.8	17.6	16.9
2016	3668	186	20.2	17.8	16.8	16.2
2017	3603	192	22.2	19.1	17.9	16.9



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2282	62	2412	66
February	2569	70	2786	76
March	2848	78	3156	86
April	2504	68	2709	74
May	3372	92	3740	102
June	3759	102	4265	116
July	4491	122	5006	136
August	4545	124	5119	140
September	3880	106	4390	120
October	3157	86	3450	94
November	2911	79	3191	87
December	2924	80	3016	82


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR138; MP 28.41; NORTH UMPQUA HIGHWAY NO. 138; 0.10 mile west of Susan	Site Name:	Glide (10-004)
	Creek Road	Installed:	June, 1966

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	943	***	***	***	***	***
2009	962	***	***	***	***	***
2010	973	246	27.3	24.4	23.3	22.3
2011	976	253	27.7	24.0	22.4	21.2
2012	936	236	29.2	22.9	21.7	20.8
2013	908	255	32.8	25.4	23.3	22.7
2014	909	254	33.2	25.3	24.0	22.2
2015	964	265	29.7	25.3	23.3	21.7
2016	1069	274	28.0	25.5	24.4	23.2
2017	981	***	***	***	***	***




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	378	35	448	42
February	432	40	504	47
March	588	55	654	61
April	606	57	743	70
May	971	91	1158	108
June	1271	119	1449	136
July	1789	167	2012	188
August	1256	117	1333	125
September	973	91	1079	101
October	1047	98	1117	104
November	608	57	664	62
December	537	50	608	57

For Vehicle Classification data near your project, please go to the following web page:

Location:	I-5; MP 130.15; PACIFIC HIGHWAY NO. 1; 0.70 mile north of Winchester Interchange	Site Name:	Roseburg (10-005)
		Installed:	August, 1999

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	29113	***	***	***	***	***	
2009	29874	136	10.7	10.2	10.0	9.9	
2010	30099	***	***	***	***	***	
2011	29444	145	11.6	10.3	10.0	9.9	
2012	29325	***	***	***	***	***	
2013	29783	149	12.4	10.8	10.3	10.1	
2014	30622	149	11.9	10.8	10.3	10.2	
2015	32404	148	12.0	10.5	10.0	9.8	
2016	33668	145	30.6	10.8	10.2	9.8	
2017	34153	144	11.5	10.8	10.3	9.9	



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	28411	83	27069	79
February	30900	90	29875	87
March	33044	97	32395	95
April	34532	101	34086	100
May	36000	105	35000	102
June	39500	116	38500	113
July	39013	114	39035	114
August	39591	116	39231	115
September	35056	103	34926	102
October	33898	99	33387	98
November	34510	101	33866	99
December	33462	98	32465	95


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR42; MP 70.20; COOS BAY-ROSEBURG HIGHWAY NO. 35; 1.53 miles west of	Site Name:	Brockway (10-006)
	Brockway Road	Installed:	October, 1956

### HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	5518	141	11.2	10.6	10.4	10.1
2009	5552	138	12.4	10.8	10.5	10.3
2010	5636	138	11.6	10.8	10.5	10.3
2011	5331	141	11.8	10.8	10.5	10.3
2012	5206	135	11.6	10.6	10.4	10.3
2013	5291	139	11.3	10.7	10.4	10.2
2014	5401	137	12.3	10.6	10.4	10.2
2015	5638	134	11.8	10.6	10.4	10.1
2016	5831	147	12.3	11.1	10.7	10.3
2017	5927	148	11.5	10.7	10.3	10.2




### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4728	80	4568	77
February	5336	90	5232	88
March	5630	95	5494	93
April	5905	100	5876	99
May	6128	103	6044	102
June	6544	110	6510	110
July	6808	115	6810	115
August	6905	117	6891	116
September	6477	109	6511	110
October	6192	104	6061	102
November	5808	98	5628	95
December	5628	95	5503	93

Location:	I-5/OR99 MP 145.39; PACIFIC HIGHWAY NO. 1; 5.06 miles north of OR99	Site Name:	Oakland (10-007)
		Installed:	October, 1956

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	20708	170	15.2	12.6	11.2	10.7	
2009	21488	168	14.9	12.2	11.5	11.1	
2010	21893	154	14.4	12.5	11.5	11.1	
2011	21273	***	***	***	***	***	
2012	20930	165	14.2	12.6	11.4	11.2	
2013	21326	165	14.8	12.5	11.5	11.0	
2014	21799	165	14.4	12.1	11.3	10.9	
2015	23398	162	14.0	12.4	11.3	10.7	
2016	24069	161	14.2	12.2	11.1	10.7	
2017	24602	***	***	***	***	***	



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	18977	77	18526	75
February	20791	85	20752	84
March	22745	92	23143	94
April	23775	97	24446	99
May	24611	100	24873	101
June	27310	111	27778	113
July	28398	115	29255	119
August	29458	120	30012	122
September	24403	99	25054	102
October	23171	94	23825	97
November	23820	97	24423	99
December	23410	95	23134	94


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	I-5; MP 98.82; PACIFIC HIGHWAY NO. 1; 0.54 mile north of Canyonville/Days Creek	Site Name:	Canyonville (10-008)
	Interchange (Fifth Street)	Installed:	January, 2008

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	18476	176	16.4	12.9	11.7	11.2
2009	19354	***	***	***	***	***
2010	19559	159	16.1	13.2	12.1	11.7
2011	19017	164	15.1	12.5	11.7	11.4
2012	18710	166	15.6	13.3	11.8	11.6
2013	19155	166	16.6	13.1	12.2	11.5
2014	19539	168	16.3	13.1	11.9	11.5
2015	20961	164	16.3	12.8	11.9	11.4
2016	21606	161	15.4	12.5	11.7	11.1
2017	21967	176	15.4	13.1	12.2	11.6




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	16253	74	16005	73
February	17889	81	17954	82
March	20042	91	20497	93
April	20854	95	21661	99
May	21710	99	22024	100
June	24470	111	25021	114
July	25547	116	26557	121
August	26761	122	27618	126
September	22061	100	22734	103
October	20670	94	21344	97
November	21110	96	21847	99
December	20449	93	20346	93

Location:	OR206; MP 41.74; WASCO-HEPPNER HIGHWAY NO. 300; 0.86 mile east of John Day	Site Name:	Condon (11-004)
	Highway No. 5 (OR19)	Installed:	January, 1958

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	166	310	86.1	20.5	18.7	17.5	
2009	183	201	24.0	18.6	17.5	16.9	
2010	180	183	32.8	18.9	17.3	16.1	
2011	188	216	66.5	20.2	18.1	16.5	
2012	188	192	41.4	19.1	16.5	15.9	
2013	190	181	31.1	18.4	16.3	15.8	
2014	182	206	42.9	18.1	16.5	15.9	
2015	177	194	22.0	18.6	16.9	15.8	
2016	193	212	52.3	19.2	17.1	16.0	
2017	191	221	27.8	21.0	17.3	16.3	



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	149	78	135	71
February	163	85	152	80
March	181	95	170	89
April	207	108	198	104
May	212	111	203	106
June	222	116	212	111
July	221	116	215	113
August	235	123	224	117
September	226	118	226	118
October	233	122	221	116
November	189	99	175	92
December	163	85	156	82


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR19; MP 6.81; JOHN DAY HIGHWAY NO. 5; 6.81 miles south of Columbia River	Site Name:	Shutler (11-007)
	Highway No. 2 (I-84/US301)	Installed:	April, 1957

### HISTORICAL TRAFFIC DATA

		Percent of AADT				
.,		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	798	176	16.3	14.2	13.4	13.2
2009	770	***	***	***	***	***
2010	956	172	19.8	18.0	16.8	16.3
2011	755	174	20.3	16.8	15.2	14.7
2012	684	159	15.8	14.0	13.6	13.3
2013	659	161	15.8	14.7	14.1	13.7
2014	634	158	18.0	15.3	14.7	14.4
2015	648	153	17.1	15.1	14.7	14.2
2016	688	154	19.8	15.6	15.0	14.6
2017	744	***	***	***	***	***




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	625	84	533	72
February	773	104	627	84
March	859	115	699	94
April	914	123	748	101
May	912	123	768	103
June	949	128	808	109
July	1011	136	851	114
August	1188	160	962	129
September	875	118	742	100
October	978	131	805	108
November	946	127	783	105
December	721	97	604	81

Location:	I-84; MP 147.78; COLUMBIA RIVER HIGHWAY NO. 2; 0.43 mile east of Heppner	Site Name:	Heppner Jct (11-009)
	Highway No. 52 (OR74)	Installed:	January, 2006

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	10334	205	23.0	17.2	15.2	14.2
2009	10521	189	21.1	16.9	16.2	15.4
2010	10774	180	21.3	16.3	15.8	14.8
2011	10751	189	21.0	15.8	15.2	14.5
2012	10566	182	21.8	16.1	15.7	15.0
2013	10726	195	22.7	17.1	16.3	15.4
2014	10995	184	22.5	16.4	15.7	14.9
2015	11926	177	21.8	16.0	15.5	15.0
2016	12563	185	21.6	16.0	15.1	14.7
2017	12552	181	19.2	16.1	15.4	15.0



### 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6330	50	6645	53
February	8749	70	8911	71
March	10815	86	11680	93
April	11357	90	12521	100
May	12370	99	13291	106
June	14141	113	15414	123
July	15466	123	17062	136
August	15641	125	16900	135
September	11741	94	12941	103
October	12042	96	13156	105
November	11183	89	12333	98
December	9524	76	9668	77

For Vehicle Classification data near your project, please go to the following web page:
<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US26; MP 131.40; JOHN DAY HIGHWAY NO. 5; 1.05 miles east of Franks Creek Road	Site Name:	Dayville (12-003)
	in Dayville	Installed:	October, 1957

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	887	214	22.4	17.6	16.1	15.6
2009	946	215	23.9	18.7	17.4	16.8
2010	956	212	20.7	18.3	17.1	16.4
2011	889	208	20.1	17.8	16.6	15.7
2012	869	194	19.7	18.0	17.2	16.2
2013	871	212	30.9	20.4	18.1	17.0
2014	883	211	20.3	18.3	17.2	16.8
2015	930	195	18.2	16.7	16.0	15.9
2016	959	198	23.7	19.7	17.6	16.8
2017	983	***	***	***	***	***




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	511	52	505	51
February	650	66	640	65
March	766	78	777	79
April	799	81	837	85
May	1001	102	1054	107
June	1155	117	1225	125
July	1253	127	1314	134
August	1518	154	1549	158
September	1292	131	1383	141
October	1008	103	1038	106
November	824	84	832	85
December	658	67	641	65

Location:	US395; MP 89.80; PENDLETON-JOHN DAY HIGHWAY NO. 28; 0.62 mile south of		Long Creek (12-006)
	bridge over Long Creek	Installed:	October, 1957

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	339	214	24.2	18.3	17.1	16.8	
2009	365	239	25.8	20.0	17.8	17.3	
2010	356	193	24.7	19.9	18.0	17.1	
2011	342	198	23.7	18.4	17.6	16.7	
2012	346	229	29.2	19.1	17.3	16.5	
2013	329	205	48.3	20.4	19.5	18.2	
2014	343	***	***	***	***	***	
2015	359	241	37.4	19.5	18.1	17.6	
2016	366	372	58.8	24.1	20.8	18.6	
2017	379	***	***	***	***	***	



2014 - Atypical values due to fire were removed

## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	180	47	182	48
February	203	54	207	55
March	250	66	257	68
April	295	78	314	83
May	357	94	385	102
June	425	112	441	116
July	463	122	487	128
August	855	226	834	220
September	482	127	502	132
October	383	101	397	105
November	316	83	321	85
December	220	58	217	57

For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>


Location: US26; MP 175.79; JOHN DAY HIGHWAY NO. 5; 0.53 mile east of Main Street in Prairie City (12-009)

Prairie City

Installed: January, 1981

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	853	190	23.0	17.4	15.6	14.9
2009	914	186	19.3	17.3	16.5	15.8
2010	947	189	19.9	17.0	16.1	15.8
2011	861	186	22.1	16.9	15.9	15.7
2012	831	178	18.4	16.7	16.1	15.5
2013	835	191	20.2	17.7	16.6	16.3
2014	856	186	20.9	16.7	16.1	15.5
2015	898	187	19.6	16.6	15.9	15.5
2016	928	288	35.4	18.9	17.2	16.2
2017	952	***	***	***	***	***




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	478	50	472	50
February	545	57	559	59
March	639	67	657	69
April	755	79	784	82
May	984	103	1058	111
June	1197	126	1258	132
July	1243	131	1290	136
August	1509	159	1523	160
September	1279	134	1330	140
October	1048	110	1056	111
November	808	85	805	85
December	622	65	631	66

Location:	US395; MP 66.30; JOHN DAY-BURNS HIGHWAY NO. 48; 1.31 mile north of Central	Site Name:	Burns (13-001)
	Oregon Highway No. 7 (US20)	Installed:	January, 1958

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	488	***	***	***	***	***	
2009	500	***	***	***	***	***	
2010	507	207	24.7	17.9	16.0	15.6	
2011	454	175	18.7	16.1	15.2	14.7	
2012	455	168	18.0	16.0	15.6	14.7	
2013	453	218	25.8	17.4	16.6	15.7	
2014	459	176	19.0	15.9	15.3	14.8	
2015	490	177	20.0	16.5	15.3	15.1	
2016	511	183	27.6	16.9	15.4	14.8	
2017	540	***	***	***	***	***	



2017 -K Factors are atypical due to Eclipse volumes

### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	260	48	258	48
February	316	59	306	57
March	372	69	366	68
April	438	81	454	84
May	542	100	572	106
June	626	116	638	118
July	680	126	683	126
August	1126	209	1118	207
September	671	124	694	129
October	581	108	588	109
November	464	86	470	87
December	341	63	335	62


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US20; MP 126.60; CENTRAL OREGON HIGHWAY NO. 7; 0.04 mile northeast of		Hines (13-003)
	Greenhouse Lane, southwest of Hines	Installed:	January, 1958

# HISTORICAL TRAFFIC DATA

			Percent of AADT				
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	2109	169	16.7	14.9	14.2	13.7	
2009	2190	173	16.2	14.4	14.0	13.5	
2010	2185	171	17.1	14.7	14.1	13.8	
2011	2088	174	16.0	14.6	14.0	13.7	
2012	2069	166	16.6	14.5	14.2	14.1	
2013	2108	165	18.2	15.4	14.4	13.9	
2014	2183	174	18.2	15.0	14.3	14.0	
2015	2382	181	17.5	15.1	14.2	13.9	
2016	2528	186	21.0	15.3	14.8	14.2	
2017	2620	***	***	***	***	***	
2017 K	Factors are	atypical du	a to Eclinea	volumes			




2017 -K Factors are atypical due to Eclipse volume.

#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1433	55	1335	51
February	1688	64	1595	61
March	2141	82	2130	81
April	2432	93	2426	93
May	2880	110	2834	108
June	3322	127	3364	128
July	3469	132	3568	136
August	3913	149	3902	149
September	3489	133	3500	134
October	2746	105	2741	105
November	2259	86	2248	86
December	1882	72	1800	69

Location:	OR205; MP 0.01; FRENCHGLEN HIGHWAY NO. 440; 0.01 mile south of Steens		Frenchglen (13-005)
	Highway No. 442 (OR78)	Installed:	January, 2002

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	421	175	17.8	15.4	14.2	13.8	
2009	425	***	***	***	***	***	
2010	394	***	***	***	***	***	
2011	388	179	26.5	15.4	14.7	13.6	
2012	391	177	21.7	15.6	14.6	14.1	
2013	362	295	82.3	16.9	15.2	14.4	
2014	371	159	22.1	15.9	14.8	14.0	
2015	401	158	16.7	14.4	14.2	13.7	
2016	441	171	24.3	13.8	13.2	12.7	
2017	456	221	28.3	15.1	14.0	13.4	



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	313	69	278	61
February	370	81	330	72
March	464	102	422	93
April	503	110	471	103
May	565	124	522	114
June	584	128	553	121
July	588	129	559	123
August	629	138	582	128
September	544	119	517	113
October	521	114	477	105
November	448	98	403	88
December	396	87	362	79


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

No. 440 (OR205) Installed: January, 2002	Location:	OR78; MP 1.70; STEENS HIGHWAY NO. 442; 0.03 mile west of Frenchglen Highway	Site Name:	Steens (13-007)
		No. 440 (OR205)	Installed:	January, 2002

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	1460	147	13.4	12.2	11.6	11.3
2009	1547	140	12.9	11.6	11.3	11.1
2010	1491	154	12.9	11.9	11.5	11.5
2011	1572	***	***	***	***	***
2012	1491	***	***	***	***	***
2013	1396	249	28.4	13.6	12.2	11.6
2014	1400	149	13.3	11.8	11.4	11.3
2015	1499	149	13.5	11.9	11.6	11.4
2016	1595	149	14.9	11.5	11.1	10.9
2017	1636	190	20.8	12.6	11.9	11.6




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1233	75	1117	68
February	1383	85	1267	77
March	1661	102	1540	94
April	1776	109	1693	103
May	1984	121	1839	112
June	2041	125	1932	118
July	2014	123	1914	117
August	2116	129	2010	123
September	1906	117	1827	112
October	1802	110	1667	102
November	1588	97	1455	89
December	1480	90	1375	84

Location:	OR35; MP 82.91; MT. HOOD HIGHWAY NO. 26; 2.12 miles south of Hood River	Site Name:	Mt. Hood (14-003)
	Highway No. 281	Installed:	August, 1967

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	1237	348	69.3	38.6	32.3	30.3
2009	1274	***	***	***	***	***
2010	1275	305	47.6	30.8	23.5	21.3
2011	1167	319	64.8	30.4	25.5	23.2
2012	1213	346	62.6	33.5	25.4	23.7
2013	1197	278	66.6	30.6	25.6	23.9
2014	1246	267	40.0	26.0	23.4	22.5
2015	1356	365	62.4	35.4	25.2	22.6
2016	1573	279	49.4	29.4	25.6	23.8
2017	1701	***	***	***	***	***



2017 - Atypical values due to fire were removed

### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1253	74	1694	100
February	1057	62	1573	92
March	1033	61	1412	83
April	849	50	1214	71
May	1112	65	1383	81
June	1555	91	1760	103
July	2007	118	2303	135
August	1916	113	2129	125
September	3429	202	3323	195
October	1144	67	1313	77
November	650	38	853	50
December	1263	74	1450	85


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	I-84; MP 45.53; COLUMBIA RIVER HIGHWAY NO. 2; 0.20 mile east of East Cascade		Cascade Locks (14-004)
	Locks Interchange	Installed:	November, 2010

# HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	20835	166	17.5	14.1	13.9	13.4
2012	20748	164	15.6	14.4	14.0	13.7
2013	21041	171	18.8	14.6	14.0	13.5
2014	21574	177	16.7	15.1	14.6	14.1
2015	23252	162	15.0	14.4	13.7	13.5
2016	24242	164	16.3	14.5	14.2	13.7
2017	22682	***	***	***	***	***




2017 - Atypical values due to fire were removed

## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11169	49	12265	54
February	16974	75	17512	77
March	20441	90	22348	99
April	21551	95	24451	108
May	24048	106	26781	118
June	26394	116	29322	129
July	29034	128	32358	143
August	28549	126	31536	139
September	10428	46	13599	60
October	22292	98	25111	111
November	18891	83	20826	92
December	15442	68	16075	71

Location:	I-5; MP 42.84; PACIFIC HIGHWAY NO. 1; 2.01 miles north of the Kane Creek		Gold Hill (15-001)
	Interchange	Installed:	June, 1966

Percent of AADT						
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	32377	141	11.4	10.2	9.7	9.6
2009	33174	142	11.5	10.3	9.9	9.7
2010	34064	138	11.2	10.3	10.0	9.8
2011	32819	141	11.1	10.0	9.9	9.8
2012	32106	138	11.9	10.3	10.0	9.9
2013	32717	139	11.4	10.2	10.0	9.8
2014	34048	139	11.4	9.9	9.7	9.6
2015	36575	133	11.4	9.9	9.7	9.6
2016	38634	140	10.6	9.9	9.7	9.6
2017	39990	137	10.9	10.0	9.8	9.7



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	32538	81	30889	77
February	36717	92	34868	87
March	39033	98	37589	94
April	41108	103	39852	100
May	41864	105	40720	102
June	45815	115	44300	111
July	46272	116	45407	114
August	47421	119	46388	116
September	42613	107	41304	103
October	42086	105	40629	102
November	41456	104	39825	100
December	39663	99	37968	95


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	I-5; MP 11.03; PACIFIC HIGHWAY NO. 1; 0.86 mile south of Rogue Valley Highway	Site Name:	Neil Creek (15-002)
	No. 63 Interchange (OR99)	Installed:	November, 1964

### HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	14785	***	***	***	***	***
2009	15052	176	17.4	13.6	12.7	12.2
2010	14937	171	17.8	14.1	13.1	12.7
2011	14664	177	16.7	13.1	12.6	12.2
2012	14280	172	24.3	14.5	13.1	12.6
2013	14643	179	17.8	13.6	12.7	12.1
2014	14961	179	17.9	14.3	13.3	12.7
2015	16219	178	18.3	13.7	13.0	12.2
2016	17004	170	16.7	13.0	12.2	11.7
2017	17247	173	15.3	13.7	12.9	12.4




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12433	72	12515	73
February	13136	76	13533	78
March	15061	87	15754	91
April	15972	93	16876	98
May	16871	98	17189	100
June	19501	113	19970	116
July	20619	120	21688	126
August	21251	123	22205	129
September	17323	100	17775	103
October	16039	93	16482	96
November	16407	95	17003	99
December	15765	91	15977	93

Location:	OR66; MP 6.61; GREEN SPRINGS HIGHWAY NO. 21; 0.15 mile east of Siskiyou		Siskiyou Jct (15-007)
	Highway No. 273 (OR273)	Installed:	November, 1956

			Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour		
2008	974	165	16.2	14.8	14.4	14.1		
2009	1037	***	***	***	***	***		
2010	1013	186	19.5	16.7	15.4	14.8		
2011	985	190	19.1	17.4	16.1	15.5		
2012	979	195	19.7	17.1	16.3	15.6		
2013	997	181	19.4	16.4	15.6	15.1		
2014	1039	182	17.7	15.1	14.1	13.5		
2015	1109	161	17.1	13.6	13.2	12.5		
2016	1110	170	17.5	15.1	14.4	14.1		
2017	1140	209	19.0	17.6	16.6	15.7		



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	665	58	680	60
February	791	69	796	70
March	916	80	930	82
April	1043	91	1116	98
May	1423	125	1515	133
June	1458	128	1501	132
July	1535	135	1594	140
August	1165	102	1163	102
September	1223	107	1256	110
October	1252	110	1276	112
November	990	87	995	87
December	848	74	852	75


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR238; MP 24.94; JACKSONVILLE HIGHWAY NO. 272; 0.68 mile west of Applegate		Ruch (15-011)
	Road at Ruch	Installed:	November, 1956

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	2816	129	14.1	11.0	10.8	10.5
2009	2906	139	13.3	11.9	11.5	11.0
2010	2942	143	19.2	11.9	11.4	11.0
2011	2902	141	15.1	12.4	11.5	11.3
2012	2874	137	14.6	12.9	12.0	11.8
2013	2889	145	14.7	12.3	11.6	11.4
2014	2983	133	13.1	11.9	11.5	11.2
2015	3191	131	13.5	11.6	11.2	10.9
2016	3469	141	14.0	12.5	11.6	11.1
2017	3565	143	15.1	11.8	11.3	11




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2559	72	2457	69
February	3154	88	2967	83
March	3375	95	3225	90
April	3627	102	3530	99
May	3923	110	3906	110
June	4273	120	4166	117
July	4125	116	4102	115
August	4170	117	4053	114
September	4064	114	3932	110
October	4106	115	3941	111
November	3679	103	3453	97
December	3188	89	3044	85

Location:	OR62; MP 15.46; CRATER LAKE HIGHWAY NO. 22; 1.83 miles north of Sams Valley	Site Name:	Shady Cove (15-013)
	Highway No. 271 (OR234)	Installed:	November, 1956

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	7244	140	14.1	12.1	11.5	11.2	
2009	7361	146	15.2	12.7	12.1	11.5	
2010	7474	150	14.3	12.7	11.7	11.3	
2011	7214	141	14.0	12.6	12.2	11.3	
2012	7159	144	13.9	12.9	11.9	11.4	
2013	7211	142	13.8	12.3	11.4	11.0	
2014	7548	143	14.2	12.3	11.7	11.1	
2015	7918	140	13.5	11.8	11.1	10.8	
2016	8450	142	14.5	12.1	11.5	11.0	
2017	8518	147	15.1	12.1	11.3	11.0	



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6477	76	6226	73
February	7476	88	7169	84
March	7738	91	7521	88
April	8416	99	8316	98
May	9105	107	9091	107
June	9905	116	9923	116
July	10497	123	10813	127
August	10288	121	10304	121
September	9034	106	8978	105
October	9051	106	8789	103
November	8041	94	7648	90
December	7637	90	7442	87


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR99; MP 15.93; ROGUE VALLEY HIGHWAY NO. 63; 0.33 mile northwest of Talent	Site Name:	Talent (15-014)
	Avenue	Installed:	September, 1957

### HISTORICAL TRAFFIC DATA

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	8756	124	11.5	10.2	10.1	10.0	
2009	9048	***	***	***	***	***	
2010	8847	126	13.2	10.3	10.2	10.0	
2011	8741	124	13.3	10.4	10.2	10.1	
2012	8428	131	14.0	11.7	10.7	10.5	
2013	8274	130	15.0	10.5	10.3	10.1	
2014	8836	140	14.3	12.6	12.3	11.9	
2015	9201	123	11.2	10.3	10.0	9.9	
2016	9796	133	12.0	10.5	10.1	10.0	
2017	9351	126	12.4	10.4	10.2	10.1	




## 2015 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	9132	98	8444	90
February	9909	106	9145	98
March	10040	107	9268	99
April	10764	115	10003	107
May	10955	117	10193	109
June	10974	117	10209	109
July	10295	110	9626	103
August	9986	107	9364	100
September	9918	106	9263	99
October	10350	111	9696	104
November	9472	101	8720	93
December	8768	94	8280	89

Location:	OR62; MP 1.11; CRATER LAKE HIGHWAY NO. 22; 0.64 mile east of Pacific Highway	Site Name:	North Medford (15-017)
	No. 1 (I-5)	Installed:	July, 1995

Percent of AADT						
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	42382	129	10.2	9.9	9.8	9.7
2009	41914	130	10.1	9.8	9.7	9.7
2010	42370	125	10.4	10.0	9.8	9.8
2011	42399	128	10.3	10.0	9.9	9.9
2012	41620	124	10.2	10.0	9.9	9.8
2013	41686	127	10.2	9.9	9.9	9.8
2014	44018	121	9.8	9.6	9.5	9.4
2015	45903	120	9.5	9.3	9.3	9.2
2016	46843	120	9.5	9.2	9.2	9.1
2017	47138	***	***	***	***	***



2017 – Values unavailable due to construction

## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	43717	93	43052	91
February	46000	98	45000	95
March	47000	100	45900	97
April	49000	104	47500	101
May	49500	105	47800	101
June	50500	107	48500	103
July	48500	103	47000	100
August	48900	104	47100	100
September	47500	101	47400	101
October	51000	108	49000	104
November	50800	108	48900	104
December	50500	107	48500	103

2017 –Use Seasonal Factors with caution - many volumes were estimated


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	I-5; MP 28.33; PACIFIC HIGHWAY NO. 1; 1.96 miles southeast of the South Medford	Site Name:	Medford Viaduct (15-019)
	Interchange	Installed:	June, 1966

## HISTORICAL TRAFFIC DATA

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	45926	131	10.4	9.5	9.4	9.3	
2009	46362	***	***	***	***	***	
2010	45611	130	10.4	9.6	9.5	9.4	
2011	44776	132	10.3	9.7	9.5	9.4	
2012	45167	131	10.8	9.9	9.6	9.5	
2013	46888	126	10.2	9.6	9.5	9.4	
2014	47397	129	10.2	9.5	9.4	9.4	
2015	50182	125	9.8	9.5	9.4	9.4	
2016	52270	130	9.9	9.5	9.3	9.3	
2017	53232	129	10.1	9.6	9.5	9.4	




## 2017 TRAFFIC DATA

	Average Weekday	Percent	Average Daily	Percent
	Traffic	of AADT	Traffic	of AADT
January	46570	87	43592	82
February	52029	98	48254	91
March	54389	102	51104	96
April	57302	108	54106	102
May	57635	108	54692	103
June	61049	115	57490	108
July	60026	113	57421	108
August	61702	116	58389	110
September	57771	109	54408	102
October	58226	109	54668	103
November	57019	107	53332	100
December	54329	102	51324	96

For Vehicle Classification data near your project, please go to the following web page:

Location:	OR140; MP 16.03; LAKE OF THE WOODS HIGHWAY NO. 270; 1.27 miles east of		Lake of the Woods (15-020)
	Lake Creek Loop (east junction)	Installed:	June, 1966

		Percent of AADT						
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour		
2008	2522	227	22.5	14.5	13.5	13.0		
2009	2616	164	16.0	14.0	13.4	13.2		
2010	2613	160	16.2	14.2	13.6	13.3		
2011	2568	168	15.9	14.3	13.9	13.6		
2012	2589	159	15.5	14.3	13.7	13.4		
2013	2618	160	17.1	13.9	13.3	13.0		
2014	2772	200	18.0	14.4	13.2	12.8		
2015	3038	160	15.9	14.2	13.4	13.2		
2016	3165	175	15.3	13.8	13.5	13.2		
2017	3195	178	16.7	14.5	13.7	13.4		



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1875	59	1934	61
February	2272	71	2345	73
March	2510	79	2605	82
April	2722	85	2935	92
May	3177	99	3487	109
June	3502	110	3851	121
July	3900	122	4244	133
August	3847	120	4216	132
September	3509	110	3779	118
October	3277	103	3498	109
November	2774	87	2866	90
December	2506	78	2580	81


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	I-5; MP 18.11; PACIFIC HIGHWAY NO. 1; 0.98 mile south of North Ashland	Site Name:	North Ashland (15-021)
	Interchange	Installed:	August, 1999

### HISTORICAL TRAFFIC DATA

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	***	***	***	***	***	***	
2009	***	***	***	***	***	***	
2010	***	***	***	***	***	***	
2011	***	***	***	***	***	***	
2012	***	***	***	***	***	***	
2013	***	***	***	***	***	***	
2014	24387	144	13.0	10.7	10.1	9.9	
2015	26263	136	12.9	10.6	9.9	9.8	
2016	27437	147	12.2	10.3	10.0	9.8	
2017	28080	143	11.4	10.5	10.2	9.9	




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	22658	81	21691	77
February	24420	87	23588	84
March	26865	96	26140	93
April	28960	103	28366	101
May	29850	106	29015	103
June	32387	115	31604	113
July	32601	116	32596	116
August	32918	117	32603	116
September	29605	105	28891	103
October	29558	105	28481	101
November	28754	102	28008	100
December	27462	98	25973	92

Location:	US97/US26 MP 97.11; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.18 mile		Madras (16-002)
	north of Madras-Prineville Highway No. 360 (US26)	Installed:	September, 1951

		Percent of AADT						
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour		
2008	12266	151	13.3	11.8	11.5	11.3		
2009	12428	159	13.1	11.9	11.8	11.6		
2010	12554	153	12.7	12.3	11.8	11.6		
2011	12246	162	13.3	12.3	11.9	11.7		
2012	12381	157	13.4	12.2	11.9	11.8		
2013	12731	154	13.0	12.2	11.9	11.8		
2014	13051	157	13.0	12.3	11.9	11.7		
2015	13837	153	12.4	11.4	11.0	10.9		
2016	14706	157	12.2	11.8	11.5	11.4		
2017	14965	152	12.2	11.6	11.3	11.2		



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	9829	66	9671	65
February	12028	80	12051	81
March	13645	91	13831	92
April	14706	98	15116	101
May	15988	107	16377	109
June	16831	112	17448	117
July	17604	118	18474	123
August	18262	122	18650	125
September	16116	108	16545	111
October	14873	99	15202	102
November	13462	90	13463	90
December	12960	87	12752	85


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	MP 113.17; WARM SPRINGS HIGHWAY NO. 53; 4.54 miles northwest of The Dalles-		Warm Springs (16-006)
	California Highway No. 4 (US97)	Installed:	January, 1958

### HISTORICAL TRAFFIC DATA

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	6428	187	18.5	15.5	14.8	14.2	
2009	6579	192	18.2	15.7	15.1	14.5	
2010	6838	184	18.5	15.9	15.0	14.5	
2011	6779	183	18.4	15.9	15.0	14.5	
2012	7015	187	17.8	16.1	14.9	14.7	
2013	7228	176	17.6	16.2	15.5	14.6	
2014	7384	189	17.6	16.0	15.4	15.0	
2015	7689	187	16.9	16.0	15.0	14.0	
2016	8144	189	17.1	15.2	14.9	14.2	
2017	8215	176	16.4	15.4	14.8	14.1	




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5015	61	5145	63
February	6221	76	6514	79
March	6915	84	7413	90
April	7324	89	8052	98
May	8500	103	9200	112
June	8600	105	9500	116
July	9494	116	10526	128
August	10178	124	10888	133
September	8494	103	9234	112
October	7553	92	8201	100
November	6726	82	7029	86
December	6797	83	6873	84

Location:	I-5; MP 64.20; PACIFIC HIGHWAY NO. 1; 2.08 miles south of Monument Drive (Jump	Site Name:	Grave Creek (17-001)
	Off Joe) Interchange	Installed:	January, 1938

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	19810	170	15.4	12.4	11.4	10.8	
2009	20560	***	***	***	***	***	
2010	20688	158	16.1	13.0	11.9	11.4	
2011	20074	161	14.8	12.2	11.5	11.2	
2012	19690	164	15.5	12.9	11.7	11.3	
2013	20272	161	15.8	12.8	11.8	11.3	
2014	20561	162	15.9	12.4	11.5	11.0	
2015	22122	159	16.3	12.3	11.4	11.1	
2016	22957	157	15.0	12.0	11.1	10.7	
2017	23309	170	13.5	12.1	11.3	11.1	



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	17163	74	17014	73
February	19155	82	19160	82
March	21415	92	21810	94
April	22347	96	23116	99
May	23356	100	23634	101
June	26156	112	26653	114
July	27164	117	28100	121
August	28365	122	29109	125
September	23417	100	24230	104
October	22023	94	22780	98
November	22000	94	22600	97
December	21914	94	21500	92


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location: US199; MP 41.32; REDWOOD HIGHWAY NO. 25; 0.37 mile north of Oregon-	Site Name:	O'Brien (17-003)
California State Line	Installed:	November, 1956

### HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	2700	223	23.7	19.3	18.1	17.1
2009	2870	***	***	***	***	***
2010	2893	240	27.1	19.3	18.2	17.4
2011	2761	199	22.0	18.5	17.7	17.1
2012	2774	197	21.7	18.7	18.0	17.4
2013	2927	208	21.4	19.1	18.0	16.8
2014	3025	225	25.6	18.7	17.7	17.3
2015	3357	232	24.5	19.7	18.1	17.3
2016	3451	189	20.7	18.1	17.1	16.6
2017	3528	194	19.0	18.2	17.4	17.1




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1920	54	2046	58
February	2321	66	2431	69
March	2684	76	2848	81
April	2946	84	3216	91
May	3567	101	3707	105
June	4286	121	4419	125
July	5292	150	5419	154
August	5025	142	5267	149
September	3767	107	3939	112
October	3216	91	3335	95
November	2822	80	2930	83
December	2664	76	2774	79

Location:	US199; MP 4.68; REDWOOD HIGHWAY NO. 25; 0.50 mile east of Redwood Avenue	Site Name:	Timber Ridge (17-005)
		Installed:	October 2001

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	10553	143	11.5	10.7	10.3	10.2	
2009	10927	135	11.6	10.8	10.5	10.3	
2010	10954	135	12.3	10.8	10.5	10.4	
2011	10453	142	13.2	10.9	10.4	10.3	
2012	10310	134	12.6	10.8	10.6	10.5	
2013	10467	140	11.6	10.6	10.3	10.2	
2014	10849	144	11.8	10.8	10.5	10.2	
2015	11860	138	11.7	10.8	10.3	10.2	
2016	12619	139	11.6	10.5	10.3	10.1	
2017	12902	134	11.3	10.4	10.2	10.1	



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	9742	76	9324	72
February	11684	91	11175	87
March	12296	95	11881	92
April	13162	102	12830	99
May	13922	108	13737	106
June	15010	116	14679	114
July	15583	121	15438	120
August	15247	118	15124	117
September	13704	106	13477	104
October	13709	106	13274	103
November	12803	99	12275	95
December	12003	93	11605	90


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US97; MP 204.65; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.40 mile south of		Chemult (18-006)
	Chemult Dump Road	Installed:	December, 1956

### HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	4374	193	18.1	16.9	16.0	15.3
2009	4588	***	***	***	***	***
2010	4797	186	18.4	17.0	16.4	15.9
2011	4646	193	17.9	16.9	16.0	15.5
2012	4587	182	18.8	16.9	16.2	15.8
2013	4778	176	23.8	16.5	15.8	15.6
2014	5146	197	19.7	16.6	15.7	15.0
2015	5556	177	17.4	16.4	15.9	15.4
2016	5955	190	18.6	15.8	15.2	15.0
2017	5839	***	***	***	***	***



2017 -K Factors are atypical due to Eclipse volumes


2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2200	38	2200	38
February	3600	62	3700	63
March	4200	72	4500	77
April	4700	80	5000	86
May	5600	96	6000	103
June	7600	130	7800	134
July	8224	141	8891	152
August	9794	168	10129	173
September	6586	113	6944	119
October	5700	98	5972	102
November	4527	78	4803	82
December	4130	71	4125	71

 $2017-Use\ Seasonal\ Factors\ with\ caution\ -\ many\ volumes\ were\ estimated$ 

Location:	MP 44.92; KLAMATH FALLS-LAKEVIEW HIGHWAY NO. 20; 4.14 miles east of		Beatty (18-017)
	yellow Jacket Springs Rd at Beatty	Installed:	January, 1958

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	884	173	17.9	13.9	13.2	12.9	
2009	962	***	***	***	***	***	
2010	1004	***	***	***	***	***	
2011	1032	***	***	***	***	***	
2012	877	***	***	***	***	***	
2013	888	184	21.9	14.5	13.4	13.2	
2014	923	179	19.1	14.0	13.5	13.0	
2015	1003	184	19.9	14.2	13.3	12.9	
2016	1018	175	16.3	14.3	13.7	13.3	
2017	1080	192	17.5	14.6	13.9	13.4	



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	591	55	580	54
February	713	66	712	66
March	870	81	843	78
April	937	87	951	88
May	1180	109	1194	111
June	1352	125	1364	126
July	1385	128	1413	131
August	1450	134	1441	133
September	1412	131	1426	132
October	1275	118	1232	114
November	1033	96	977	90
December	849	79	829	77


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR39; MP -4.08; KLAMATH FALLS-MALIN HIGHWAY NO. 50; 0.46 mile south of	Site Name:	Klamath Falls (18-018)
	Main Street	Installed:	November, 1999

### HISTORICAL TRAFFIC DATA

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	23410	131	10.8	10.4	10.3	10.2	
2009	22965	121	12.6	10.2	10.1	10.0	
2010	22496	130	10.8	10.4	10.3	10.2	
2011	21520	127	11.1	10.4	10.3	10.2	
2012	21163	130	10.8	10.3	10.3	10.2	
2013	21224	128	11.2	10.4	10.3	10.3	
2014	21511	127	10.8	10.4	10.3	10.2	
2015	22443	129	10.7	10.4	10.3	10.2	
2016	22926	141	10.9	10.3	10.1	10.1	
2017	22756	127	11.0	10.5	10.3	10.3	




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	21895	96	19711	87
February	24735	109	22122	97
March	24687	108	22268	98
April	26730	117	23970	105
May	26300	116	23800	105
June	26400	116	24100	106
July	24900	109	22600	99
August	25300	111	23300	102
September	26000	114	24000	105
October	27000	119	24700	109
November	24850	109	21650	95
December	22717	100	20847	92

2017 -Use Seasonal Factors with caution - many volumes were estimated

Location:	US97; MP 289.44; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 2.3 miles north of		Midland (18-019)
	the Oregon-California State Line	Installed:	January, 1955

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	3402	159	15.1	13.0	12.1	11.7	
2009	3550	157	14.5	12.9	12.2	11.8	
2010	3574	***	***	***	***	***	
2011	3599	175	14.8	12.6	12.1	11.9	
2012	3504	150	13.6	12.7	12.1	11.9	
2013	3568	171	17.2	13.1	12.4	12.1	
2014	3625	***	***	***	***	***	
2015	4013	***	***	***	***	***	
2016	4253	196	13.9	12.5	12.0	11.5	
2017	4375	***	***	***	***	***	



2017 –K Factors are atypical due to Eclipse volumes

## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2444	56	2431	56
February	2805	64	2861	65
March	3400	78	3400	78
April	3900	89	4000	91
May	4500	103	4500	103
June	5357	122	5499	126
July	5503	126	5879	134
August	6699	153	6840	156
September	4836	111	4891	112
October	4665	107	4689	107
November	3977	91	4064	93
December	3453	79	3444	79

2017 -Use Seasonal Factors with caution - many volumes were estimated


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR39; MP 16.15; KLAMATH FALLS-MALIN HIGHWAY NO. 50; 0.36 mile west of		Merrill (18-020)
	Hatfield Highway No. 426 (OR39)	Installed:	January, 1958

# HISTORICAL TRAFFIC DATA

		Percent of AADT						
		Max	Max	10TH	20TH	30TH		
Year	AADT	Day	Hour	Hour	Hour	Hour		
2008	4049	250	20.6	14.4	12.7	10.7		
2009	4168	247	20.1	14.8	12.8	11.4		
2010	4175	243	20.1	15.5	13.3	11.6		
2011	4018	213	17.0	14.1	12.2	10.9		
2012	3889	212	17.0	13.8	11.5	11.0		
2013	3949	226	18.6	13.7	12.0	10.7		
2014	3950	216	17.8	14.0	11.8	10.6		
2015	4158	209	16.9	13.8	11.4	10.7		
2016	4319	230	17.3	14.4	12.3	11.2		
2017	4465	215	16.7	13.4	11.8	10.8		




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3383	76	3156	71
February	3859	86	3630	81
March	4306	96	4086	92
April	4733	106	4513	101
May	4897	110	4694	105
June	5107	114	4994	112
July	5084	114	4993	112
August	5433	122	5268	118
September	5376	120	5400	121
October	5184	116	4969	111
November	4443	100	4135	93
December	3897	87	3739	84

Location:	OR62; MP 91.10; CRATER LAKE HIGHWAY NO. 22; 0.28 mile northwest of Sun	Site Name:	Fort Klamath (18-021)
	Mountain Road	Installed:	January, 1958

		Percent of AADT						
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour		
2008	352	414	43.2	32.4	29.5	27.8		
2009	471	***	***	***	***	***		
2010	465	305	32.0	27.7	26.0	25.4		
2011	437	377	56.5	30.4	28.2	26.1		
2012	429	356	36.8	29.8	26.6	24.9		
2013	455	392	39.1	30.5	27.5	26.2		
2014	498	413	38.2	30.5	27.7	26.1		
2015	597	371	41.7	31.7	31.0	28.8		
2016	629	387	35.9	30.7	27.7	25.3		
2017	657	418	41.1	35.0	33.2	29.6		



# 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	173	26	186	28
February	185	28	206	31
March	240	37	258	39
April	332	51	377	57
May	657	100	754	115
June	1124	171	1156	176
July	1315	200	1421	216
August	1154	176	1289	196
September	1006	153	1057	161
October	511	78	540	82
November	287	44	325	49
December	280	43	309	47

For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data /Documents/TVT\_2017.xlsx

Location:	US97; MP 254.30; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 3.53 miles north of	Site Name:	Modoc Point (18-022)
	Modoc Point Road	Installed:	January, 2001

## HISTORICAL TRAFFIC DATA

		Percent of AADT						
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour		
2008	5346	154	13.0	11.7	11.5	11.3		
2009	5569	153	14.0	12.2	11.8	11.6		
2010	5599	160	13.4	12.5	12.2	11.9		
2011	5395	170	14.2	12.4	11.9	11.6		
2012	5281	161	13.4	12.8	12.2	11.8		
2013	5524	155	13.6	12.0	11.7	11.5		
2014	5757	160	13.8	12.1	11.8	11.5		
2015	6116	158	13.2	12.6	12.0	11.7		
2016	6332	181	13.7	12.7	12.3	12.2		
2017	6531	***	***	***	***	***		
2017 -K	Factors are	atypical du	e to Eclinse	volumes				




### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4000	61	3800	58
February	4400	67	4200	64
March	5454	84	5407	83
April	6120	94	6140	94
May	6995	107	6957	107
June	8109	124	8217	126
July	8560	131	8904	136
August	9614	147	9739	149
September	7231	111	7218	111
October	6810	104	6736	103
November	5932	91	5840	89
December	5418	83	5211	80

For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data /Documents/TVT\_2017.xlsx

Location:	US97; MP 243.22; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 4.32 miles north of		Chiloquin (18-023)
	Chiloquin Highway No. 422	Installed:	January, 2008

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	3433	181	18.5	14.6	13.6	13.2	
2009	3583	163	16.7	14.3	13.7	13.1	
2010	3381	179	16.4	15.7	14.7	14.2	
2011	3243	184	16.4	15.3	14.6	13.9	
2012	3299	177	18.5	16.1	14.9	14.4	
2013	3716	175	17.5	14.9	13.8	13.5	
2014	3945	176	16.9	14.2	13.4	13.0	
2015	4340	173	16.3	14.9	14.3	13.7	
2016	4430	190	18.6	14.8	14.3	13.6	
2017	4690	***	***	***	***	***	



2017 -K Factors are atypical due to Eclipse volumes

### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2248	48	2254	48
February	2720	58	2821	60
March	3602	77	3734	80
April	4180	89	4421	94
May	4949	106	5081	108
June	5886	126	6183	132
July	5903	126	6376	136
August	7227	154	7449	159
September	5346	114	5445	116
October	4605	98	4773	102
November	3978	85	4190	89
December	3602	77	3551	76


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR140; MP 2.80; SOUTH KLAMATH FALLS HIGHWAY NO. 424; At Washburn	Site Name:	South Klamath Falls (18-024)
	Way	Installed:	November, 2012

# HISTORICAL TRAFFIC DATA

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	***	***	***	***	***	***	
2009	***	***	***	***	***	***	
2010	***	***	***	***	***	***	
2011	***	***	***	***	***	***	
2012	***	***	***	***	***	***	
2013	5145	130	11.5	10.9	10.6	10.5	
2014	5309	129	11.2	10.5	10.4	10.2	
2015	5739	130	11.4	10.9	10.7	10.5	
2016	6011	128	11.4	10.7	10.5	10.4	
2017	6082	***	***	***	***	***	



## 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5042	83	4686	77
February	5755	95	5371	88
March	5916	97	5568	92
April	6621	109	6288	103
May	7152	118	6777	111
June	6900	113	6800	112
July	6700	110	6600	109
August	7200	118	6900	113
September	7200	118	6700	110
October	6823	112	6427	106
November	6184	102	5631	93
December	5474	90	5232	86

2017 –Use Seasonal Factors with caution - many volumes were estimated

For Vehicle Classification data near your project, please go to the following web page:

Location:	US395; MP 120.83; FREMONT HIGHWAY NO. 19; 0.26 mile south of Lakeview-Burns		Valley Falls (19-004)
	Highway No. 49 (US395)	Installed:	October, 1954

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	715	206	20.8	16.9	15.9	15.0	
2009	741	226	24.2	16.3	15.2	14.4	
2010	774	234	23.9	16.8	15.4	14.7	
2011	738	222	23.3	15.8	14.8	14.2	
2012	707	227	22.8	17.4	15.6	15.0	
2013	716	226	22.1	17.3	15.9	15.1	
2014	745	222	22.6	15.8	14.5	13.8	
2015	811	232	23.8	16.3	14.8	14.1	
2016	805	213	22.3	15.7	15.0	14.5	
2017	837	***	***	***	***	***	



2017 -K Factors are atypical due to Eclipse volumes

### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	434	52	416	50
February	547	65	518	62
March	698	83	674	81
April	797	95	772	92
May	899	107	866	103
June	978	117	983	117
July	1055	126	1051	126
August	1576	188	1516	181
September	1000	119	1090	130
October	889	106	849	101
November	733	88	714	85
December	614	73	589	70

For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>


Location:	US395; MP 157.43; FREMONT HIGHWAY NO. 19; 0.30 mile north of Oregon-		New Pine Creek (19-008)
	California State Line	Installed:	January, 1958

# HISTORICAL TRAFFIC DATA

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	812	196	19.6	15.3	14.0	13.4	
2009	852	202	20.1	14.9	13.4	12.9	
2010	935	194	20.3	14.9	14.0	13.5	
2011	952	175	16.1	13.5	12.9	12.5	
2012	789	190	19.0	15.1	14.2	13.4	
2013	809	188	18.9	14.8	13.3	13.1	
2014	828	185	18.0	14.1	13.3	12.8	
2015	858	181	16.8	14.3	13.6	13.0	
2016	858	190	18.7	14.8	14.0	13.5	
2017	874	***	***	***	***	***	




	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	544	62	520	59
February	622	71	598	68
March	747	85	741	85
April	834	95	825	94
May	951	109	938	107
June	1056	121	1034	118
July	1056	121	1047	120
August	1424	163	1428	163
September	1047	120	1030	118
October	909	104	894	102
November	783	90	752	86
December	702	80	677	77



Location:	OR31; MP 49.60; FREMONT HIGHWAY NO. 19; 2.25 miles southeast of 1st Street		Silver Lake (19-010)
		Installed:	January, 1958

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	628	197	24.8	17.3	16.4	15.4	
2009	690	***	***	***	***	***	
2010	709	194	20.0	16.6	15.7	14.9	
2011	659	205	20.8	16.4	15.2	14.7	
2012	659	208	20.8	16.4	15.2	14.7	
2013	657	198	20.4	16.6	15.7	14.9	
2014	708	199	21.5	16.1	15.1	14.4	
2015	743	200	23.2	17.6	14.9	14.1	
2016	800	193	20.0	17.1	15.9	15.3	
2017	814	218	23.0	19.8	16.5	15.1	



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	391	48	400	49
February	500	61	500	61
March	650	80	680	84
April	714	88	762	94
May	896	110	935	115
June	951	117	981	121
July	1001	123	1044	128
August	1098	135	1124	138
September	1023	126	1042	128
October	951	117	977	120
November	705	87	721	89
December	609	75	600	74


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR36; MP 41.04; MAPLETON-JUNCTION CITY HIGHWAY NO. 229; 2.36 miles	Site Name:	Goldson (20-004)
	southwest of Goldson Road	Installed:	April, 1968

### HISTORICAL TRAFFIC DATA

	Percent of AADT					
AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
1805	196	24.2	13.5	12.6	12.1	
1816	***	***	***	***	***	
1812	162	16.6	14.3	13.1	12.9	
1740	165	15.2	13.8	13.3	12.8	
1706	161	15.9	14.0	13.4	12.9	
1669	167	17.0	15.2	14.3	13.5	
1743	176	18.2	14.9	13.4	13.1	
1899	166	17.6	15.0	13.5	13.0	
2037	165	15.7	14.1	13.5	13.2	
2040	165	17.5	14.5	13.5	12.8	
	1805 1816 1812 1740 1706 1669 1743 1899 2037	AADT         Day           1805         196           1816         ***           1812         162           1740         165           1706         167           1743         176           1899         166           2037         165	Max AADT         Max Day         Max Hour           1805         196         24.2           1816         ***         ***           1812         162         16.6           1740         165         15.2           1706         161         15.9           1669         167         17.0           1743         176         18.2           1899         166         17.6           2037         165         15.7	Max AADT         Max Day         Max Hour         Hour           1805         196         24.2         13.5           1816         ****         ****         ****           1812         162         16.6         14.3           1740         165         15.2         13.8           1706         161         15.9         14.0           1669         167         17.0         15.2           1743         176         18.2         14.9           1899         166         17.6         15.0           2037         165         15.7         14.1	MADT         Max Day         Max Hour         10TH Hour         20TH Hour           1805         196         24.2         13.5         12.6           1816         ***         ***         ***         ***           1812         162         16.6         14.3         13.1           1740         165         15.2         13.8         13.3           1706         161         15.9         14.0         13.4           1669         167         17.0         15.2         14.3           1743         176         18.2         14.9         13.4           1899         166         17.6         15.0         13.5           2037         165         15.7         14.1         13.5	




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1487	73	1424	70
February	1739	85	1681	82
March	1812	89	1791	88
April	1946	95	1987	97
May	2107	103	2175	107
June	2222	109	2327	114
July	2407	118	2608	128
August	2405	118	2510	123
September	2251	110	2302	113
October	2055	101	2073	102
November	1903	93	1874	92
December	1794	88	1733	85

Location:	OR126; MP 43.86; FLORENCE-EUGENE HIGHWAY NO. 62; 3.06 miles west of		Noti (20-005)
	Terrritorial Highway No. 200 (OR200)	Installed:	November, 1959

			Percent of AADT						
		Max	Max	10TH	20TH	30TH			
Year	AADT	Day	Hour	Hour	Hour	Hour			
2008	5957	157	14.2	13.7	13.1	12.7			
2009	6199	160	17.8	14.4	13.3	12.9			
2010	6067	160	14.8	13.8	13.1	12.7			
2011	5845	156	15.4	13.6	13.1	12.7			
2012	5727	183	16.9	14.3	13.3	12.9			
2013	5780	149	13.9	13.2	12.8	12.6			
2014	6015	156	15.9	13.8	13.2	12.7			
2015	6345	161	15.5	14.1	13.4	12.8			
2016	6423	***	***	***	***	***			
2017	6637	191	18.1	14.9	13.8	13.2			



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4754	72	4834	73
February	5181	78	5435	82
March	5640	85	5953	90
April	5881	89	6451	97
May	6392	96	6978	105
June	6847	103	7334	111
July	7904	119	8326	125
August	8104	122	8497	128
September	7299	110	7899	119
October	6330	95	6555	99
November	5643	85	5768	87
December	5598	84	5608	84


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	I-105; MP 2.82; EUGENE-SPRINGFIELD HIGHWAY NO. 227; 0.66 mile west of		Willakenzie (20-008)
	Pacific Highway No. 1 (I-5) in Eugene	Installed:	November, 1960

## HISTORICAL TRAFFIC DATA

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	59575	127	10.8	10.5	10.4	10.3	
2009	57809	123	10.7	10.3	10.2	10.1	
2010	58322	127	10.7	10.6	10.4	10.4	
2011	57441	123	10.9	10.6	10.4	10.3	
2012	57200	124	10.8	10.5	10.4	10.4	
2013	58317	128	10.9	10.6	10.5	10.4	
2014	59434	126	10.8	10.5	10.4	10.4	
2015	61474	123	10.6	10.3	10.3	10.2	
2016	63054	126	11.0	10.4	10.2	10.2	
2017	65123	123	10.6	10.4	10.3	10.2	




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	61725	95	56208	86
February	69647	107	64093	98
March	69932	107	64454	99
April	72524	111	66588	102
May	72349	111	67124	103
June	75521	116	68951	106
July	71906	110	66239	102
August	72372	111	66243	102
September	71850	110	66449	102
October	73308	113	67834	104
November	70358	108	64799	100
December	67521	104	62494	96

For Vehicle Classification data near your project, please go to the following web page:

Location:	OR126; MP 29.14; MCKENZIE HIGHWAY NO. 15; 2.74 miles east of S. Gate Creek		Vida (20-010)
	Road	Installed:	October, 1957

		Percent of AADT						
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour		
2008	3101	182	18.7	17.0	16.2	15.9		
2009	3273	181	18.6	17.1	16.5	16.1		
2010	3316	195	19.4	18.0	17.1	16.5		
2011	3210	200	19.8	18.4	17.5	16.4		
2012	3147	201	20.8	19.0	17.7	16.7		
2013	3218	194	19.3	17.9	17.1	16.5		
2014	3282	198	19.7	18.2	17.0	16.5		
2015	3563	184	19.0	16.7	16.1	15.6		
2016	3829	186	24.9	17.0	16.3	15.9		
2017	3679	187	18.5	17.8	17.1	16.4		



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2094	57	2216	60
February	2426	66	2618	71
March	2786	76	3055	83
April	2946	80	3401	92
May	3722	101	4226	115
June	4219	115	4750	129
July	4863	132	5490	149
August	4548	124	4918	134
September	3492	95	3822	104
October	3353	91	3694	100
November	2861	78	3136	85
December	2790	76	2827	77


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	OR569; MP 12.00; BELT LINE HIGHWAY NO. 69; 0.76 mile west of Pacific Highway	Site Name:	Beltline (20-011)
	No. 1 (I-5)	Installed:	May, 2000

### HISTORICAL TRAFFIC DATA

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	45275	***	***	***	***	***	
2009	48772	***	***	***	***	***	
2010	51965	126	10.3	9.6	9.5	9.4	
2011	50662	136	10.7	10.1	9.7	9.5	
2012	50471	123	10.1	9.6	9.6	9.5	
2013	49503	122	10.0	9.7	9.6	9.6	
2014	49590	123	10.4	9.7	9.6	9.5	
2015	52618	120	9.5	9.3	9.3	9.2	
2016	54378	118	9.4	9.1	9.1	9.0	
2017	54108	***	***	***	***	***	



## 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	48000	89	45000	83
February	52000	96	50000	92
March	58000	107	54000	100
April	59000	109	56000	103
May	59000	109	55900	103
June	60900	113	57700	107
July	59500	110	56400	104
August	59500	110	56400	104
September	59200	109	55900	103
October	59000	109	55000	102
November	58800	109	54500	101
December	56500	104	52500	97

2017 -Use Seasonal Factors with caution - many volumes were estimated

For Vehicle Classification data near your project, please go to the following web page:

Location:	OR58; MP 37.36; WILLAMETTE HIGHWAY NO. 18; 0.10 mile east of Kitson Springs	Site Name:	Oakridge (20-017)
	Road	Installed:	January, 1953

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	2691	213	24.0	21.1	19.6	18.9
2009	2628	236	29.9	22.6	21.5	20.4
2010	2650	241	28.5	23.2	21.7	20.6
2011	2509	258	30.8	23.4	21.9	20.8
2012	2380	237	29.5	24.7	23.0	21.3
2013	2411	233	29.7	25.3	22.5	21.4
2014	2641	237	29.6	22.6	19.8	18.7
2015	2869	241	26.9	23.6	22.0	20.8
2016	3094	240	29.7	24.5	22.9	21.4
2017	3123	232	29.6	23.7	21.9	20.8



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1386	44	1712	55
February	1488	48	1883	60
March	1932	62	2264	72
April	2114	68	2544	81
May	2944	94	3362	108
June	3421	110	3955	127
July	4087	131	4781	153
August	4438	142	5104	163
September	3689	118	4242	136
October	2819	90	3187	102
November	2029	65	2332	75
December	1995	64	2114	68


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	I-5; MP 170.25; PACIFIC HIGHWAY NO. 1; 2.24 miles northeast of Douglas-Lane	Site Name:	Martin Creek (20-020)
	County Line	Installed:	September, 2001

### HISTORICAL TRAFFIC DATA

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	21754	173	15.6	13.0	11.8	11.3	
2009	22572	***	***	***	***	***	
2010	22949	***	***	***	***	***	
2011	22116	***	***	***	***	***	
2012	21871	166	14.9	12.7	11.9	11.6	
2013	22417	167	14.5	13.2	12.1	11.7	
2014	23160	165	14.7	12.7	11.7	11.4	
2015	24488	163	14.4	12.8	11.6	11.2	
2016	25500	161	14.4	12.4	11.4	11.0	
2017	25661	162	13.1	12.0	11.5	11.2	




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	19215	75	19021	74
February	21175	83	21463	84
March	23386	91	24111	94
April	23970	93	24987	97
May	25307	99	25992	101
June	27991	109	28936	113
July	29423	115	30829	120
August	30575	119	31590	123
September	25364	99	26546	103
October	23792	93	24859	97
November	24443	95	25474	99
December	24150	94	24124	94

For Vehicle Classification data near your project, please go to the following web page:

Location:	OR200; MP 13.54; TERRITORIAL HIGHWAY NO. 200; 3.46 miles south of Mapleton-		Fern Ridge (20-023)
	Junction City Highway No. 229 (OR36)	Installed:	March, 1960

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	1608	205	18.8	15.0	13.1	12.4
2009	1612	201	19.3	15.4	13.4	12.8
2010	1602	199	19.3	15.5	13.7	12.8
2011	1585	209	19.4	16.0	13.9	12.8
2012	1533	219	20.0	15.8	13.8	13.0
2013	1602	203	18.0	15.0	14.3	12.6
2014	1702	206	19.1	15.1	13.6	12.7
2015	1789	223	19.2	16.7	15.4	14.0
2016	1841	209	17.9	16.0	15.1	14.0
2017	1865	***	***	***	***	***



### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1403	75	1364	73
February	1621	87	1614	87
March	1690	91	1701	91
April	1809	97	1844	99
May	1941	104	1946	104
June	2100	113	2200	118
July	2300	123	2400	129
August	2000	107	2100	113
September	1900	102	2000	107
October	1850	99	1800	97
November	1798	96	1737	93
December	1695	91	1672	90

2017 -Use Seasonal Factors with caution - many volumes were estimated


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	OR99; MP 115.28; PACIFIC HIGHWAY WEST NO. 91; 1.00 mile south of	Site Name:	Eugene-Meadowview (20-024)
	Meadowview Rd	Installed:	July, 2009

### HISTORICAL TRAFFIC DATA

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	***	***	***	***	***	***	
2009	***	***	***	***	***	***	
2010	14588	144	11.2	10.4	10.1	10.0	
2011	14587	148	11.6	10.5	10.3	10.2	
2012	14619	150	11.6	10.6	10.4	10.3	
2013	14869	143	11.7	10.7	10.6	10.3	
2014	15229	148	11.5	10.4	10.3	10.1	
2015	15909	143	11.1	10.4	10.3	10.2	
2016	16294	134	11.5	10.5	10.3	10.2	
2017	16810	146	13.1	11.0	10.6	10.4	




### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	15899	95	14460	86
February	17425	104	16047	95
March	17702	105	16482	98
April	18352	109	17111	102
May	18679	111	17437	104
June	19775	118	18481	110
July	18662	111	17381	103
August	19927	119	18634	111
September	18042	107	16942	101
October	17900	106	16500	98
November	17743	106	16278	97
December	17196	102	15971	95

For Vehicle Classification data near your project, please go to the following web page:

Location:	I-5; MP 190.92; PACIFIC HIGHWAY NO. 1; 1.06 miles south of Glenwood Interchange	Site Name:	Eugene-Glenwood (20-025)
		Installed	February 2010

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	53419	***	***	***	***	***
2011	51795	134	10.8	9.9	9.7	9.6
2012	50499	132	10.6	9.9	9.7	9.6
2013	51146	139	11.4	10.0	9.8	9.7
2014	52120	140	11.2	10.3	10.0	9.8
2015	56314	135	11.1	10.1	9.9	9.7
2016	57820	135	10.9	9.8	9.6	9.5
2017	60972	136	10.4	10.0	9.8	9.7



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	51131	84	47170	77
February	57498	94	53816	88
March	59365	97	56481	93
April	62205	102	59315	97
May	65400	107	63208	104
June	71243	117	68171	112
July	70807	116	69029	113
August	71412	117	69210	114
September	66579	109	64146	105
October	67298	110	63502	104
November	64835	106	60899	100
December	59792	98	56719	93


For Vehicle Classification data near your project, please go to the following web page:
<a href="https://www.oregon.gov/ODOT/Data">https://www.oregon.gov/ODOT/Data</a>

https://www.oregon.gov/ODOT/Data /Documents/TVT\_2017.xlsx

Location:	US101; MP 186.46; OREGON COAST HIGHWAY NO. 9; 0.77 mile north of Heceta	Site Name:	Florence (20-026)
	Beach Road	Installed:	July, 2010

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	6229	158	15.7	14.9	14.3	14.0
2012	6122	155	15.0	14.1	13.6	13.3
2013	6237	164	16.4	15.0	14.3	13.9
2014	6387	160	15.5	15.0	14.6	14.3
2015	6839	176	16.7	15.5	14.8	14.3
2016	6963	177	17.0	15.4	14.6	14.3
2017	7110	189	20.3	16.9	15.7	15.2




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4924	69	4993	70
February	5226	74	5442	77
March	5852	82	6092	86
April	6095	86	6432	90
May	6967	98	7399	104
June	7865	111	8217	116
July	9654	136	9918	139
August	10131	142	10191	143
September	8382	118	8763	123
October	6575	92	6616	93
November	5520	78	5689	80
December	5514	78	5566	78

For Vehicle Classification data near your project, please go to the following web page:

Location:	OR126; MP 8.66; EUGENE-SPRINGFIELD HIGHWAY NO. 227; 0.39 mile north of	Site Name:	East Springfield (20-027)
	52nd Street	Installed:	July, 2010

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	30158	122	11.2	10.5	10.4	10.3
2012	30189	122	10.7	10.4	10.4	10.3
2013	30343	124	10.6	10.5	10.4	10.3
2014	30669	124	10.9	10.6	10.5	10.4
2015	31999	122	10.4	10.3	10.2	10.1
2016	32817	125	10.3	10.2	10.0	10.0
2017	33240	122	10.5	10.2	10.1	10.1



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	30222	91	28045	84
February	33691	101	31809	96
March	33965	102	32213	97
April	35213	106	33629	101
May	36300	109	34778	105
June	37429	113	35821	108
July	36684	110	35427	107
August	36714	110	34923	105
September	35708	107	33938	102
October	36046	108	34096	103
November	34623	104	32343	97
December	33291	100	31863	96


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	ion: OR569; MP 5.20; BELT LINE HIGHWAY NO. 69; 0.42 mile south of Barger Drive		West Beltline (20-028)
	Interchange	Installed:	July, 2010

### HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	25690	125	10.7	10.1	9.9	9.8
2012	25611	131	10.4	10.3	10.0	10.0
2013	25415	138	11.6	11.0	10.7	10.2
2014	25584	125	10.2	10.1	10.0	9.9
2015	27034	124	10.0	9.8	9.7	9.6
2016	27443	121	10.0	9.7	9.6	9.5
2017	27598	122	9.8	9.7	9.6	9.5




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	25758	93	23573	85
February	28576	104	26474	96
March	29111	105	27158	98
April	30245	110	28242	102
May	30515	111	28535	103
June	31241	113	29158	106
July	30654	111	28809	104
August	30865	112	28689	104
September	30382	110	28603	104
October	30459	110	28253	102
November	29099	105	26879	97
December	28379	103	26800	97

Location:	US20; MP 34.24; CORVALLIS-NEWPORT HIGHWAY NO. 33; 0.11 mile west of	Site Name:	Burnt Woods (21-006)
	Lincoln-Benton County Line	Installed:	August, 1957

			Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour		
2008	4706	181	16.9	14.8	14.2	13.8		
2009	4997	169	19.5	15.7	14.9	14.4		
2010	4809	187	17.4	15.8	14.8	14.2		
2011	4663	172	17.5	15.4	14.9	14.2		
2012	4747	191	17.0	15.8	14.9	14.5		
2013	4847	164	15.2	14.3	14.0	13.5		
2014	4998	175	17.3	15.0	14.5	14.0		
2015	5436	178	18.2	14.8	14.3	13.9		
2016	5491	174	16.5	14.3	13.9	13.4		
2017	6058	***	***	***	***	***		



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4300	71	4600	76
February	4600	76	5300	87
March	5000	83	5500	91
April	5000	83	5800	96
May	5300	87	6300	104
June	6200	102	7000	116
July	6900	114	7400	122
August	6000	99	7300	121
September	5700	94	6500	107
October	5790	96	6246	103
November	5248	87	5474	90
December	5262	87	5271	87

2017 -Use Seasonal Factors with caution - many volumes were estimated


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx

Location:	US101; MP 112.35; OREGON COAST HIGHWAY NO. 9; At West Devils Lake Road	Site Name:	W. Devils Lake (21-007)
		Installed:	May, 1998

# HISTORICAL TRAFFIC DATA

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	15498	159	14.1	13.2	13.0	12.8	
2009	15983	153	13.5	13.1	12.8	12.6	
2010	***	***	***	***	***	***	
2011	15197	157	14.4	13.5	13.2	12.9	
2012	15122	167	14.4	14.0	13.2	12.9	
2013	15419	148	13.6	12.7	12.3	11.9	
2014	15561	153	13.9	13.4	12.9	12.6	
2015	16327	149	13.6	12.8	12.4	12.2	
2016	16488	152	12.8	12.6	12.3	12.1	
2017	15963	164	16.5	12.8	12.5	12.2	




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11619	73	12098	76
February	12936	81	14080	88
March	14285	89	15599	98
April	14205	89	15705	98
May	15272	96	16933	106
June	16592	104	17952	112
July	16592	104	17952	112
August	19781	124	20383	128
September	17036	107	18309	115
October	14572	91	15503	97
November	12748	80	13664	86
December	13046	82	13373	84

For Vehicle Classification data near your project, please go to the following web page:

Location:	US101; MP 114.91; OREGON COAST HIGHWAY NO. 9; 0.07 mile north of "D" River	Site Name:	D River Wayside (21-008)
	State Wayside	Installed:	May, 1998

		Percent of AADT					
		Max	Max Max 10TH 20TH 30TH				
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	25036	145	12.0	11.4	11.3	11.2	
2009	25051	145	11.8	11.3	11.2	11.1	
2010	***	***	***	***	***	***	
2011	23972	146	12.1	11.7	11.5	11.4	
2012	23935	152	12.2	11.7	11.5	11.5	
2013	23866	137	11.5	11.2	11.1	10.9	
2014	23768	143	11.8	11.4	11.3	11.1	
2015	24897	141	11.7	11.3	11.2	11.1	
2016	25344	139	11.5	10.8	10.7	10.6	
2017	24944	139	11.3	10.9	10.8	10.7	



### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	18959	76	20080	81
February	21361	86	22624	91
March	23831	96	24815	99
April	23628	95	25336	102
May	25314	101	26198	105
June	26457	106	27222	109
July	26457	106	27222	109
August	29610	119	30318	122
September	27087	109	28123	113
October	23568	94	24639	99
November	20839	84	21946	88
December	19800	79	20800	83


For Vehicle Classification data near your project, please go to the following web page: <a href="https://www.oregon.gov/ODOT/Data">https://www.oregon.gov/ODOT/Data</a>

/Documents/TVT\_2017.xlsx

Location:	US101; MP 139.11; OREGON COAST HIGHWAY NO. 9; At 25th Street in Newport		North Newport (21-009)
		Installed:	October, 1996

# HISTORICAL TRAFFIC DATA

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	18078	140	12.2	11.4	11.1	11.0	
2009	18304	142	12.4	11.8	11.6	11.4	
2010	***	***	***	***	***	***	
2011	17482	***	***	***	***	***	
2012	17419	132	11.4	10.6	10.1	9.9	
2013	17394	***	***	***	***	***	
2014	17656	142	12.5	11.6	11.5	11.3	
2015	18306	142	12.0	11.5	11.1	11.0	
2016	18461	144	11.9	11.3	11.1	10.8	
2017	18357	143	12.0	11.7	11.4	11.2	




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	14657	80	14383	78
February	15810	86	16075	88
March	17288	94	17400	95
April	17634	96	17858	97
May	18691	102	19076	104
June	20579	112	20661	113
July	22870	125	22727	124
August	23022	125	22547	123
September	20633	112	20749	113
October	17959	98	17662	96
November	15800	86	15676	85
December	15618	85	15469	84

Location:	US101; MP 111.00; OREGON COAST HIGHWAY NO. 9; 0.30 mile north of East		North Lincoln City (21-010)
	Devils Lake Road.	Installed:	October, 2013

	ADT					
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	***	***	***	***	***	***
2014	14500	166	15.8	14.9	14.4	14.1
2015	15332	161	14.8	14.1	13.7	13.5
2016	15633	167	15.3	14.1	13.8	13.5
2017	15469	174	15.3	14.6	14.3	13.8



### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	10270	66	10891	70
February	11596	75	12931	84
March	13022	84	14522	94
April	13103	85	14809	96
May	14339	93	16256	105
June	15769	102	17400	112
July	19182	124	20473	132
August	19489	126	20340	131
September	16589	107	18117	117
October	13768	89	14900	96
November	11775	76	12893	83
December	11615	75	12099	78


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US101; MP 119.15; OREGON COAST HIGHWAY NO. 9; South Lincoln City ATR #21-	Site Name:	South Lincoln City (21-011)
	011, 0.01 mi. South of South Drift Creek Rd.	Installed:	April, 2014

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	***	***	***	***	***	***
2014	***	***	***	***	***	***
2015	13530	158	13.4	12.9	12.6	12.4
2016	13767	155	13.2	12.7	12.5	12.4
2017	13745	153	13.7	13.0	12.7	12.6




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	9805	71	10001	73
February	10897	79	11535	84
March	12368	90	12895	94
April	12534	91	13237	96
May	13350	97	14240	104
June	14942	109	15401	112
July	17613	128	17954	131
August	17650	128	17764	129
September	15732	114	16243	118
October	13054	95	13391	97
November	10944	80	11422	83
December	10733	78	10855	79

Location:	I-5; MP 234.80; PACIFIC HIGHWAY NO. 1; 0.41 mile north of Albany-Junction City		North Albany (22-005)
	Highway No. 58 (OR99E)	Installed:	October, 1999

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	57888	139	11.9	10.2	9.9	9.9	
2009	59500	133	10.6	10.0	9.7	9.6	
2010	60070	133	10.6	9.9	9.7	9.6	
2011	58939	130	10.0	9.8	9.7	9.6	
2012	58137	138	11.2	9.9	9.7	9.6	
2013	59396	136	11.0	9.8	9.7	9.6	
2014	60710	134	10.4	9.7	9.6	9.5	
2015	64751	133	10.3	9.3	9.2	9.1	
2016	66649	133	9.4	9.1	9.0	8.9	
2017	67664	129	9.6	9.0	8.8	8.8	



### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	54728	81	53683	79
February	61147	90	61317	91
March	64532	95	65375	97
April	66529	98	67960	100
May	68528	101	70240	104
June	73918	109	74738	110
July	75015	111	75515	112
August	74762	110	75028	111
September	68608	101	71169	105
October	64000	95	66000	98
November	65543	97	67387	100
December	65049	96	63558	94


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR226; MP 0.43; ALBANY-LYONS HIGHWAY NO. 211; 0.43 mile east of Santiam	Site Name:	Crabtree (22-010)
	Highway No. 16 (US20)	Installed:	January, 1950

### HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	4791	169	20.7	11.3	11.0	10.8
2009	4931	134	11.6	10.8	10.6	10.5
2010	4976	142	13.0	11.6	11.1	10.7
2011	4794	131	11.7	10.8	10.6	10.5
2012	4824	132	12.9	11.2	11.0	10.8
2013	4849	135	11.6	10.9	10.7	10.5
2014	4931	130	11.6	10.8	10.6	10.5
2015	5237	133	12.2	10.8	10.5	10.3
2016	5477	159	18.0	11.2	10.9	10.6
2017	5564	136	13.2	11.2	10.7	10.5




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4886	88	4513	81
February	5247	94	4995	90
March	5350	96	5137	92
April	5551	100	5345	96
May	5808	104	5637	101
June	6243	112	6038	109
July	6541	118	6496	117
August	6543	118	6419	115
September	6077	109	5937	107
October	5994	108	5798	104
November	5595	101	5330	96
December	5317	96	5128	92

For Vehicle Classification data near your project, please go to the following web page:
<a href="https://www.oregon.gov/ODOT/Data">https://www.oregon.gov/ODOT/Data</a>

Location:	OR99E; MP 21.64; ALBANY-JUNCTION CITY HIGHWAY NO. 58; 2.28 miles south		Halsey (22-012)
	of Halsey-Sweet Home Highway No. 212 (OR228)	Installed:	March, 1954

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	2549	156	15.1	13.8	13.6	13.3
2009	2361	***	***	***	***	***
2010	2985	137	19.1	11.9	11.4	11.1
2011	3101	145	13.9	12.0	11.5	11.2
2012	3110	146	12.6	11.7	11.3	11.1
2013	3247	145	15.3	11.7	11.4	11.2
2014	3431	146	13.8	11.8	11.4	11.2
2015	3599	145	16.9	11.7	11.2	10.9
2016	3777	148	17.5	12.3	11.5	11.3
2017	3926	***	***	***	***	***



2017 -K Factors are atypical due to Eclipse volumes

## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3389	86	3067	78
February	3813	97	3491	89
March	4025	103	3739	95
April	4156	106	3917	100
May	4232	108	4015	102
June	4442	113	4213	107
July	4675	119	4499	115
August	4918	125	4674	119
September	4305	110	4111	105
October	4318	110	4043	103
November	4202	107	3831	98
December	3806	97	3510	89


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US20; MP 19.05; SANTIAM HIGHWAY NO. 16; 0.38 mile southeast of Sodaville-	Site Name:	Waterloo (22-013)
	Waterloo Drive, southeast of Lebanon	Installed:	October, 1956

# HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	11443	154	12.1	10.6	10.4	10.3
2009	11627	161	12.4	11.0	10.6	10.4
2010	11629	154	12.0	11.0	10.7	10.4
2011	11241	154	11.9	11.3	10.8	10.6
2012	11083	165	13.5	11.5	10.9	10.7
2013	11195	161	13.3	11.7	10.8	10.5
2014	11343	141	14.9	10.9	10.6	10.4
2015	12123	156	13.4	10.7	10.3	10.1
2016	12529	157	12.2	10.9	10.3	10.1
2017	13084	152	11.6	10.7	10.5	10.3




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11626	89	10675	82
February	12471	95	11763	90
March	12714	97	12192	93
April	13239	101	12787	98
May	13942	107	13656	104
June	14670	112	14446	110
July	15121	116	15131	116
August	14940	114	14834	113
September	13950	107	13752	105
October	13797	105	13117	100
November	13189	101	12326	94
December	12881	98	12331	94

For Vehicle Classification data near your project, please go to the following web page:

Location:	I-5; MP 214.56; PACIFIC HIGHWAY NO. 1; 2.01 miles south of Halsey-Sweet Home	Site Name:	Lake Creek (22-016)
	Highway No. 212 Interchange (OR228).	Installed:	January, 1994

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	36157	161	13.4	12.3	11.1	10.7
2009	37401	153	12.8	11.5	11.1	10.7
2010	37883	141	12.3	11.4	10.9	10.7
2011	36875	145	12.3	11.7	11.2	10.8
2012	36188	150	12.3	11.4	11.0	10.8
2013	36864	151	12.4	11.5	11.1	10.9
2014	37627	151	12.6	11.3	11.0	10.7
2015	40088	145	12.4	10.9	10.6	10.5
2016	41664	147	11.9	10.9	10.5	10.3
2017	41841	144	11.7	10.8	10.4	10.2



# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	31843	76	31934	76
February	35567	85	36654	88
March	36914	88	38155	91
April	37203	89	39408	94
May	41329	99	43360	104
June	45600	109	47192	113
July	46817	112	48850	117
August	47230	113	48992	117
September	41690	100	44247	106
October	39474	94	42066	101
November	40068	96	42293	101
December	39372	94	38945	93


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR34; MP 3.92; CORVALLIS-LEBANON HIGHWAY NO. 210; 0.89 mile east of	Site Name:	Riverside Drive (22-020)
	Riverside Drive	Installed:	February, 2004

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	26343	145	13.8	11.6	11.3	11.1
2009	26861	134	12.3	11.2	11.0	10.8
2010	27576	135	12.4	11.2	11.0	10.8
2011	27233	132	11.9	11.2	11.0	10.9
2012	26683	138	12.2	11.1	11.0	10.8
2013	27114	157	13.1	11.3	11.1	11.0
2014	28091	141	14.1	11.3	11.0	10.9
2015	29599	140	12.1	11.0	10.7	10.5
2016	31134	134	11.8	10.9	10.6	10.5
2017	32440	137	12.2	11.0	10.8	10.7




### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	30544	94	28051	86
February	33795	104	31791	98
March	33434	103	31461	97
April	35302	109	33228	102
May	35835	110	34430	106
June	36368	112	34701	107
July	34479	106	32448	100
August	34913	108	32653	101
September	35074	108	34019	105
October	37228	115	34934	108
November	35457	109	32746	101
December	31297	96	28813	89

Location:	US20/OR99E MP 2.14; ALBANY-JUNCTION CITY HIGHWAY NO. 58; .28 mile	Site Name:	Central Albany (22-022)
	northeast of Albany-Corvallis Highway No. 31 (US20)	Installed:	June. 2005

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	37234	126	10.5	10.0	9.9	9.8	
2009	36654	131	10.6	10.3	10.0	9.9	
2010	35941	124	10.5	10.2	10.1	10.0	
2011	35492	126	11.0	10.2	10.0	9.9	
2012	35907	***	***	***	***	***	
2013	35488	126	11.1	10.2	10.1	10.0	
2014	36983	126	10.5	10.1	9.9	9.8	
2015	37924	123	10.4	9.9	9.8	9.7	
2016	38655	122	9.9	9.7	9.6	9.5	
2017	39256	122	10.1	9.5	9.4	9.4	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	38561	98	35294	90
February	41346	105	38529	98
March	41654	106	39336	100
April	42000	107	40000	102
May	42300	108	40100	102
June	43782	112	41091	105
July	41738	106	39416	100
August	42669	109	40116	102
September	42170	107	39833	101
October	42875	109	40096	102
November	42228	108	38883	99
December	40258	103	38380	98


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US20/US26 MP 257.86; CENTRAL OREGON HIGHWAY NO. 7; 0.26 mile west of	Site Name:	Cairo Junction (23-006)
	Olds Ferry-Ontario Highway No. 455 (OR201)	Installed:	October, 1954

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	4608	152	11.7	10.6	10.3	10.2
2009	4822	151	15.4	10.5	10.3	10.1
2010	4757	155	11.9	10.8	10.4	10.2
2011	4678	155	11.5	10.8	10.5	10.2
2012	4695	133	11.2	10.4	10.3	10.1
2013	4707	150	11.3	10.6	10.3	10.2
2014	4687	152	11.8	10.5	10.2	10.1
2015	4917	150	12.1	10.4	10.1	10.0
2016	5254	157	14.8	11.1	10.7	10.4
2017	5324	146	11.4	10.7	10.4	10.3



## 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4002	75	3703	70
February	4931	93	4542	85
March	5169	97	4871	91
April	5679	107	5356	101
May	6064	114	5777	109
June	6465	121	6234	117
July	6344	119	6210	117
August	6511	122	6220	117
September	6265	118	6012	113
October	5825	109	5524	104
November	5342	100	4952	93
December	4811	90	4487	84

For Vehicle Classification data near your project, please go to the following web page:
<a href="https://www.oregon.gov/ODOT/Data">https://www.oregon.gov/ODOT/Data</a>

/Documents/TVT\_2017.xlsx

Location:	US95; MP 91.48; I.O.N. HIGHWAY NO. 456; 6.74 miles north of Blue Mountain Pass	Site Name:	Basque (23-012)
	Summit	Installed:	January, 1958

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	1133	243	31.9	21.2	16.6	15.6
2009	1153	215	22.8	16.6	14.9	14.0
2010	1188	224	30.7	20.5	15.7	14.6
2011	1173	205	21.6	15.7	14.1	13.6
2012	1239	210	21.1	15.2	14.5	13.9
2013	1270	222	23.9	17.3	14.9	14.1
2014	1286	195	20.5	16.9	15.2	14.5
2015	1388	194	21.9	14.9	14.4	14.0
2016	1509	194	18.8	14.7	13.5	13.1
2017	1602	***	***	***	***	***



2017 -K Factors are atypical due to Eclipse volumes

## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	833	52	830	52
February	1010	63	1027	64
March	1340	84	1407	88
April	1457	91	1525	95
May	1635	102	1649	103
June	1874	117	1943	121
July	1958	122	2064	129
August	2379	149	2469	154
September	1715	107	1734	108
October	1632	102	1688	105
November	1489	93	1600	100
December	1295	81	1291	81


For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	US20; MP 189.38; CENTRAL OREGON HIGHWAY NO. 7; 0.11 mile east of Juntura-	Site Name:	Juntura (23-013)
	Riverside Road	Installed:	January, 1958

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Dav	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	1119	195	23.3	18.0	16.4	15.7
2009	1172	191	19.2	17.5	16.1	15.6
2010	1187	192	18.8	17.3	16.2	15.8
2011	1146	201	17.6	16.2	15.6	14.9
2012	1155	176	18.6	16.3	15.7	15.1
2013	1193	207	23.4	18.0	16.3	15.2
2014	1263	200	19.2	16.7	15.6	15.1
2015	1391	209	18.9	16.4	15.9	15.5
2016	1472	253	26.5	17.1	16.1	15.2
2017	1531	192	26.5	16.8	16.2	15.9




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	681	44	673	44
February	877	57	880	57
March	1130	74	1210	79
April	1247	81	1327	87
May	1568	102	1626	106
June	1955	128	2082	136
July	2108	138	2259	148
August	2115	138	2192	143
September	2095	137	2138	140
October	1547	101	1636	107
November	1264	83	1346	88
December	1019	67	1008	66

For Vehicle Classification data near your project, please go to the following web page:

Location:	I-84; MP 376.98; OLD OREGON TRAIL NO. 6; 1.03 miles northwest of Oregon-Idaho	Site Name:	Snake River (23-014)
	State Line	Installed:	July, 1960

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	15338	141	11.2	10.0	9.4	9.2
2009	16065	139	10.8	10.2	9.7	9.4
2010	16469	143	10.2	10.0	9.6	9.4
2011	16386	147	12.7	9.8	9.6	9.4
2012	16511	133	10.2	9.8	9.5	9.3
2013	16608	137	13.2	9.9	9.7	9.4
2014	16700	139	10.7	10.0	9.6	9.5
2015	18402	143	10.3	9.9	9.7	9.5
2016	19342	150	10.8	10.3	10.0	9.6
2017	20252	149	15.3	10.4	10.1	9.8



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12994	64	12850	63
February	16667	82	16330	81
March	19270	95	19374	96
April	20311	100	20544	101
May	21372	106	21351	105
June	23140	114	23311	115
July	23392	116	23783	117
August	24261	120	24277	120
September	21867	108	21881	108
October	21761	107	21677	107
November	20062	99	19976	99
December	18194	90	17669	87


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	I-84; MP 353.47; OLD OREGON TRAIL NO. 6; 1.47 miles south of Baker-Malheur	Site Name:	Huntington (23-016)
	County Line	Installed:	October, 1967

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	8182	163	16.0	13.4	11.6	11.1
2009	8528	162	13.3	12.0	11.4	11.2
2010	8744	166	13.5	12.1	11.8	11.5
2011	8580	178	14.1	12.5	11.9	11.4
2012	8614	154	15.4	12.4	11.6	11.4
2013	8762	170	15.1	13.3	12.1	11.7
2014	9028	166	15.3	13.5	12.1	11.7
2015	9685	153	15.0	12.3	11.5	11.3
2016	10390	173	14.3	12.6	12.0	11.6
2017	10737	163	19.1	13.3	12.2	11.8




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5983	56	6028	56
February	7864	73	7778	72
March	9953	93	10236	95
April	10561	98	11036	103
May	11000	102	11600	108
June	12573	117	13031	121
July	12218	114	12971	121
August	12721	118	13058	122
September	11657	109	12039	112
October	11403	106	11661	109
November	10230	95	10560	98
December	9065	84	8840	82

For Vehicle Classification data near your project, please go to the following web page: <a href="https://www.oregon.gov/ODOT/Data">https://www.oregon.gov/ODOT/Data</a>

Location:	OR99E; MP 34.03; PACIFIC HIGHWAY EAST NO. 81; 0.11 miles south of NE Belle	Site Name:	Woodburn (24-001)
	Passi Rd	Installed:	January, 1937

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	10254	128	11.9	11.4	11.2	11.0
2009	10264	139	15.9	11.0	10.6	10.4
2010	10224	131	13.4	11.6	11.3	11.1
2011	10147	126	14.7	11.9	11.4	11.2
2012	10050	***	***	***	***	***
2013	10573	125	12.5	11.9	11.7	11.5
2014	11292	135	14.3	12.3	11.8	11.5
2015	11775	127	14.5	11.7	11.3	11.0
2016	12007	126	12.3	11.5	11.2	11.1
2017	12378	137	13.0	11.8	11.5	11.3



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	10715	87	10148	82
February	11734	95	11179	90
March	12178	98	11745	95
April	12790	103	12614	102
May	12898	104	12796	103
June	13466	109	13019	105
July	14036	113	13769	111
August	14424	117	13961	113
September	13441	109	13234	107
October	13264	107	13273	107
November	12319	100	11720	95
December	11492	93	11073	89


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	OR22; MP 2.82; NORTH SANTIAM HIGHWAY NO. 162; 0.91 mile east of Lancaster	Site Name:	North Santiam (24-004)
	Drive Interchange	Installed:	January, 1967

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	24427	134	11.2	10.6	10.4	10.3
2009	25014	135	10.8	10.5	10.3	10.2
2010	24911	134	10.8	10.5	10.3	10.2
2011	24313	137	10.9	10.6	10.4	10.2
2012	24107	135	11.2	10.7	10.5	10.3
2013	24180	***	***	***	***	***
2014	24675	136	11.4	10.7	10.4	10.4
2015	26065	136	10.9	10.3	10.1	9.9
2016	27036	134	10.8	10.2	10.1	10.0
2017	27746	133	11.2	10.2	10.0	9.9




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	24420	88	22619	82
February	26158	94	24850	90
March	27039	97	26055	94
April	28176	102	27419	99
May	29628	107	29186	105
June	30914	111	30383	110
July	32161	116	32181	116
August	31661	114	31045	112
September	29653	107	29152	105
October	29174	105	28023	101
November	28001	101	26423	95
December	26844	97	25610	92

For Vehicle Classification data near your project, please go to the following web page:

Location:	OR22; MP 10.02; NORTH SANTIAM HIGHWAY NO. 162; 1.08 miles east of Shaw	Site Name:	Aumsville (24-005)
	Highway Interchange	Installed	January 2001

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	19241	142	12.0	11.2	11.0	10.9
2009	19304	140	12.1	11.2	11.0	10.8
2010	19295	141	11.8	11.4	11.1	11.0
2011	19073	144	11.9	11.5	11.2	11.0
2012	19169	144	12.7	11.8	11.7	11.4
2013	19220	142	12.2	11.3	11.1	11.0
2014	19795	143	12.8	11.5	11.3	11.2
2015	20812	142	11.4	11.1	10.8	10.6
2016	21682	141	11.9	11.2	11.0	10.7
2017	21925	136	12.1	11.0	10.7	10.5



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	19029	87	17663	81
February	20476	93	19502	89
March	21189	97	20528	94
April	22193	101	21669	99
May	23351	107	23137	106
June	24309	111	24201	110
July	25341	116	25732	117
August	25338	116	24991	114
September	23361	107	23263	106
October	22895	104	22094	101
November	21699	99	20470	93
December	20748	95	19849	91


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR22; MP 33.69; NORTH SANTIAM HIGHWAY NO. 162; 0.95 mile west of Railroad		Gates (24-013)
	Avenue SE (Entrance to Minto County Park).	Installed:	January, 2001

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	4474	273	32.0	27.3	26.4	25.5
2009	4690	259	28.2	26.6	25.1	23.9
2010	4741	271	29.7	27.1	25.9	24.5
2011	4687	275	29.8	28.2	26.1	24.7
2012	4701	278	30.1	28.6	26.9	25.3
2013	4808	271	30.2	27.6	25.8	25.0
2014	4930	290	32.5	28.4	27.0	25.3
2015	5261	***	***	***	***	***
2016	5658	254	30.1	26.3	25.0	23.3
2017	5317	260	33.1	26.6	25.5	23.7



## 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2385	45	2797	53
February	2750	52	3355	63
March	3389	64	4219	79
April	3652	69	4940	93
May	5091	96	6343	119
June	5641	106	7098	133
July	7118	134	8903	167
August	6469	122	7689	145
September	5013	94	5937	112
October	4299	81	5138	97
November	3397	64	4040	76
December	2937	55	3346	63

For Vehicle Classification data near your project, please go to the following web page:
<a href="https://www.oregon.gov/ODOT/Data">https://www.oregon.gov/ODOT/Data</a>

/Documents/TVT\_2017.xlsx

Location:	OR22; MP 25.90; WILLAMINA-SALEM HIGHWAY NO. 30; 0.38 mile west of Salem	Site Name:	Salem Bridges (24-014)
	Highway No. 72 (OR22), Polk-Marion County Line	Installed:	January, 1953

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	85405	122	10.1	9.7	9.6	9.5
2009	85929	***	***	***	***	***
2010	85100	121	9.6	9.4	9.3	9.3
2011	83816	120	10.5	9.4	9.3	9.3
2012	84116	121	9.9	9.8	9.7	9.6
2013	84655	121	9.9	9.7	9.6	9.6
2014	86588	120	10.0	9.8	9.6	9.6
2015	91213	120	9.7	9.4	9.4	9.3
2016	93500	120	9.6	9.3	9.3	9.3
2017	94984	119	9.4	9.2	9.2	9.2



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	89858	95	83368	88
February	98028	103	92810	98
March	98531	104	94214	99
April	102904	108	98134	103
May	103090	109	99306	105
June	104454	110	99790	105
July	101407	107	97610	103
August	102835	108	98044	103
September	101053	106	97364	103
October	102333	108	97091	102
November	98050	103	91884	97
December	94317	99	90187	95


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR22; MP 51.30; NORTH SANTIAM HIGHWAY NO. 162; 1.20 miles east of Detroit	Site Name:	Detroit (24-015)
	Avenue	Installed:	May, 1997

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	3780	263	31.2	27.2	25.7	24.8
2009	3996	***	***	***	***	***
2010	4049	256	29.1	27.3	26.3	24.7
2011	3990	264	29.9	27.6	25.8	24.7
2012	3939	268	30.8	29.1	27.3	25.9
2013	4123	263	29.1	27.2	26.2	25.1
2014	4258	268	30.1	27.7	26.4	25.3
2015	4615	261	32.0	25.4	24.4	23.1
2016	4981	254	29.8	26.2	24.8	23.7
2017	4644	258	32.1	26.3	24.8	23.1




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2048	44	2450	53
February	2303	50	2915	63
March	2917	63	3708	80
April	3086	66	4120	89
May	4274	92	5437	117
June	4851	104	6135	132
July	6099	131	7660	165
August	5749	124	6864	148
September	4700	101	5538	119
October	3748	81	4548	98
November	2894	62	3508	76
December	2449	53	2845	61

Location:	OR551; MP 3.70; WILSONVILLE-HUBBARD HIGHWAY NO. 51; 0.22 mile south of		Hubbard (24-016)
	Ehlen Road	Installed:	January, 1954

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	7821	125	11.8	11.0	10.8	10.8	
2009	7724	122	11.4	10.7	10.4	10.3	
2010	7731	121	11.2	10.9	10.7	10.5	
2011	7744	125	11.6	10.7	10.5	10.4	
2012	8008	132	11.6	10.9	10.6	10.4	
2013	8344	127	14.1	10.7	10.5	10.4	
2014	8851	128	12.1	10.3	10.1	10.0	
2015	9100	126	11.2	9.9	9.7	9.6	
2016	8867	130	10.2	9.8	9.6	9.6	
2017	9132	131	10.2	9.5	9.2	9.2	



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8251	90	7452	82
February	9392	103	8519	93
March	9818	108	8961	98
April	10156	111	9515	104
May	9987	109	9350	102
June	10325	113	9489	104
July	10340	113	9561	105
August	11053	121	9980	109
September	10232	112	9652	106
October	10243	112	9613	105
November	9632	105	8802	96
December	9332	102	8684	95


For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	OR219; MP 31.88; HILLSBORO-SILVERTON HIGHWAY NO. 140; 1.85 miles south	Site Name:	St. Paul (24-020)
	of St. Paul Highway N.E.	Installed:	January, 1958

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	2376	293	29.4	17.6	14.1	12.8
2009	2425	279	28.7	18.3	15.4	13.4
2010	2543	282	29.1	18.1	15.9	14.4
2011	2539	260	26.4	19.5	16.4	14.5
2012	2607	315	31.1	20.6	16.2	14.4
2013	2606	260	24.4	16.6	14.8	13.3
2014	2627	259	23.5	17.1	15.0	13.5
2015	2800	230	20.2	15.6	14.1	13.1
2016	2942	221	21.1	15.2	14.2	13.5
2017	3048	230	27.7	16.5	15.1	13.9




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2327	76	2168	71
February	2745	90	2569	84
March	2878	94	2736	90
April	3083	101	3041	100
May	3330	109	3343	110
June	3312	109	3341	110
July	3859	127	3804	125
August	3719	122	3581	117
September	3391	111	3424	112
October	3245	106	3208	105
November	2911	96	2727	89
December	2763	91	2628	86

For Vehicle Classification data near your project, please go to the following web page:

Location:	I-5; MP 252.20; PACIFIC HIGHWAY NO. 1; 0.02 mile north of Turner Road		Salem-Kuebler (24-021)
	Overcrossing	Installed:	August, 2008

		Percent of AADT				
		Max	Max Max 10TH 20TH			30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	68542	134	10.8	9.6	9.3	9.2
2010	70265	130	10.1	9.7	9.6	9.4
2011	69484	130	9.9	9.6	9.5	9.4
2012	69134	134	10.2	9.6	9.5	9.4
2013	70819	133	10.1	9.6	9.4	9.4
2014	72422	132	10.0	9.6	9.4	9.3
2015	77191	128	9.7	9.2	9.0	8.9
2016	79661	132	9.6	9.1	9.0	8.9
2017	82504	128	9.8	9.2	9.1	9.0



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	68181	83	65895	80
February	75888	92	74906	91
March	79616	96	79254	96
April	82667	100	82845	100
May	84667	103	85172	103
June	90100	109	89962	109
July	90601	110	90517	110
August	90429	110	89907	109
September	85037	103	86313	105
October	83988	102	84369	102
November	83339	101	82633	100
December	80570	98	78280	95


For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	OR99E BUS; MP 0.67; SALEM HIGHWAY NO. 72; 0.87 mile north of Hyacinth Street	Site Name:	Salem Parkway (24-022)
	N.E.	Installed:	June, 2009

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	20881	125	10.8	10.2	10.1	10.0
2011	20597	123	11.2	10.2	10.0	9.9
2012	20467	133	11.3	10.5	10.0	10.0
2013	21018	121	10.5	9.9	9.8	9.7
2014	21702	121	10.8	9.8	9.7	9.6
2015	23374	121	10.9	9.6	9.4	9.4
2016	24944	126	10.8	9.8	9.6	9.5
2017	25147	119	10.4	9.3	9.2	9.2




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	22063	88	20663	82
February	25482	101	24136	96
March	26015	103	24909	99
April	26862	107	25868	103
May	27042	108	26353	105
June	27866	111	26697	106
July	27264	108	26326	105
August	27568	110	26431	105
September	26516	105	25784	103
October	26628	106	25743	102
November	26058	104	24701	98
December	25356	101	24155	96

For Vehicle Classification data near your project, please go to the following web page:

Location:	cation: OR74; MP 37.83; HEPPNER HIGHWAY NO. 52; 1.38 miles southeast of Lexington-		Lexington (25-007)
	Echo Highway No. 320 (OR207)	Installed:	August, 1957

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	1340	165	19.0	12.8	12.2	11.9
2009	1390	***	***	***	***	***
2010	1379	174	16.9	13.2	12.4	12.0
2011	1392	158	15.2	12.9	12.1	11.7
2012	1327	160	16.5	12.9	12.1	11.8
2013	1326	172	18.4	13.6	12.1	11.9
2014	1322	180	15.8	13.4	12.6	12.0
2015	1397	154	14.0	12.4	12.0	11.7
2016	1378	173	14.1	13.1	12.3	11.9
2017	1393	***	***	***	***	***



2017 -K Factors are atypical due to Eclipse volumes

## 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1155	83	1051	75
February	1311	94	1183	85
March	1437	103	1313	94
April	1491	107	1373	99
May	1583	114	1489	107
June	1578	113	1470	106
July	1552	111	1436	103
August	1804	130	1665	120
September	1589	114	1537	110
October	1641	118	1537	110
November	1524	109	1376	99
December	1414	102	1285	92

For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data /Documents/TVT\_2017.xlsx

Location:	I-84/US30 MP 168.55; OLD OREGON TRAIL NO. 6; 0.60 mile southeast of Columbia	Site Name:	Boardman Jct (25-008)
	River Highway No. 2 Interchange (US730)	Installed:	June, 2007

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	12789	176	42.2	13.9	12.6	12.1
2009	13087	166	30.5	13.7	13.3	12.4
2010	13191	163	17.3	13.4	13.0	12.6
2011	13206	171	16.9	12.9	12.4	11.9
2012	13424	163	16.7	12.9	12.2	12.1
2013	13927	161	17.1	14.0	12.8	12.3
2014	14746	159	16.6	13.4	12.3	11.9
2015	15749	155	16.8	12.7	12.2	11.9
2016	16873	161	16.2	12.7	12.1	11.7
2017	16958	***	***	***	***	***



### 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	10631	63	10483	62
February	13562	80	13124	77
March	16093	95	16271	96
April	16789	99	17199	101
May	17654	104	17864	105
June	19386	114	19959	118
July	20409	120	21373	126
August	20582	121	21159	125
September	17298	102	17799	105
October	17396	103	17873	105
November	16273	96	16605	98
December	14276	84	13790	81

For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data

/Documents/TVT\_2017.xlsx

Location:	I-84; MP 17.71; COLUMBIA RIVER HIGHWAY NO. 2; SIX LANES CONFIG. AS OF	Site Name:	Troutdale (26-001)
	2/20/15. SPD DATA	Installed:	January, 1951

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	27786	164	14.9	14.1	13.7	13.4
2009	29463	176	16.8	15.1	14.4	14.0
2010	29637	***	***	***	***	***
2011	28054	180	15.8	14.9	14.0	13.5
2012	28469	188	16.6	15.2	14.1	13.7
2013	29033	***	***	***	***	***
2014	28961	***	***	***	***	***
2015	33699	175	15.6	14.5	14.2	13.8
2016	35284	173	16.0	14.8	14.3	14.0
2017	32818	***	***	***	***	***



2017 - Atypical values due to fire were removed

#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	16162	49	17978	55
February	23534	72	24860	76
March	28197	86	31355	96
April	29769	91	34517	105
May	34651	106	39289	120
June	38131	116	42934	131
July	43135	131	48489	148
August	41096	125	45812	140
September	14672	45	18983	58
October	30293	92	33595	102
November	27670	84	29992	91
December	24900	76	26009	79


For Vehicle Classification data near your project, please go to the following web page: <a href="https://www.oregon.gov/ODOT/Data">https://www.oregon.gov/ODOT/Data</a>

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	US26; MP 73.75; SUNSET HIGHWAY NO. 47; 0.20 mile west of Stadium Freeway No.	Site Name:	Vista Ridge Tunnel
	61 (I-405), at the Vista Ridge Tunnel		(26-002)
		Installed:	February, 1969

# HISTORICAL TRAFFIC DATA

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	137150	***	***	***	***	***
2009	139800	***	***	***	***	***
2010	138369	***	***	***	***	***
2011	138937	115	7.9	7.8	7.8	7.7
2012	139387	115	8.1	7.9	7.9	7.8
2013	140605	114	8.0	7.8	7.8	7.8
2014	140639	115	8.0	7.9	7.8	7.8
2015	142420	112	7.9	7.7	7.7	7.6
2016	142232	115	7.8	7.6	7.5	7.5
2017	140780	118	7.9	7.7	7.6	7.6




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	121961	87	115332	82
February	143005	102	136908	97
March	147535	105	142324	101
April	150700	107	144978	103
May	149654	106	142372	101
June	151143	107	146041	104
July	146938	104	143777	102
August	146702	104	142246	101
September	147000	104	144400	103
October	150000	107	145000	103
November	150812	107	144241	102
December	147242	105	141743	101

For Vehicle Classification data near your project, please go to the following web page: <a href="https://www.oregon.gov/ODOT/Data">https://www.oregon.gov/ODOT/Data</a>

Location:	US26; MP 14.36; MT. HOOD HIGHWAY NO. 26; 0.18 mile southeast of SE Powell	Site Name:	Gresham (26-003)
	Valley Road	Installed:	March, 1951

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	31777	130	10.2	9.8	9.6	9.5	
2009	32252	121	10.4	9.2	9.0	8.9	
2010	32273	126	9.9	9.5	9.3	9.2	
2011	30530	126	10.1	9.4	9.3	9.2	
2012	29978	129	10.1	9.6	9.4	9.3	
2013	30315	133	10.9	9.4	9.3	9.1	
2014	30648	128	10.0	9.4	9.2	9.2	
2015	32143	129	9.9	9.3	9.1	9.1	
2016	33041	121	9.7	9.1	8.9	8.8	
2017	32856	122	9.7	9.0	8.9	8.8	



## 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	28754	88	28150	86
February	32519	99	32060	98
March	32853	100	32660	99
April	33672	102	33292	101
May	34018	104	33587	102
June	35002	107	34647	105
July	35161	107	35259	107
August	35407	108	35051	107
September	34491	105	33976	103
October	33212	101	32512	99
November	31824	97	31034	94
December	32363	98	32040	98

For Vehicle Classification data near your project, please go to the following web page:
<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	1-5; MP 307.97; PACIFIC HIGHWAY NO. 1; 0.41 mile south of Oregon-Washington	Site Name:	Interstate Bridge (26-004)
	State Line	Installed:	January, 1953

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	121407	121	8.1	7.9	7.8	7.7
2009	121133	121	8.0	7.8	7.8	7.8
2010	123189	118	7.8	7.7	7.6	7.5
2011	123893	118	8.0	7.6	7.5	7.4
2012	124340	117	7.8	7.6	7.5	7.5
2013	126995	117	7.8	7.5	7.4	7.4
2014	128393	117	7.8	7.5	7.4	7.3
2015	132252	116	7.5	7.3	7.3	7.2
2016	132350	117	7.5	7.3	7.3	7.2
2017	132274	116	7.6	7.3	7.2	7.2




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	112581	85	108802	82
February	131011	99	127319	96
March	135616	103	132992	101
April	138145	104	134224	101
May	136048	103	133998	101
June	141973	107	139402	105
July	139815	106	138427	105
August	141479	107	139712	106
September	137500	104	135100	102
October	136942	104	134734	102
November	135779	103	132461	100
December	133121	101	130111	98

Location:	I-405; MP 0.60; STADIUM FREEWAY HIGHWAY NO. 61; 0.64 mile northwest of	Site Name:	Stadium Freeway (26-005)
	Pacific Highway No. 1 (I-5)	Installed:	December, 1965

		Percent of AADT				
		Max	Max	10TH	20TH	30TH
Year	AADT	Day	Hour	Hour	Hour	Hour
2008	94266	120	8.3	8.1	8.1	8.0
2009	94769	***	***	***	***	***
2010	95608	***	***	***	***	***
2011	94175	***	***	***	***	***
2012	91550	***	***	***	***	***
2013	93158	***	***	***	***	***
2014	92063	114	8.0	7.9	7.8	7.7
2015	93810	114	7.9	7.8	7.7	7.7
2016	93110	119	9.6	7.7	7.6	7.6
2017	93601	118	8.0	7.9	7.8	7.8



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	78454	84	73794	79
February	96589	103	90925	97
March	97200	104	93434	100
April	102671	110	96758	103
May	101614	109	96196	103
June	103000	110	97400	104
July	100000	107	96200	103
August	100400	54	97200	104
September	100376	107	97036	104
October	104822	112	101092	108
November	97249	104	93361	100
December	92744	99	89812	96


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	MP 13.94; HISTORIC COLUMBIA RIVER HIGHWAY NO. 100; 0.10 mile west of	Site Name:	Bridal Veil (26-012)
	Bridal Veil Falls State Park	Installed:	August, 1957

# HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	695	320	46.3	38.3	34.8	33.5
2009	787	300	38.0	33.0	31.0	29.4
2010	782	303	44.4	39.4	37.5	35.3
2011	764	365	47.1	40.1	37.5	36.0
2012	697	382	54.3	43.2	39.2	37.2
2013	760	316	65.3	40.0	36.6	35.3
2014	875	349	63.3	35.2	33.7	32.8
2015	1038	293	44.3	30.8	29.6	28.6
2016	1081	299	37.2	31.6	28.8	28.2
2017	798	***	***	***	***	***
2017	A 4	. 1		7		




 $2017-A typical\ values\ due\ to\ construction\ were\ removed$ 

#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	279	35	374	47
February	313	39	489	61
March	481	60	716	90
April	614	77	939	118
May	1046	131	1333	167
June	1247	156	1459	183
July	1596	200	1788	224
August	1375	172	1596	200
September	164	21	293	37
October	61	8	51	6
November	162	20	197	25
December	252	32	335	42

Location:	I-84; MP 3.35; COLUMBIA RIVER HIGHWAY NO. 2; At the N.E. 53rd Avenue	Site Name:	Hoyt (26-014)
	Undercrossing.	Installed:	July, 1995

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	160306	117	7.5	7.4	7.3	7.3	
2009	161495	116	7.6	7.4	7.4	7.3	
2010	161572	115	7.5	7.3	7.3	7.3	
2011	158377	***	***	***	***	***	
2012	154572	118	7.4	7.3	7.2	7.2	
2013	156456	115	7.3	7.2	7.1	7.1	
2014	161772	113	7.1	7.0	7.0	7.0	
2015	165735	111	6.9	6.9	6.8	6.8	
2016	167059	113	6.9	6.8	6.8	6.8	
2017	164260	115	7.1	6.9	6.8	6.8	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	138989	85	132081	80
February	166027	101	160858	98
March	171089	104	167879	102
April	174892	106	168698	103
May	173670	106	168343	102
June	177537	108	174786	106
July	172916	105	171795	105
August	170848	104	170355	104
September	168095	102	166487	101
October	169825	103	167596	102
November	166387	101	162896	99
December	162028	99	159342	97


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Highway No. 1 Interchange (I-5)	d: Augu	st, 2013

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	140758	116	7.6	7.4	7.3	7.2
2009	142071	118	11.0	7.8	7.4	7.3
2010	146571	***	***	***	***	***
2011	143160	115	7.5	7.4	7.3	7.3
2012	141433	114	7.5	7.3	7.3	7.2
2013	143065	110	7.3	7.1	7.1	7.0
2014	144885	112	7.4	7.2	7.1	7.1
2015	147118	***	***	***	***	***
2016	147894	112	7.0	7.0	6.9	6.9
2017	143477	115	7.2	7.0	6.9	6.9




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	122150	85	116304	81
February	146510	102	141845	99
March	150393	105	147293	103
April	154303	108	145501	101
May	153230	107	144017	100
June	155378	108	153383	107
July	150785	105	148956	104
August	149474	104	148540	104
September	148254	103	146624	102
October	147700	103	145115	101
November	147025	102	143419	100
December	142752	99	140721	98

Location:	I-5; MP 298.24; PACIFIC HIGHWAY NO. 1; 1.07 miles north of S.W. Terwilliger	Site Name:	Iowa Street (26-016)
	Boulevard, in Portland	Installed:	December, 1961

		Percent of AADT					
		Max	Max	10TH	20TH	30TH	
Year	AADT	Day	Hour	Hour	Hour	Hour	
2008	139792	121	10.0	8.5	8.5	8.4	
2009	140861	116	8.3	8.1	8.0	8.0	
2010	141415	***	***	***	***	***	
2011	139332	***	***	***	***	***	
2012	137111	116	8.2	8.0	8.0	7.9	
2013	137147	116	8.2	8.0	7.9	7.9	
2014	137062	116	8.3	8.1	8.0	7.9	
2015	142034	114	8.1	7.9	7.8	7.8	
2016	140653	114	7.9	7.8	7.8	7.7	
2017	140199	114	7.9	7.8	7.7	7.6	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	119270	85	112789	80
February	147181	105	139223	99
March	148828	106	142956	102
April	152556	109	143807	103
May	148489	106	142740	102
June	152795	109	147023	105
July	148661	106	143808	103
August	149922	107	144658	103
September	147870	105	143552	102
October	150508	107	146186	104
November	147188	105	140103	100
December	141060	101	135543	97


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	I-205; MP 20.35; EAST PORTLAND FREEWAY NO. 64; 0.22 mile south of S.E.	Site Name:	Yamhill (26-018)
	Washington Street Undercrossing	Installed:	July, 1995

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	144228	117	7.8	7.7	7.6	7.6
2009	146509	116	7.8	7.7	7.6	7.6
2010	146277	115	7.8	7.7	7.6	7.6
2011	145358	116	7.8	7.6	7.6	7.5
2012	145124	115	7.8	7.6	7.6	7.5
2013	146169	115	7.7	7.6	7.5	7.5
2014	146484	114	7.6	7.4	7.4	7.4
2015	151410	112	7.3	7.2	7.1	7.1
2016	152773	114	7.3	7.1	7.1	7.0
2017	148884	113	7.2	7.2	7.1	7




## 2017 TRAFFIC DATA

	Average Weekday	Percent of AADT	Average Daily	Percent of AADT
	Traffic		Traffic	
January	125000	84	120000	81
February	146542	98	140494	94
March	153231	103	147231	99
April	158525	106	154289	104
May	159659	107	155985	105
June	163188	110	158395	106
July	159655	107	156718	105
August	160700	108	157300	106
September	157000	105	154300	104
October	155210	104	150851	101
November	153858	103	147640	99
December	147084	99	143405	96

Location:	I-5; MP 304.66; PACIFIC HIGHWAY NO. 1; 0.03 mile south of N. Ainsworth Street	Site Name:	Minnesota Freeway
	undercrossing		(26-019)
		Installed:	December, 1964

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	129977	117	7.9	7.7	7.6	7.5
2009	129987	116	7.7	7.6	7.5	7.5
2010	130677	117	7.9	7.6	7.5	7.5
2011	129887	117	7.8	7.6	7.5	7.5
2012	129661	117	7.8	7.6	7.5	7.5
2013	131640	114	7.7	7.5	7.5	7.4
2014	132040	114	7.7	7.5	7.4	7.4
2015	134027	113	7.5	7.4	7.3	7.3
2016	132896	112	7.5	7.4	7.4	7.3
2017	131120	113	7.6	7.5	7.4	7.3



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	112103	85	109285	83
February	130866	100	129641	99
March	133317	102	133361	102
April	135748	104	132799	101
May	133057	101	132023	101
June	135824	104	136606	104
July	132642	101	134398	103
August	134435	103	135829	104
September	133301	102	134917	103
October	134485	103	135337	103
November	130638	100	130871	100
December	128572	98	128373	98


For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data

https://www.oregon.gov/ODO1/Data /Documents/TVT\_2017.xlsx

Location:	I-205; MP 18.25; EAST PORTLAND FREEWAY NO. 64; 0.87 mile south of Mt. Hood	Site Name:	Lents (26-022)
	Highway No. 26 (US26)	Installed:	July, 1995

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	151553	118	8.1	8.0	7.9	7.9
2009	152957	115	7.9	7.7	7.7	7.6
2010	150015	115	8.1	8.0	7.9	7.9
2011	150855	116	8.1	7.9	7.8	7.8
2012	150336	116	8.1	7.9	7.9	7.8
2013	151177	115	8.1	7.8	7.8	7.7
2014	151251	115	7.9	7.7	7.7	7.6
2015	156136	113	7.7	7.5	7.4	7.3
2016	155756	113	7.5	7.4	7.3	7.3
2017	153561	114	7.5	7.3	7.2	7.2




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	132261	86	124099	81
February	157090	102	149480	97
March	160114	104	154488	101
April	164745	107	159792	104
May	165119	108	160220	104
June	169588	110	163548	107
July	164563	107	160645	105
August	164242	107	160016	104
September	158871	103	155065	101
October	162288	106	156374	102
November	157859	103	151568	99
December	152060	99	147435	96

For Vehicle Classification data near your project, please go to the following web page:

Location:	I-205; MP 25.50; EAST PORTLAND FREEWAY NO. 64; 1.06 miles south of Oregon-	Site Name:	Glenn Jackson Bridge
	Washington State Line		(26-024)
		Installed	January 1983

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	134251	122	9.3	9.0	8.9	8.9
2009	136855	121	9.1	8.9	8.8	8.8
2010	138127	***	***	***	***	***
2011	138694	***	***	***	***	***
2012	139748	123	8.9	8.7	8.7	8.6
2013	141973	122	9.1	8.7	8.6	8.5
2014	144732	119	8.6	8.4	8.4	8.4
2015	151713	121	8.3	8.1	8.0	8.0
2016	155398	120	8.0	7.9	7.8	7.8
2017	157038	120	7.9	7.7	7.7	7.7



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	135709	86	127931	81
February	157012	100	149337	95
March	161668	103	155462	99
April	165644	105	160228	102
May	167018	106	162772	104
June	174412	111	168548	107
July	172289	110	167447	107
August	172949	110	166996	106
September	166433	106	162120	103
October	164403	105	158803	101
November	161286	103	154036	98
December	156355	100	150775	96


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	I-5; MP 300.37; PACIFIC HIGHWAY NO. 1; 0.34 mile northeast of Stadium Freeway	Site Name:	Marquam Bridge (26-026)
	No. 61 Interchange (I-405)	Installed:	October, 1966

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	135934	117	8.1	8.0	7.9	7.9
2009	138631	***	***	***	***	***
2010	139642	***	***	***	***	***
2011	138125	***	***	***	***	***
2012	134500	***	***	***	***	***
2013	136853	***	***	***	***	***
2014	137282	112	8.0	7.9	7.8	7.7
2015	139246	111	8.0	7.8	7.8	7.7
2016	140462	112	7.8	7.7	7.6	7.6
2017	138839	114	8.0	7.9	7.8	7.8




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	116852	84	111957	81
February	140675	101	138595	100
March	142649	103	139913	101
April	148976	107	138069	99
May	146500	106	132107	95
June	149689	108	147945	107
July	149400	108	147200	106
August	145568	105	145925	105
September	146068	105	144373	104
October	150283	108	147320	106
November	141752	102	138748	100
December	136889	99	133908	96

For Vehicle Classification data near your project, please go to the following web page:

Location:	I-405; MP 3.05; STADIUM FREEWAY HIGHWAY NO. 61; 1.16 miles southwest of		Fremont Bridge (26-027)
	Pacific Highway No. 1 (I-5)	Installed:	January, 1978

		Percent of AADT					
Year	AADT	Max	Max	10TH	20TH	30TH	
		Day	Hour	Hour	Hour	Hour	
2008	110301	122	9.2	9.0	8.9	8.8	
2009	110153	120	8.9	8.6	8.5	8.5	
2010	119150	122	8.6	8.4	8.4	8.3	
2011	118259	123	8.6	8.5	8.5	8.5	
2012	119795	123	9.1	8.5	8.5	8.4	
2013	121830	119	8.9	8.5	8.4	8.3	
2014	122392	121	9.5	8.3	8.2	8.2	
2015	128656	124	8.3	8.0	7.9	7.9	
2016	128343	119	10.1	8.1	8.0	8.0	
2017	129981	121	8.2	7.9	7.8	7.8	



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	111076	85	103190	79
February	134605	104	125094	96
March	136698	105	128884	99
April	143335	110	136507	105
May	141482	109	135537	104
June	144738	111	137248	106
July	139794	108	133609	103
August	142150	109	134761	104
September	139765	108	133503	103
October	144976	112	138147	106
November	137891	106	128868	99
December	130931	101	124429	96


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	I-84; MP 11.45; COLUMBIA RIVER HIGHWAY NO. 2; 1.59 miles west of N.E. 181st	Site Name:	Fairview (26-028)
	Avenue Interchange	Installed:	November, 2010

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	101367	123	8.6	8.4	8.3	8.3
2012	100864	122	8.7	8.5	8.4	8.3
2013	101446	119	8.5	8.3	8.2	8.1
2014	102527	119	8.8	8.5	8.3	8.2
2015	107116	120	8.6	8.3	8.0	7.9
2016	106785	120	8.8	8.5	8.3	8.1
2017	107029	123	8.7	8.2	8.1	8.0




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	83142	78	79704	74
February	104187	97	99415	93
March	109392	102	107290	100
April	112424	105	111209	104
May	114967	107	113295	106
June	119992	112	118808	111
July	120444	113	121048	113
August	118696	111	119086	111
September	101753	95	100904	94
October	112462	105	110097	103
November	108039	101	104025	97
December	102404	96	99461	93

For Vehicle Classification data near your project, please go to the following web page:

Location:	OR18; MP 23.23; SALMON RIVER HIGHWAY NO. 39; 0.19 mile east of Three Rivers	Site Name:	Valley Junction (27-001)
	Highway No. 32 (OR22)	Installed:	January, 1950

			Pe	Percent of AADT		
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	18123	***	***	***	***	***
2009	18566	160	13.3	12.7	12.3	12.1
2010	18256	164	13.6	12.4	12.0	11.5
2011	17650	166	14.8	13.2	12.6	12.3
2012	17159	176	14.6	13.8	13.0	12.5
2013	17175	161	14.5	13.2	12.8	12.5
2014	17336	162	14.5	13.7	13.2	12.7
2015	18075	168	13.9	13.0	12.7	12.5
2016	18222	173	13.5	13.2	12.9	12.6
2017	17821	***	***	***	***	***



2017 - Atypical values due to fire were removed

#### 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11666	65	13113	74
February	13559	76	15915	89
March	14856	83	17683	99
April	14496	81	17405	98
May	15818	89	18848	106
June	16538	93	19385	109
July	19367	109	21860	123
August	19475	109	22214	125
September	17246	97	19922	112
October	15102	85	17260	97
November	13627	76	15633	88
December	13558	76	14618	82

For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data /Documents/TVT\_2017.xlsx

Location:	OR221; MP 18.60; SALEM-DAYTON HIGHWAY NO. 150; 0.09 mile north of Brush	Site Name:	Brush College (27-002)
	College Road N.W.	Installed:	December, 2005

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	11803	120	11.5	10.6	10.5	10.4
2009	12023	***	***	***	***	***
2010	12229	123	11.0	10.6	10.4	10.3
2011	12096	121	11.1	10.7	10.6	10.4
2012	12084	126	11.2	10.7	10.5	10.4
2013	12114	125	11.3	10.5	10.3	10.2
2014	12498	122	10.8	10.6	10.4	10.3
2015	13189	122	10.5	10.3	10.1	10.0
2016	13835	120	11.0	10.3	10.2	10.1
2017	14219	123	10.7	10.4	10.3	10.2



#### 2017 TRAFFIC DATA


	Average Weekday	Percent of AADT	Average Daily	Percent of AADT
	Traffic		Traffic	
January	13193	93	12191	86
February	14261	100	13584	96
March	14621	103	14079	99
April	15322	108	14850	104
May	15523	109	15129	106
June	15556	109	14975	105
July	15617	110	15014	106
August	15721	111	15021	106
September	14967	105	14553	102
October	15154	107	14474	102
November	14214	100	13493	95
December	13836	97	13267	93

For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data

/Documents/TVT\_2017.xlsx

Location:	OR99W; MP 70.90; PACIFIC HIGHWAY WEST NO. 91; 1.43 miles north of Polk-	Site Name:	Monmouth (27-005)
	Benton County Line	Installed:	January, 2001

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	6962	154	18.0	15.2	13.0	12.3
2009	7005	153	17.0	13.8	12.6	11.8
2010	7287	159	17.6	14.4	13.3	12.0
2011	7193	146	17.5	15.1	12.9	12.1
2012	7120	150	16.9	14.1	12.8	12.0
2013	7110	164	15.8	14.7	12.1	11.7
2014	7285	142	18.1	13.5	12.6	12.1
2015	7802	140	14.7	12.3	11.8	11.6
2016	8074	142	14.6	12.9	12.1	11.5
2017	8161	137	19.4	12.3	11.6	11.5



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7143	88	6776	83
February	8110	99	7844	96
March	8047	99	7840	96
April	8662	106	8432	103
May	8948	110	8834	108
June	8868	109	8888	109
July	8083	99	8020	98
August	8618	106	8337	102
September	8626	106	8644	106
October	9014	110	8939	110
November	8565	105	8266	101
December	7505	92	7113	87


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR22; MP 19.47; WILLAMINIA-SALEM HIGHWAY NO. 30; 0.90 mile west of	Site Name:	Oak Knoll (27-006)
	Independence Highway No. 193 (OR51)	Installed:	January, 2001

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	25776	131	11.1	10.5	10.2	10.1
2009	26317	127	11.7	10.0	9.9	9.9
2010	26107	125	10.6	10.2	10.0	9.9
2011	25358	124	10.5	10.1	9.9	9.8
2012	24891	124	10.4	10.1	9.9	9.8
2013	25283	126	10.9	10.4	10.1	9.9
2014	26112	135	11.4	10.4	10.1	9.9
2015	27762	122	10.3	10.0	9.8	9.7
2016	28749	126	10.7	9.8	9.7	9.6
2017	29295	125	10.0	9.8	9.6	9.6




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	25611	87	24289	83
February	28886	99	27970	95
March	29313	100	28806	98
April	30490	104	29946	102
May	31089	106	30703	105
June	31608	108	31111	106
July	31555	108	31193	106
August	32223	110	31342	107
September	30872	105	30727	105
October	31123	106	30262	103
November	29699	101	28412	97
December	27822	95	26776	91

Location:	US97; MP 17.36; SHERMAN HIGHWAY NO. 42; 0.83 mile northwest of 1st Street	Site Name:	Wasco (28-001)
		Installed:	April, 1957

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	2389	157	14.9	13.4	12.5	12.3
2009	2657	162	16.8	13.4	12.8	12.5
2010	2706	161	14.6	13.2	12.6	12.3
2011	2632	171	16.2	13.5	13.0	12.3
2012	2638	160	15.0	13.3	12.8	12.5
2013	2693	163	14.9	13.3	12.9	12.5
2014	2743	158	14.9	13.3	13.0	12.6
2015	2921	166	15.8	13.7	13.3	12.8
2016	3025	167	16.7	14.0	13.3	12.9
2017	3110	***	***	***	***	***



2017 –K Factors are atypical due to Eclipse volumes

#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1939	62	1864	60
February	2258	73	2168	70
March	2708	87	2663	86
April	3015	97	3047	98
May	3307	106	3295	106
June	3634	117	3762	121
July	3762	121	3981	128
August	4409	142	4395	141
September	3723	120	3675	118
October	3255	105	3219	104
November	2871	92	2817	91
December	2580	83	2439	78


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	I-84; MP 109.51; COLUMBIA RIVER HIGHWAY NO. 2; 0.44 mile west of Rufus/John	Site Name:	Rufus (28-002)
	Day Dam Interchange	Installed:	January, 2008

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	10506	205	22.8	16.7	14.9	13.9
2009	10774	189	20.1	16.5	15.3	14.3
2010	10831	179	19.9	16.1	15.2	14.8
2011	10583	190	20.9	15.8	15.0	14.2
2012	10812	181	21.0	16.0	15.4	14.8
2013	11143	190	21.0	17.2	15.9	15.2
2014	11350	192	21.4	16.4	15.9	15.4
2015	12135	***	***	***	***	***
2016	13002	174	17.2	15.3	14.6	14.0
2017	12463	185	17.4	16.4	15.2	14.7




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6129	49	6064	49
February	9135	73	9189	74
March	11173	90	11924	96
April	11624	93	12744	102
May	12864	103	13654	110
June	14509	116	15637	125
July	15850	127	17353	139
August	15178	122	16084	129
September	12368	99	13355	107
October	11949	96	13042	105
November	9932	80	10524	84
December	9971	80	9984	80

Location:	US101; MP 53.55; OREGON COAST HIGHWAY NO. 9; 2.08 miles south of	Site Name:	Rockaway (29-001)
	Washington Street	Installed:	September, 1954

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	6028	203	20.9	17.6	16.3	15.7
2009	6215	214	20.7	18.4	17.5	16.5
2010	6173	208	20.8	18.6	17.3	16.2
2011	5879	208	22.3	19.3	18.0	16.9
2012	5818	214	20.8	18.1	17.4	17.0
2013	5873	212	20.8	18.4	16.8	16.1
2014	6020	216	21.0	18.3	17.6	17.2
2015	6454	213	19.8	17.6	16.9	16.3
2016	6687	184	19.6	16.7	16.1	15.7
2017	6728	185	18.6	17.1	16.2	15.9



## 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4639	69	4592	68
February	5068	75	5267	78
March	5668	84	5907	88
April	5917	88	6204	92
May	5703	85	6637	99
June	7147	106	7649	114
July	9230	137	9575	142
August	9401	140	9689	144
September	8047	120	8508	126
October	6230	93	6508	97
November	5097	76	5271	78
December	4935	73	4926	73

For Vehicle Classification data near your project, please go to the following web page:
<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location: US730; MP 193.70; COLUMBIA RIVER HIGHWAY NO. 2; 0.24 mile east of	Site Name:	Cold Springs (30-002)
Pendleton-Cold Springs Highway No. 36 (OR37)	Installed:	October, 1962

#### HISTORICAL TRAFFIC DATA

Percent of AADT						
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	2355	146	11.8	10.8	10.6	10.3
2009	2492	165	12.7	11.4	11.0	10.7
2010	2452	162	14.3	11.5	11.0	10.8
2011	2547	***	***	***	***	***
2012	2775	***	***	***	***	***
2013	2415	***	***	***	***	***
2014	2792	***	***	***	***	***
2015	2746	***	***	***	***	***
2016	3121	***	***	***	***	***
2017	2803	***	***	***	***	***




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2000	71	1750	62
February	2400	86	2200	78
March	2850	102	2880	103
April	2650	95	2550	91
May	1550	55	1500	54
June	2750	98	2900	103
July	3850	137	3825	136
August	4400	157	4025	144
September	3450	123	3450	123
October	3450	123	3300	118
November	2850	102	2900	103
December	2450	87	2350	84

2017 - Use Seasonal Factors with caution - many volumes were estimated

Location:	I-84; MP 203.34; OLD OREGON TRAIL NO. 6; 4.13 miles west of Pendleton Highway	Site Name:	Pendleton (30-004)
	No. 67 Interchange (US30)	Installed:	September, 1954

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	13781	151	14.4	12.3	11.2	10.8
2009	14574	149	13.2	11.9	11.2	10.9
2010	14977	***	***	***	***	***
2011	14717	158	13.0	11.3	11.0	10.8
2012	14647	147	13.6	11.4	11.0	10.8
2013	14832	148	14.0	12.1	11.1	10.8
2014	14962	147	14.0	11.7	11.2	11.0
2015	15933	145	13.9	11.3	11.0	10.8
2016	16599	155	13.9	11.5	11.3	11.0
2017	16751	***	***	***	***	***



2017 -K Factors are atypical due to Eclipse volumes

#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	10177	61	10207	61
February	13242	79	12954	77
March	15867	95	16113	96
April	16828	100	17144	102
May	17705	106	17790	106
June	18955	113	19323	115
July	19631	117	20540	123
August	20638	123	20995	125
September	18138	108	18528	111
October	17556	105	17747	106
November	15992	95	16109	96
December	13994	84	13560	81


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	US395; MP 16.70; PENDLETON-JOHN DAY HIGHWAY NO. 28; 1.34 miles southwest	Site Name:	Pilot Rock (30-007)
	of W. Main Street	Installed:	November, 1954

# HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	787	220	21.9	17.2	15.6	14.9
2009	862	196	19.0	15.9	15.1	14.4
2010	840	204	19.8	17.0	15.1	14.5
2011	796	211	21.3	15.9	14.9	14.4
2012	788	199	23.0	17.4	15.6	14.5
2013	777	208	26.6	16.9	15.6	14.4
2014	763	213	21.6	17.3	16.9	15.6
2015	800	205	20.9	17.3	16.0	15.1
2016	786	303	38.7	19.6	17.3	16.2
2017	809	***	***	***	***	***




2017 -K Factors are atypical due to Eclipse volumes

#### 2017 TRAFFIC DATA

	Average Weekday	Percent of AADT	Average Daily	Percent of AADT
	Traffic		Traffic	
January	423	52	428	53
February	510	63	516	64
March	594	73	613	76
April	681	84	734	91
May	804	99	866	107
June	851	105	905	112
July	929	115	963	119
August	1374	170	1350	167
September	936	116	1004	124
October	890	110	939	116
November	763	94	787	97
December	613	76	597	74

Location:	US395; MP 1.77; PENDLETON-JOHN DAY HIGHWAY NO. 28; 0.09 mile south of Old	Site Name:	S. Pendleton (30-008)
	Oregon Trail Highway No. 6 (I-84)	Installed:	April, 1999

		Percent of AADT					
Year	AADT	Max	Max	10TH	20TH	30TH	
		Day	Hour	Hour	Hour	Hour	
2008	22439	128	11.2	10.1	9.9	9.8	
2009	22618	128	15.7	10.1	9.9	9.8	
2010	***	***	***	***	***	***	
2011	22218	124	10.3	9.8	9.7	9.6	
2012	22085	125	10.2	9.6	9.5	9.4	
2013	22662	140	10.4	10.1	10.0	9.9	
2014	23384	137	11.4	10.2	10.0	10.0	
2015	24008	124	11.2	10.2	10.0	9.8	
2016	24573	135	10.4	9.9	9.7	9.6	
2017	25563	125	12.8	10.1	9.9	9.6	



## 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	22885	90	21346	84
February	25709	101	23857	93
March	27204	106	25658	100
April	28556	112	26663	104
May	28536	112	26864	105
June	28530	112	26921	105
July	26906	105	25917	101
August	28053	110	26236	103
September	27856	109	26556	104
October	28423	111	26625	104
November	28379	111	25995	102
December	25220	99	24117	94

For Vehicle Classification data near your project, please go to the following web page:
<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR204; MP 0.12; WESTON-ELGIN HIGHWAY NO. 330; 1.44 miles east of Oregon-	Site Name:	Weston (30-012)
	Washington Highway No. 8 (OR11)	Installed:	January, 1968

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	1118	182	19.0	17.4	15.8	15.1
2009	1124	***	***	***	***	***
2010	1108	192	21.7	17.6	16.7	16.0
2011	1058	204	22.3	19.5	17.8	16.8
2012	1006	203	36.2	19.8	18.1	17.1
2013	1024	197	24.2	18.8	16.9	16.2
2014	1061	206	22.1	19.4	18.1	17.2
2015	1156	198	19.5	18.5	17.4	16.2
2016	1214	463	60.7	39.3	18.4	17.4
2017	1136	***	***	***	***	***




2017 - Atypical values due to construction were removed

## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	637	56	683	60
February	649	57	716	63
March	717	63	757	67
April	809	71	859	76
May	1077	95	1190	105
June	1281	113	1357	119
July	1650	145	1900	167
August	1474	130	1668	147
September	1307	115	1441	127
October	1191	105	1257	111
November	944	83	981	86
December	760	67	821	72

Location:	US395; MP 8.70; UMITILLA-STANFIELD HIGHWAY NO. 54; 0.12 mile northwest of	Site Name:	Stanfield (30-019)
	Feedville Road (Northwest of Stanfield)	Installed:	June, 2005

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	7469	131	10.4	10.0	9.9	9.8	
2009	7618	135	11.1	10.1	9.9	9.7	
2010	7706	136	10.5	10.0	9.9	9.7	
2011	7567	128	10.6	9.8	9.7	9.6	
2012	7347	132	10.4	9.9	9.7	9.6	
2013	7384	131	10.8	10.0	9.8	9.7	
2014	7406	125	10.5	9.9	9.7	9.6	
2015	7660	123	10.5	9.8	9.7	9.6	
2016	7818	127	10.3	9.9	9.8	9.7	
2017	7891	147	16.4	10.0	9.9	9.8	



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6449	82	6282	80
February	7808	99	7433	94
March	8273	105	7899	100
April	8256	105	7953	101
May	8600	109	8300	105
June	8500	108	8200	104
July	8651	110	8333	106
August	9132	116	8723	111
September	8622	109	8249	105
October	8760	111	8336	106
November	8280	105	7747	98
December	7541	96	7237	92

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

	Oregon-Washington State Line	Installed:	September, 1957
Location:	OR11; MP 34.46; OREGON-WASHINGTON HIGHWAY NO. 8; 0.86 mile south of	Site Name:	Milton (30-021)

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	14310	128	10.6	10.3	10.0	9.9
2009	14718	***	***	***	***	***
2010	14739	125	10.7	10.4	10.1	10.0
2011	14521	131	10.7	10.2	10.0	9.9
2012	14333	130	10.9	10.3	10.0	9.9
2013	14202	129	10.6	10.1	9.9	9.8
2014	14132	128	10.8	10.3	10.0	9.9
2015	14817	127	10.3	10.0	9.8	9.8
2016	15380	130	10.5	10.0	9.8	9.7
2017	15180	130	11.1	10.2	10.1	10.0




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12197	80	11823	78
February	13643	90	13396	88
March	15317	101	14889	98
April	16037	106	15823	104
May	16561	109	16310	107
June	17021	112	16691	110
July	16764	110	16355	108
August	16824	111	16307	107
September	16347	108	16107	106
October	16450	108	15848	104
November	15535	102	14899	98
December	14034	92	13706	90

For Vehicle Classification data near your project, please go to the following web page:

Location:	I-82; MP 0.58; McNARY HIGHWAY NO. 70; 0.58 mile south of Oregon-Washington	Site Name:	Umatilla Bridge (30-025)
	State line	Installed:	April, 1977

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	16364	152	14.5	11.6	10.7	10.4	
2009	17136	149	13.2	11.5	11.2	11.0	
2010	17854	148	11.7	11.1	10.9	10.7	
2011	18100	152	12.0	11.0	10.6	10.4	
2012	17880	144	12.5	11.1	10.8	10.5	
2013	18487	147	12.9	11.4	10.9	10.6	
2014	18997	146	13.1	11.3	10.8	10.6	
2015	20465	141	12.5	10.8	10.4	10.2	
2016	21647	150	12.1	10.9	10.6	10.3	
2017	21644	155	11.7	10.8	10.7	10.6	



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	13591	63	13596	63
February	17114	79	16993	79
March	20420	94	20809	96
April	21759	101	22364	103
May	23600	109	23500	109
June	25000	116	25600	118
July	25823	119	26740	124
August	25882	120	26103	121
September	22340	103	22661	105
October	21376	99	21573	100
November	19412	90	19628	91
December	17779	82	17313	80

2017 -Use Seasonal Factors with caution - many volumes were estimated


For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data

https://www.oregon.gov/ODOT/Data/ /Documents/TVT\_2017.xlsx

Location:	I-84; MP 216.81; OLD OREGON TRAIL NO. 6; 0.76 mile southeast of Umatilla-Mission	Site Name:	Mission Jct (30-026)
	Highway No. 331 Interchange	Installed:	June, 2007

# HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	9207	163	18.0	14.5	13.1	12.6
2009	9493	165	17.7	15.0	14.0	13.3
2010	9863	167	17.2	14.5	13.7	13.0
2011	9615	176	16.8	13.9	13.1	12.8
2012	9516	222	17.4	14.4	13.5	13.1
2013	9739	174	17.1	13.5	12.8	12.4
2014	10264	163	18.1	13.3	12.9	12.4
2015	11029	150	17.1	13.5	12.8	12.3
2016	11519	169	14.9	12.8	12.4	11.8
2017	11289	***	***	***	***	***



## 2017 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6900	61	6000	53
February	7800	69	8000	71
March	10700	95	11200	99
April	11000	97	11600	103
May	12200	108	12500	111
June	13617	121	14241	126
July	13029	115	13833	123
August	13985	124	14492	128
September	11649	103	12148	108
October	10500	93	11400	101
November	10636	94	11017	98
December	9316	83	9040	80

2017 –Use Seasonal Factors with caution - many volumes were estimated

For Vehicle Classification data near your project, please go to the following web page: https://www.oregon.gov/ODOT/Data

Location:	I-84; MP 191.40; OLD OREGON TRAIL NO. 6; 2.56 miles east of Umatilla-Stanfield	Site Name:	Echo (30-027)
	Highway No. 54 Interchange (US395)	Installed:	June. 2007

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	14675	146	13.8	11.5	10.8	10.3
2009	14657	146	13.0	11.9	11.2	10.8
2010	14507	160	13.0	12.1	11.5	11.3
2011	14339	158	13.5	11.5	11.1	10.9
2012	14266	147	13.6	11.5	11.2	11.0
2013	14455	152	14.8	12.6	11.6	11.2
2014	14419	150	14.4	12.2	11.6	11.3
2015	15646	147	13.7	11.5	11.2	11.0
2016	16352	156	13.8	11.7	11.4	11.1
2017	16535	172	16.4	12.2	11.5	11.2



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	10010	61	10046	61
February	12986	79	12743	77
March	15636	95	15911	96
April	16568	100	16911	102
May	17426	105	17533	106
June	18700	113	19093	115
July	19458	118	20354	123
August	20373	123	20761	126
September	17967	109	18354	111
October	17327	105	17540	106
November	15704	95	15860	96
December	13710	83	13308	80


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Trail Highway No. 6 (I-84) Installed: April, 1999	Location:	OR82; MP 1.74; WALLOWA LAKE HIGHWAY NO. 10; 0.82 mile east of Old Oregon	Site Name:	Island City (31-003)
		Trail Highway No. 6 (I-84)	Installed:	April, 1999

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	11892	***	***	***	***	***
2009	11983	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	11634	128	11.2	10.5	10.3	10.1
2014	11745	132	11.5	10.9	10.5	10.3
2015	12135	129	10.9	10.7	10.4	10.2
2016	12144	133	10.8	10.3	10.1	10.0
2017	12232	***	***	***	***	***




# 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11100	91	10500	86
February	12600	103	11800	96
March	12900	105	11900	97
April	13773	113	12800	105
May	14300	117	13200	108
June	14400	118	13500	110
July	14300	117	13300	109
August	14000	114	13000	106
September	13900	114	12600	103
October	12752	104	11922	97
November	12193	100	11245	92
December	11839	97	11021	90

2017 -Use Seasonal Factors with caution - many volumes were estimated

Location:	OR82; MP 20.70; WALLOWA LAKE HIGHWAY NO. 10; 0.45 mile northeast of	Site Name:	Elgin (31-005)
	Weston-Elgin Highway No. 330 (OR204)	Installed:	April, 1957

			Pe	Percent of AADT		
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	1768	187	29.1	16.6	15.3	14.5
2009	1847	***	***	***	***	***
2010	1901	204	28.6	17.2	15.5	14.8
2011	1807	197	22.8	15.8	14.9	14.2
2012	1756	***	***	***	***	***
2013	1782	196	20.7	16.0	14.9	14.1
2014	1791	189	20.5	17.8	15.7	14.5
2015	1891	188	22.3	17.4	15.5	14.1
2016	1930	185	20.9	16.3	15.5	14.6
2017	1915	191	20.1	17.3	15.9	15.2



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1011	53	1006	53
February	1278	67	1266	66
March	1466	77	1455	76
April	1630	85	1642	86
May	1968	103	2038	106
June	2336	122	2417	126
July	2644	138	2823	147
August	2447	128	2618	137
September	2305	120	2427	127
October	2107	110	2133	111
November	1748	91	1716	90
December	1459	76	1433	75


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	I-84; MP 260.12; OLD OREGON TRAIL NO. 6; 1.05 miles east of La Grande-Baker	Site Name:	North La Grande (31-007)
	Highway No. 66 (US30), North La Grande Interchange	Installed:	December, 2008

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	8464	164	17.7	14.4	13.5	13.2
2010	8721	167	16.8	14.5	13.4	12.8
2011	8867	182	16.1	14.1	13.5	13.1
2012	8589	156	17.6	13.8	13.2	12.8
2013	8781	176	17.4	15.1	13.4	12.9
2014	8800	***	***	***	***	***
2015	9617	***	***	***	***	***
2016	10074	173	16.7	14.0	13.4	12.9
2017	10226	***	***	***	***	***




2017 -K Factors are atypical due to Eclipse volumes

## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5621	55	5660	55
February	7324	72	7218	71
March	9203	90	9541	93
April	9837	96	10336	101
May	10761	105	10969	107
June	11908	116	12422	121
July	12501	122	13308	130
August	13308	130	13729	134
September	10900	107	11261	110
October	10502	103	10797	106
November	9187	90	9574	94
December	8143	80	7891	77

Location:	I-84; MP 272.19; OLD OREGON TRAIL NO. 6; 1.72 miles northwest of Ladd Canyon	Site Name:	Ladd Summit (31-008)
	Road	Installed:	July, 2008

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	***	***	***	***	***	***
2009	9631	158	15.8	13.1	12.2	11.8
2010	9441	164	14.6	13.4	12.5	12.2
2011	9305	174	15.3	12.9	12.3	11.9
2012	9330	150	16.1	13.0	12.3	11.9
2013	9489	166	16.7	13.9	12.6	12.1
2014	9761	163	16.7	14.3	12.6	12.3
2015	10510	150	15.4	12.8	12.3	12.0
2016	10976	166	15.8	13.1	12.6	12.2
2017	11116	***	***	***	***	***



2017 -K Factors are atypical due to Eclipse volumes

#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6600	59	7100	64
February	8150	73	8041	72
March	10118	91	10395	94
April	10786	97	11206	101
May	11664	105	11778	106
June	12870	116	13382	120
July	13488	121	14161	127
August	14391	129	14646	132
September	11813	106	12034	108
October	11442	103	11607	104
November	10139	91	10366	93
December	8992	81	8676	78


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	I-84; MP 75.93; COLUMBIA RIVER HIGHWAY NO. 2; 0.72 mile west of the Rowena	Site Name:	Rowena (33-001)
	Interchange.	Installed:	January, 1938

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	19453	164	15.8	13.4	12.4	12.0
2009	20662	159	14.5	13.5	12.9	12.4
2010	20760	158	13.3	12.8	12.5	12.1
2011	20322	165	14.7	12.9	12.5	12.1
2012	20162	158	16.0	12.9	12.4	12.2
2013	20488	158	15.1	13.5	12.5	12.2
2014	21201	158	15.1	13.5	12.7	12.3
2015	22321	152	14.2	12.8	12.2	11.9
2016	23412	160	14.7	13.2	12.5	12.1
2017	23426	160	14.1	12.8	12.3	12.1




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12775	55	12958	55
February	18638	80	18118	77
March	21974	94	22505	96
April	23248	99	24346	104
May	24774	106	25617	109
June	27059	116	28180	120
July	28681	122	30134	129
August	28664	122	29916	128
September	20037	86	21353	91
October	24154	103	25065	107
November	22678	97	23259	99
December	19979	85	19655	84

Location:	US197; MP 10.30; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.84 mile south of	Site Name:	Dufur (33-005)
	Boyd Market Road (North Jct)	Installed:	April, 1957

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	2539	140	14.7	12.7	12.1	11.8
2009	2517	159	16.8	13.9	13.0	12.4
2010	2500	***	***	***	***	***
2011	2402	169	17.4	14.4	13.2	12.6
2012	2397	178	20.1	13.9	13.1	12.6
2013	2376	193	20.8	15.3	14.2	13.2
2014	2430	164	19.0	12.8	12.4	11.9
2015	2583	197	18.0	14.3	13.2	12.3
2016	2760	186	18.9	15.5	14.5	13.7
2017	2853	***	***	***	***	***



2017 –K Factors are atypical due to Eclipse volumes

## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1711	60	1654	58
February	2227	78	2134	75
March	2706	95	2620	92
April	2931	103	2989	105
May	3165	111	3211	113
June	3298	116	3264	114
July	3423	120	3461	121
August	3852	135	3759	132
September	3494	122	3301	116
October	2956	104	2869	101
November	2725	96	2621	92
December	2449	86	2357	83


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR6; MP 38.55; WILSON RIVER HIGHWAY NO. 37; 0.75 mile west of Glenwood	Site Name:	Gales Creek (34-004)
	Lane	Installed:	October, 1956

# HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	4575	273	27.7	23.1	21.4	20.9
2009	4852	279	30.0	25.2	22.4	21.3
2010	4733	286	27.5	24.8	22.9	21.5
2011	4512	266	29.7	24.6	23.1	22.4
2012	4553	336	32.7	25.6	23.3	22.2
2013	4693	230	27.3	23.2	21.8	20.9
2014	4906	274	28.6	24.2	23.0	22.1
2015	5423	287	28.4	23.8	21.9	20.9
2016	5562	288	26.4	23.2	21.7	20.8
2017	5492	292	29.1	24.9	22.6	21.6




### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2464	45	2810	51
February	3100	56	3687	67
March	3629	66	4490	82
April	3700	67	4803	87
May	4615	84	6063	110
June	5004	91	6867	125
July	6649	121	8154	148
August	6487	118	7956	145
September	5645	103	7132	130
October	4447	81	5557	101
November	3747	68	4596	84
December	3415	62	3790	69

Location:	US26; MP 37.60; SUNSET HIGHWAY NO. 47; 0.10 mile west of Vernonia Road	Site Name:	Timber Jct (34-005)
		Installed:	March, 2004

		Percent of AADT						
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour		
2008	6440	269	24.6	22.6	21.3	20.8		
2009	6944	268	25.1	22.0	20.9	20.1		
2010	6950	286	27.7	22.1	20.0	19.3		
2011	6426	290	28.2	23.9	22.5	21.4		
2012	6487	286	28.8	24.1	23.3	21.9		
2013	6862	258	24.5	21.5	20.0	19.4		
2014	7196	274	27.0	23.3	22.3	20.8		
2015	7998	280	25.2	21.2	19.6	18.9		
2016	8171	264	24.7	21.1	20.3	19.5		
2017	8134	266	25.9	22.3	21.2	20.4		



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3092	38	3853	47
February	4020	49	5264	65
March	5436	67	6998	86
April	5449	67	7306	90
May	6843	84	9198	113
June	7605	93	9980	123
July	10407	128	12346	152
August	10472	129	12478	153
September	8697	107	10709	132
October	6029	74	7732	95
November	5001	61	6348	78
December	4675	57	5398	66


For Vehicle Classification data near your project, please go to the following web page:


<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location: US26	6; MP 56.23; SUNSET HIGHWAY NO. 47; 0.93 mile NW of North Plains (Glencoe	Site Name:	North Plains (34-007)
Rd) I	Interchange	Installed:	June, 2005

#### HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	20927	190	16.1	14.4	13.5	13.3
2009	21017	181	16.2	14.7	14.0	13.6
2010	21010	195	16.5	15.0	13.6	13.4
2011	20135	191	17.2	15.6	14.8	14.3
2012	20051	***	***	***	***	***
2013	20633	170	15.8	14.7	14.1	13.6
2014	21378	181	16.8	15.2	14.6	14.2
2015	23099	186	15.4	13.9	13.5	13.1
2016	24194	181	14.5	14.0	13.7	13.3
2017	23443	***	***	***	***	***






## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	14715	63	14974	64
February	17823	76	18614	79
March	19865	85	21312	91
April	20530	88	22542	96
May	23035	98	25914	111
June	24023	102	26810	114
July	29300	125	31100	133
August	28200	120	32200	137
September	22669	97	25159	107
October	21567	92	23423	100
November	19424	83	20456	87
December	18454	79	18815	80

Location:	I-5; MP 290.14; PACIFIC HIGHWAY NO. 1; 0.34 mile south of Boones Ferry Road	Site Name:	Tigard (34-008)
	Interchange	Installed:	September, 2007

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	151707	120	8.6	8.5	8.5	8.4
2009	153545	118	8.6	8.5	8.4	8.3
2010	155956	117	8.6	8.4	8.3	8.3
2011	154847	117	8.6	8.4	8.4	8.4
2012	153197	117	8.5	8.3	8.3	8.2
2013	157538	117	8.4	8.2	8.2	8.1
2014	154594	119	9.6	8.1	8.0	8.0
2015	164156	114	8.0	7.8	7.7	7.7
2016	164465	114	7.8	7.7	7.6	7.6
2017	164338	114	7.9	7.7	7.6	7.6



#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	145287	88	136629	83
February	169310	103	159842	97
March	171599	104	163785	100
April	178351	109	170457	104
May	176763	108	169059	103
June	181971	111	174091	106
July	176466	107	170442	104
August	178294	108	171288	104
September	172248	105	167129	102
October	173827	106	168228	102
November	169223	103	161762	98
December	166325	101	159347	97


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR8; MP 14.84; TUALATIN VALLEY HIGHWAY NO. 29; 0.28 mile west of N.W.	Site Name:	Cornelius (34-009)
	334th Avenue	Installed:	September, 2007

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	33838	120	10.2	9.7	9.6	9.5
2009	33043	120	14.0	9.6	9.4	9.3
2010	33237	124	10.2	9.7	9.5	9.4
2011	33248	118	9.9	9.7	9.5	9.4
2012	33333	117	9.8	9.5	9.4	9.4
2013	33000	120	9.9	9.5	9.4	9.2
2014	32198	120	10.0	9.6	9.5	9.4
2015	33905	127	10.2	9.6	9.4	9.3
2016	34836	119	9.5	9.3	9.2	9.1
2017	35234	119	9.7	9.3	9.1	9.1




#### 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	32382	92	31043	88
February	37311	106	35882	102
March	36642	104	35548	101
April	37406	106	36380	103
May	37392	106	36672	104
June	37651	107	36619	104
July	36564	104	35754	101
August	36754	104	35721	101
September	36432	103	35431	101
October	36448	103	35349	100
November	35932	102	34447	98
December	34676	98	33960	96

Location:	US26; MP 65.02; SUNSET HIGHWAY NO. 47; 0.73 mile east of 185th Avenue	Site Name:	Beaverton-Bethany
	overcrossing		(34-010)
		Installed:	February, 2013

		Percent of AADT				
Year	AADT	Max	Max	10TH	20TH	30TH
		Day	Hour	Hour	Hour	Hour
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	***	***	***	***	***	***
2014	109193	120	8.6	8.5	8.5	8.4
2015	112772	117	8.4	8.3	8.3	8.2
2016	114746	119	8.3	8.2	8.2	8.2
2017	114408	117	8.2	8.0	8.0	8.0



## 2017 TRAFFIC DATA

	Average	Percent	Average	Percent
	Weekday	of AADT	Daily	of AADT
	Traffic		Traffic	
January	98187	86	91138	80
February	116852	102	109325	96
March	120422	105	114002	100
April	124310	109	117333	103
May	124369	109	118936	104
June	128893	113	122493	107
July	126680	111	121339	106
August	127867	112	121627	106
September	122640	107	118166	103
October	124004	108	118226	103
November	119049	104	111751	98
December	115324	101	108564	95


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location: OR99W; MP 21.81; PACIFIC HWYWAY WEST NO. 91; (	.01 mile west of Brutscher Site Name:	Newberg (36-004)
Street	Installed:	July, 1952

### HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	34049	122	9.2	8.9	8.9	8.8
2009	34060	***	***	***	***	***
2010	***	***	***	***	***	***
2011	34083	120	9.6	9.0	8.9	8.8
2012	33969	122	9.0	8.8	8.7	8.7
2013	34174	113	10.9	8.6	8.4	8.3
2014	34791	122	9.6	8.8	8.7	8.6
2015	36559	***	***	***	***	***
2016	37027	119	9.3	8.3	8.3	8.2
2017	37244	120	10.2	8.6	8.3	8.3




## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	33739	91	32348	87
February	38643	104	37126	100
March	37799	101	36890	99
April	38527	103	37798	101
May	37859	102	37734	101
June	39058	105	38400	103
July	39570	106	39013	105
August	40445	109	39247	105
September	38876	104	38483	103
October	39164	105	38159	102
November	37661	101	36415	98
December	36901	99	35309	95

Location:	OR99W; MP 47.45; PACIFIC HIGHWAY WEST NO. 91; 0.07 mile north of Yamhill-	Site Name:	Amity (36-005)
	Polk County Line	Installed:	September, 1956

		Percent of AADT					
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour	
2008	5433	131	12.9	11.8	11.2	11.0	
2009	5453	132	15.0	11.5	11.0	10.7	
2010	5594	135	14.7	11.8	11.2	11.0	
2011	5553	135	14.5	11.8	11.3	11.1	
2012	5556	133	14.6	11.8	11.6	11.4	
2013	5644	143	14.5	12.1	11.5	11.2	
2014	5970	134	14.0	11.8	11.7	11.5	
2015	6431	136	12.5	11.5	11.2	11.0	
2016	6632	134	13.2	11.7	11.4	11.2	
2017	7159	156	12.5	11.7	11.6	11.3	



## 2017 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5880	82	5539	77
February	6846	96	6542	91
March	6987	98	6688	93
April	7099	99	6863	96
May	7889	110	7743	108
June	8166	114	7988	112
July	7842	110	7586	106
August	8388	117	7940	111
September	7947	111	7752	108
October	8088	113	7727	108
November	7560	106	7143	100
December	6771	95	6397	89


For Vehicle Classification data near your project, please go to the following web page:

<a href="https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx">https://www.oregon.gov/ODOT/Data/Documents/TVT\_2017.xlsx</a>

Location:	OR18; MP 41.00; SALMON RIVER HIGHWAY NO. 39; 3.36 miles south of Pacific	Site Name:	Salmon River (36-006)
	Highway West No. 91 (OR99W)	Installed:	July, 2000

## HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	13235	143	11.8	10.5	10.3	10.1
2009	13550	136	14.7	10.5	10.3	10.1
2010	13487	141	11.4	10.8	10.4	10.3
2011	13097	138	11.8	10.9	10.7	10.5
2012	12859	151	12.3	11.2	10.9	10.7
2013	12915	133	11.3	10.7	10.5	10.4
2014	12943	139	11.9	11.0	10.7	10.5
2015	13520	143	11.2	10.4	10.2	10.1
2016	13772	140	10.9	10.5	10.3	10.1
2017	13764	139	11.0	10.6	10.4	10.3



## 2017 TRAFFIC DATA

	Average Weekday	Percent of AADT	Average Daily	Percent of AADT
	Traffic		Traffic	
January	10671	78	10758	78
February	12227	89	12662	92
March	12906	94	13627	99
April	13070	95	13754	100
May	13765	100	14572	106
June	14071	102	14885	108
July	15251	111	15859	115
August	15485	113	16017	116
September	14123	103	14839	108
October	13377	97	13747	100
November	12243	89	12552	91
December	11774	86	11890	86



## **GLOSSARY**

AADT: Annual Average Daily Traffic - the total traffic for the year divided by 365 (or 366 in a leap year). In most cases, the AADT is obtained by adjusting a 48-hour traffic count by applying four factors. The first two factors are seasonal and day of week factors, which account for temporal variations in traffic. They are developed from permanent traffic recording stations. The third factor is an axle factor, which is used to account for vehicles with more than two axles. This factor is obtained from vehicle classification counts. For counts not taken during the latest data year, the fourth factor is a growth factor.

ATR: Automatic Traffic Recorder – a permanently installed, continuous counting device. Includes AVC and WIM sites.

AVC: Automatic Vehicle Classifier – a permanently installed, continuous counting and classification device.

CCS: Continuous Count Station – Volume Counts derived from permanent counters (ATRs), for a period of 24-hours each day over 365 days for the data reporting year.

FHWA: Federal Highway Administration.

VMT: Vehicle Miles of Travel (or Vehicle Miles Traveled) – the sum of distances traveled by all motor vehicles in a specified system of highways for a given period of time.

In Section I, an asterisk (\*), appearing to the left of a count location description, indicates the location of an automatic traffic recorder station.

Asterisks (\*\*\*), appearing in Section II, under "Historical Traffic Data", indicates recorder was inoperative or experienced atypical traffic during those time periods.

## **Prefixes to Milepoints**

Z: Overlapping Mileage – Z-mileage is created when a road is lengthened in the middle due to realignment.

This document is prepared by the Oregon Department of Transportation (ODOT), but funded by a combination of funding from the Federal Highway Administration (FHWA) and ODOT. ODOT assumes responsibility for the facts and accuracy of the data presented in the report. The contents of this report does not necessarily reflect the views or policies of FHWA.